

ORIGINAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
October 2008
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

*Ken
12/09/09*

OPERATOR: License # 3895
Name: Bobcat Oilfield Services, Inc.
Address 1: 30805 Coldwater Rd.
Address 2: _____
City: Louisburg State: KS Zip: 66053 + _____
Contact Person: Bob Eberhart
Phone: (913) 837 - 2823
CONTRACTOR: License # 4339
Name: Jackson, Dale E. & Sue Ellen dba Dale E. Jackson Production Co.
Wellsite Geologist: _____
Purchaser: High Sierra Crude Oil & Marketing, LLC
Designate Type of Completion:
 New Well _____ Re-Entry _____ Workover
 Oil _____ SWD _____ SIOW
_____ Gas _____ ENHR _____ SIGW
_____ CM (Coal Bed Methane) _____ Temp. Abd.
_____ Dry _____ Other _____
(Core, WSW, Expl., Cathodic, etc.)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
_____ Deepening _____ Re-perf. _____ Conv. to Enhr. _____ Conv. to SWD
_____ Plug Back: _____ Plug Back Total Depth
_____ Commingled _____ Docket No.: _____
_____ Dual Completion _____ Docket No.: _____
_____ Other (SWD or Enhr.?) _____ Docket No.: _____


<u>7/1/2009</u>	<u>7/2/2009</u>	<u>10/2/2009</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 15-107-24021-00-00
Spot Description: NE/4
NW NW SE NE Sec. 8 Twp. 20 S. R. 23 East West
3914 Feet from North / South Line of Section
1280 Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: Linn
Lease Name: Snyder Well #: S-19S
Field Name: LaCygne-Cadmus
Producing Formation: Peru
Elevation: Ground: 916 Kelly Bushing: N/A
Total Depth: 341 Plug Back Total Depth: 15
Amount of Surface Pipe Set and Cemented at: 20.5 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: _____ Feet
If Alternate II completion, cement circulated from: 20.5
feet depth to: surface w/ 5 sx cmt.

Drilling Fluid Management Plan AH II NR 1-7-10
(Data must be collected from the Reserve Pit)
Chloride content: 1500-3000 ppm Fluid volume: 80 bbls
Dewatering method used: on lease
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.
Signature: *Don Duckell*
Title: Agent Date: 11-20-09
Subscribed and sworn to before me this 20th day of November,
20 09.
Notary Public: *Jane Tom*
Date Commission Expires: 5-8-2012



KCC Office Use ONLY
 Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
_____ Geologist Report Received
_____ UIC Distribution

RECEIVED
DEC 03 2009
KCC WICHITA

Operator Name: Bobcat Oilfield Services, Inc. Lease Name: Snyder Well #: S-19S
 Sec. 8 Twp. 20 S. R. 23 East West County: Linn

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: GAMMA RAY/NEUTRON/CCL	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum
--	--

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	8 3/4"	6 1/4"		20.5	Portland	5	
Completion	5 5/8"	2 7/8"		326	Portland	50	50/50 POZ

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				


Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated		Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)		Depth
2	286.0 - 292.0	25 Perfs	286.0 - 292.0	Acid Fracture	

RECEIVED
 DEC 03 2009
 KCC WICHITA

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____		Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Date of First, Resumed Production, SWD or Enhr. _____		Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____	
Estimated Production Per 24 Hours	Oil Bbls. _____	Gas Mcf _____	Water Bbls. _____ Gas-Oil Ratio _____ Gravity _____

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
---	--	--

Lease :	SNYDER	
Owner:	BOBCAT OILFIELD SERVICES, INC.	
OPR #:	3895	
Contractor:	DALE JACKSON PRODUCTION CO.	
OPR #:	4339	
Surface:	Cemented:	Hole Size:
20FT, 6IN	5 SACKS	8 3/4
Longstring	Cemented:	Hole Size:
326 2 7/8	50 SACKS	5 5/8



Dale Jackson Production Co.
 Box 266, Mound City, Ks 66056
 Cell # 620-363-2683
 Office # 913-795-2991

Well #:	195
Location:	NW-SE-NE,S:8, T:20, S.R.:23, E
County:	LINN
FSL:	3914
FEL:	1280
API#:	15-107-24021-00-00
Started:	7/01/09
Completed:	7/02/09

SN:	264	Packer:	
Plugged:		Bottom Plug:	

TD:	341
-----	-----

Well Log

TKN	BTM Depth	Formation	TKN	BTM Depth	Formation
2	2	TOP SOIL			
13	15	LIME			
5	20	SHALE			
2	22	BLACK SHALE			
2	24	SHALE			
18	42	LIME			
4	46	SHALE			
2	48	BLACK SHALE			
2	50	LIME			
5	55	SHALE			
5	60	LIME			
1	61	BLACK SHALE			
45	106	SHALE			
10	116	SAND (DRY)			
13	129	SANDY SHALE			
86	215	SHALE			
1	216	COAL			
3	219	SHALE			
6	225	LIME			
24	249	SHALE			
9	258	LIME			
3	261	SHALE			
3	264	LIGHT SANDY SHALE			
3	267	OIL SAND (POOR BLEED) (WATER)			
4	271	OIL SAND (FAIR BLEED) (WATER)			
2	273	OIL SAND (GOOD BLEED)			
20	293	OIL SAND (SEE CORE)			
18	311	SHALE			
3	314	COAL			
2	316	SHALE			
10	326	LIME			
9	335	SHALE			
4	339	LIME			
TD	341	COAL			

RECEIVED

DEC 03 2009

KCC WICHITA

Avery Lumber

P.O. BOX 66
MOUND CITY, KS 66056
{913} 795-2210 FAX {913} 795-2194

Customer Copy
INVOICE
PLEASE REFER TO INVOICE NUMBER
ON ALL CORRESPONDENCE

Page: 1		Invoice: 10008306	
Special :		Time:	10:50:30
Instructions :		Ship Date:	04/14/09
		Invoice Date:	04/20/09
Sale rep #:	MAVERY MIKE	Due Date:	05/05/09
		Acct rep code:	
Sold To: BOBCAT OILFIELD SRVC, INC C/O BOB EBERHART 30805 COLDWATER RD LOUISBURG, KS 66083		Ship To: BOBCAT OILFIELD SRVC, INC (913) 837-2823 (913) 837-2823	
Customer #:	3570021	Customer PO:	
		Order By:	BOB

REPRINT

5TH
Y 27

ORDER	SHIP	L	U/M	ITEM#	DESCRIPTION	Alt Price/Uom	PRICE	EXTENSION
350.00	350.00	L	BG	CPPC	PORTLAND CEMENT	7.9800 BAG	7.9900	2798.50
160.00	160.00	L	EA	CPPM	POST SET FLY ASH 75#	5.1900 BAG	5.1900	830.40
14.00	14.00	L	EA	CPQP	QUIKRETE PALLETS	17.0000 EA	17.0000	238.00
PALLETS NEED TO BE RETURNED FOR CREDIT								

RECEIVED
DEC 03 2009
KCC WICHITA

MOUND CITY

<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 25%;">FILLED BY</td> <td style="width: 25%;">CHECKED BY</td> <td style="width: 25%;">DATE SHIPPED</td> <td style="width: 25%;">DRIVER</td> </tr> <tr> <td colspan="4">SHIP VIA LINN COUNTY</td> </tr> <tr> <td colspan="4" style="text-align: center;">RECEIVED COMPLETE AND IN GOOD CONDITION</td> </tr> <tr> <td colspan="4" style="text-align: center;">X</td> </tr> </table>	FILLED BY	CHECKED BY	DATE SHIPPED	DRIVER	SHIP VIA LINN COUNTY				RECEIVED COMPLETE AND IN GOOD CONDITION				X				<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="text-align: right;">Sales total</td> <td style="text-align: right;">\$3864.90</td> </tr> <tr> <td style="text-align: right;">Taxable</td> <td style="text-align: right;">3864.90</td> </tr> <tr> <td style="text-align: right;">Non-taxable</td> <td style="text-align: right;">0.00</td> </tr> <tr> <td style="text-align: right;">Sales tax</td> <td style="text-align: right;">204.84</td> </tr> <tr> <td style="text-align: right;">Tax #</td> <td></td> </tr> <tr> <td style="text-align: right;">TOTAL</td> <td style="text-align: right;">\$4069.74</td> </tr> </table>	Sales total	\$3864.90	Taxable	3864.90	Non-taxable	0.00	Sales tax	204.84	Tax #		TOTAL	\$4069.74
FILLED BY	CHECKED BY	DATE SHIPPED	DRIVER																										
SHIP VIA LINN COUNTY																													
RECEIVED COMPLETE AND IN GOOD CONDITION																													
X																													
Sales total	\$3864.90																												
Taxable	3864.90																												
Non-taxable	0.00																												
Sales tax	204.84																												
Tax #																													
TOTAL	\$4069.74																												

2 - Customer Copy