# ORIGINAL

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 October 2008 Form Must Be Typed

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #3728	API No. 15 - 107-24118-00-00
Name: Roger Kent dba R.J. Enterprises	Spot Description:
Address 1: 22082 NE Neosho Road	NE_NW_NE_Sec. 23 Twp. 22 S. R. 21 VEast West 2
Address 2:	4,730 Feet from North / South Line of Section
City: Garnett State: KS Zip: 66032 + 1918	
Contact Person: Roger Kent	Footages Calculated from Nearest Outside Section Corner:
Phone: (785) 448-6995 or 448-7725	□ne □nw ☑se □sw
CONTRACTOR: License # 3728	County: Linn
Name: Roger Kent dba R.J. Enterprises	Lease Name: Ewing Well #: 13
Wellsite Geologist: n/a	Field Name: Blue Mound
Purchaser: n/a	Producing Formation: Burgess
Designate Type of Completion:	Elevation: Ground: 982 est. Kelly Bushing: n/a
New Well Re-Entry Workover	Total Depth: 881 ft. Plug Back Total Depth: 874.8 ft.
✓ Oil SIOW	Amount of Surface Pipe Set and Cemented at: Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? Yes No
CM (Coal Bed Methane) Temp. Abd.	If yes, show depth set: Feet
Dry Other	If Alternate II completion, cement circulated from:surface
(Core, WSW, Expl., Cathodic, etc.)	feet depth to: 874.8 ft. w/ 100 sx cmt.
If Workover/Re-entry: Old Well Info as follows:	
Operator:	Drilling Fluid Management Plan AH II NVL 1-7-10
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content:ppm Fluid volume:bbls
Deepening Re-perf Conv. to Enhr Conv. to SWD	Dewatering method used: Drilled with fresh water - air dry
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Docket No.:	Operator Name:
Dual Completion Docket No.:	Lease Name: License No.:
Other (SWD or Enhr.?) Docket No.:	QuarterSecTwpS. R East West
August 11, 2009 August 13, 2009 August 13, 2009 Spud Date or Date Reached TD Completion Date or	County: Docket No.:
Recompletion Date Recompletion Date	
Kansas 67202, within 120 days of the spud date, recompletion, workover or confiside two of this form will be held confidential for a period of 12 months if rectiality in excess of 12 months). One copy of all wireline logs and geologist with BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	
All requirements of the statutes, rules and regulations promulgated to regulate are complete and correct to the best of my knowledge.	the oil and gas industry have been fully complied with and the statements herein
Signature: You Y Y Con	KCC Office Use ONLY
Title: Agent for Roger Kent Date: December 11, 2009	\ \frac{fV}{Letter of Confidentiality Received
Subscribed and sworn to before me this / the day of blescent	If Denied, Yes Date:
DONNA MAI	
STATE OF NAME	COM I I CONTOURT WORNT WORD I
Notary Public: (Norma) 7 April 178.	UIC Distribution DEC 1 4 2009
Date Commission Expires: Thash 16, 2011	KCC WICHITA

#### Side Two

Operator Name: Ro	ger Kent dba R.J. E	nterprises	Lea	se Name: _	Ewing		Well #: _13	
	22 S. R. 21			<sub>ınty:</sub> Linn				
time tool open and o recovery, and flow ra	show important tops and losed, flowing and shut ites if gas to surface tes al geological well site re	in pressures, what, along with fina	nether shut-in p	ressure rea	ched static level,	hydrostatic press	ures, bottom	hole temperature, fluid
Drill Stem Tests Take (Attach Additiona		☐ Yes 🔽	] No	<b></b> ✓L	og Formatio	n (Top), Depth and	f Datum	☐ Sample
Samples Sent to Ge	ological Survey	☐ Yes 🗸	] No	Nam See a	e attached log		Тор	Datum
Cores Taken Electric Log Run (Submit Copy)			] No ] No		·			
List All E. Logs Run:								
Gamma Ray	/Neutron/CCL							
		·····						. ***
			ASING RECOR ngs set-conductor		ew Used ermediate, producti	on, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)		Veight bs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface		7"			20'	oil well cement	100	Kol Seal
production		2-7/8"			874.8'			S-5 gel/bentonite
								cottonseed hulls
		ADDI*	TIONAL CEMEN	ITING / SQL	JEEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Type of Ceme	ent #Sad	cks Used		Type and Pe	rcent Additives	;
Protect Casing Plug Back TD Plug Off Zone								
Shots Per Foot		N RECORD - Brid		De		cture, Shot, Cement s		d Depth
19	831' - 840'	3						
<del></del>				,				
TUBING RECORD:	Size:	Set At:	Packe	r At:	Liner Run:	] Yes □ No		
Date of First, Resumed	Production, SWD or Enhr	. Produci	ing Method:	☐ Flowing	y Pumpin	g Gas Lift	Oth	er (Explain)
Estimated Production Per 24 Hours	Oil B	ols. Ga	s Mcf	Wate	er Bt	ols. Ga	s-Oil Ratio	Gravity
DISPOSIT	ON OF GAS:		METHOD	OF COMPLE	TION:		PRODUCTION	ON INTERVAL:
Vented Sole	d Used on Lease	Open Hole	_	Dually	Comp. Com	nmingled		

R. J. Enterprises 22082 NE Neosho Rd Garnett, KS 66032

			start 8-11-09
	Ewing #13		finish 8-13-09
4	soil	4	
11	clay	15	
17	shale	32	
59	lime	91	
10	shale	101	
23	lime	124	
6	shale	130	
20	lime	150	set 20' 7"
164	shale	314	ran 874.8 2 7/8
26	lime	340	consolidated cemented
59	shale	399	to surface
30	lime	429	
34	shale	463	
23	lime	486	
11	shale	497	
7	lime	504	
98	shale	602	
2	lime	604	
225	shale	829	
1	sandy shale	830 odor	
9	oil sand	839 good show	
7	shale	846	
2	coal	848	
33	lime	881 T.D.	

RECEIVED
DEC 1 4 2009
KCC WICHITA



#### **REMIT TO**

Consolidated Oil Well Services, LLC Dept. 970 P.O. Box 4346 Houston, TX 77210-4346 MAIN OFFICE P.O. Box 884 Chanute, KS 66720 620/431-9210 • 1-800/467-8676 FAX 620/431-0012

INVOICE				Invoice	#	23085
=======================================		======:	=======		=====	=====
Invoice Date:	08/17/2009	Terms:	0/30,n/30		Page	1

R. J. ENTERPRISE % ROGER KENT 22082 NE NEOSHO RD GARNETT KS 66032 (785)448-6995 EWING #13 23526 08-13-09

=====	=======================================	=======================================	- ci a u u îu u u u u :		= = = = = = = = = = = = = = = = = = =	=======
Part N	umber I	Description		Qty	Unit Price	Tota
1126	C	OIL WELL CEMENT		100.00	16.0000	1600.0
1110A	K	KOL SEAL (50# BAG)		400.00	.3900	156.0
1118A	S	S-5 GEL/ BENTONITE	(50#)	200.00	.1600	32.0
1105	C	COTTONSEED HULLS		25.00	.3700	9.2
4402	2	2 1/2" RUBBER PLUG		2.00	22.0000	44.0
1	Description			Hours	Unit Price	Tota
	CEMENT PUMP			1.00	870.00	870.0
	EQUIPMENT MILEAG	•	•	60.00	3.45	207.0
515	TON MILEAGE DELI	IVERY		330.00	1.16	382.8

RECEIVED
DEC 1 4 2009
KCC WICHITA

BARTLESVILLE, OK 918/338-0808	ELDORADO, KS 316/322-7022	EUREKA, Ks 620/583-7664	GILLETTE, WY 307/686-4914	McALESTER, OK 918/426-7667	OTTAWA, Ks 785/242-4044	THAYER, Ks 620/839-5269	Worland, Wy 307/347-4577
Signed						ate	
	# # # # # # # # # # # # # # # # # # #		=======================================	==========		:========	
Sublt:	.00	Supplies:	.00	Change:	.00	)	
abor:	.00	Misc:	.00	Total:	3398.64		
arts:	1841.25	Freight:	.00	Tax:	97.59	AR	3398.