STATE OF KANSAS STATE CORPORATION COMMISSION

15-163-03257-0000

WELL PLUGGING RECORD

Mail or Deliver Report to:		WE	LL PLU	GGING RI	ECORD	
Conservation Division State Corporation Commission 800 Bitting Building	Rooks		~		10s -	ــ 20 يد.
Wichita, Kansas	Location as "NI	E/CNW¼SW¼"	Cour or footage fr	om lines 660	EWL & 330	/s/ 20 (1 NSL of SW/4
NORTH	Lease Owner	Gulf Oi	1 Corpor	ation		
i ļ i	Lease Name	Sutor "	Bu		W	Vell No
	Office Address	P. O. B	ox 661,	Tulsa, 2,	Oklahoma	***************************************

1 !	Date well compl	eted	ebruary	24.		19 5
	Application for	plugging filed	Febru	ary 24,	(Verbal)	195
						L)
						19 5
i <u> </u>						19 .5
	į.		=	_		
						19
P 1						e plugging was co
Locate well correctly on above Section Plat	menced?	Yes				***********
ame of Conservation Agent who su	pervised plugging of this	s well	Eldon F	etty	**********	*************************
oducing formation Arbuck	le Dept	h to top 3776	Bottor	n 3816' т	otal Depth of We	ell 3816 F
low depth and thickness of all water			•	•		
OIL CAR OR WARED DECOR	Da				0	ASING RECORD
OIL, GAS OR WATER RECOR	200 200					ASING RECORD
Formation	Content	From	То	Size	Put In	Pulled Out
				8-5/8"	2261	01

·						
						•••••••
			***************************************			***************************************
			***************************************			***************************************

***************************************				,,		••••••
	of cement thru of ment on plug.	irill pipe (at 210'. P	ushed plug	to 401 and
		irill pipa (ushed plug	to 40° and
		irill pipa (ushed plug	to 40° and
		irill pipa (nshed plug	to 40° and
		irill pipe (nshed plug	to 40° and
		irill pipe (gulq bedeu	to 40° and
		irill pipe (gulq bedeu	to 40° and
spotted ten sacks of co					gulq bedeu	to 40' and
spotted ten sacks of co	ment on plug.				Just bedeur	to 40' and
spotted ten sacks of co	ment on plug.	Issarintion is negasar			Suld peder	to 40' and
spotted ten sacks of co	(If additional of Glen	lescription is necessar;	, use BACK of	this sheet)	2 O2-2	to 40° and
ame of Plugging Contractor.	(If additional of Glen	Issarintion is negasar	, use BACK of	this sheet)	2 O2-2	29-52
ame of Plugging Contractor	(If additional of Gler Box	lescription is necessary m W. Peel 359, Hoisi	, use BACK of	this sheet)	2 02-2 1v:23-32	29-52
ame of Plugging Contractor	(If additional of Glent Box	description is necessary in W. Peel 359, Holsi	, use BACK of ngton, I	this sheet)	2. QQ -2	39-52
ame of Plugging Contractor	(If additional of Gler Box , COUNT)	lescription is necessary in W. Peel 359, Holsi	, use BACK of ngton, I	this sheet) Kansas "s	s.	above-described w
ame of Plugging Contractor	(If additional of Gler Box , COUNT)	lescription is necessary m W. Peel 359, Hoisi TY OF	RICE loyee of own atements, an od.	this sheet) Kansas "s	s.	above-described w
ame of Plugging Contractorddress	(If additional of Gler Box , COUNT)	lescription is necessary in W. Peel 359, Holsi TY OF	RICE loyee of own atements, an od.	this sheet) Kansas per) fr//b/f/f/f	s. contained and the	above-described w
spotted ten sacks of contractor. Iame of Plugging Contractor. Address. TATE OF. KANSAS H. H. Wrig eing first duly sworn on oath, says: escribed well as filed and that the s	(If additional of Glern Box That I have knowledgame are true and correct	Iescription is necessary in W. Peel 359, Hols TY OF	RICE loyee of own atements, an od.	this sheet) Kansas ner) fr/(bf/sf/sf ad matters herein	s. Alegantarie and the contained and the contai	above-described we he log of the above
ame of Plugging Contractor	(If additional of Gler. Box COUNTAIN That I have knowledgame are true and corrected are true and corrected are this State and corrected are the state are true are tru	lescription is necessary in W. Peel 359. Hoisi TY OF (emple of the facts, state. So help me General Company of the facts, state. So help me General Company of the facts, state. So help me General Company of the facts, state.	RICE loyee of own atements, an od.	this sheet) Kansas per) fr//b/f/f/f	s. contained and the sidress) 19.52	above-described we he log of the above
SUBSCRIBED AND SWORN TO before	(If additional of Glern Box That I have knowledgame are true and correct	Iescription is necessary in W. Peel 359, Hols TY OF	RICE loyee of own atements, an od.	this sheet) Kansas per) fr//b/f/f/f	s. Alegantarie and the contained and the contai	above-described we he log of the above

FILE SEC_24 TIO RZOW TOTAL PROPERTY OF THE PARTY OF

15-163-03257-000

DRILLER'S

LOG

Company: Gulf Oil Corp.

C/S1 SW SW Sec. 24, Twp. 10, Rge. 20,

Well "B" #1 Sutor

County:

Rooks, Kansas

Comp: 2-24-52 Comm: 2-9-52

Casing: 8 5/8" @ 2261 cem.

Total Depth: 3816

Elevation:

Contractor:

Peel Brothers, Inc.

Production: Dry

Figures below indicate bottom of formations


Clay and Black Soil	01	35
Sand		175
Shale		740
Sand		975
		7/3
Shale		1050
Sand		1290
Shale and Shells		1620
Anhydrite		1665
Shale and Shells		1990
Salt		2084
Shale and Red Bed		2165
Shale and Anhydrite Streaks		2290
Shale		2430
Shale and Lime		3395
Lime and Broken Shale		33 9 5 3465
Lime		3715
Lime, Shale and Chert		3745
Cong.		3765
Cong. Chert		2976
		3776
Dolemite		3816
Total Depth		3816

This is to certify that the above information is to the best of my knewledge true and correct.

PEEL BROTHERS, INC.,

SUBSCRIBED AND SWORN to before me this 25th day of February, 1952.

My commission expires April 23, 1955.



WELL RECORD GULF T 880-A PRINTED IN U.S.A.

15-163-03257-ce

TOTAL DEPTH

Sutor-B

COMPANY

Gulf Oil Corporation

A.F.E. 2823

DATE--DRILLING BEGAN

INITIAL PRODUCTION

2-9-52

WELL POMPETED 2-23-52

FIRST PRODUCTION

38161

SAND RECORD

Arbuekle 3776'

Dry Hole Plugged and Abandoned

CASING RECORD									
SIZE	WEIGHT	THD.	CLASS	MAKE	SET AT DEPTH	SACKS CEMENT	LBS. CAL. CHLO.	PULLED	LEFT IN
8-5/8"	28	8r	C-1	LW	2261	125	200		2261

FROM : O

3776

3816 3816

s—			т— .		R		
	2	4	•	03		- 1	OW
C	ent	er					
8/	2						
5	W						
-6	-17						
— <u>B</u>	ooi Cor Ka	.					
	Cor	nt	r				
	K	ns	15		!		
							-
	•						

ELEVATION-

DF 21891

•	Arbu	ckle	3776	Š1	
FORM	ATIC	N REC	ORD		
CLAY	& B	ack	Boil		
Sand					
Shal	•				
Sand					
Shal	•				

Top Anhydrite 1620'

Cong. Chert Dolamite

TOTAL DEPTH

Detail	¥13
Shale	740
Sand	975
Shale	1050
Sand	1290
Shale and shells	1620
Anhydrite	1665
Shale & shells	1990
Salt	208h
Shale & red bed	2165
Shale & Anhydrite streaks	2290
Shale	2430
Shale & lime	3395
Lime & Broken Shale	3465
Lime	3715
Lime, shale, & chert	3745
Cong.	3765
* ******	