

STATE OF KANSAS
STATE CORPORATION COMMISSION

WELL PLUGGING RECORD

OTA
J. J. J. J.

OR
FORMATION PLUGGING RECORD

Strike out upper line when reporting plugging off formations.


Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division,
State Corporation Commission,
800 Bittling Building,
Wichita, Kansas.

RECEIVED
AUG 30 1935
53-03-8

Rush

County. Sec. 24 Twp. 17S Rge. (E) 17 (W)

NORTH



Locate well correctly on above
640 A. Plat

Lease Name. Peter Gillig Well No. 1
Lease Owner. Lario Oil & Gas Company
Office Address. Wichita, Kansas
Character of Well (Oil, Gas or Dry) Dry Total Depth of Well 3558 Feet
Date, well, completed August 2, 1935 19
Application for plugging and log of well filed August 7, 1935 193
Application for plugging approved August 9, 1935 193
Plugging Commenced August 13, 1935 193
Plugging Completed August 24, 1935 193
Reason for abandonment of well or producing formation Dry

If a producing well is abandoned, date of last production 193

Was permission obtained from the Conservation Commission or its agents before plugging was commenced? yes

Name of Conservation Officer who supervised plugging of this well W. E. Ainsworth

Producing formation none Depth to top Bottom

Show depth and thickness of all water, oil and gas formations.

OIL, GAS OR WATER RECORDS

CASING RECORD

Formation	Content	From	To	Size	Put In	Pulled Out
				15 1/2"	457' 0"	253' 5"
				12 1/2"	1134' 0"	1134' 0"
				10"	2450' 0"	2450' 0"
				8 1/2"	3300' 0"	3300' 0"

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Filled hole with Heavy Mud to 2450' - Pulled 8 1/2".
Filled hole with Heavy Mud to 1134' - Pulled 10".
Filled hole with Heavy Mud until Artesian water was killed - Pulled 12 1/2".
Cemented hole with 60 Sacks Cement from 378' to 428' - Ripped 15 1/2" pipe off at 250' - Left 202' 7" of 15 1/2" pipe in hole.
Filled hole with Heavy Mud & Cemented cellar with 10 Sacks Cement.

PLUGGING
FILE SEC 24 T 17 R 17
BOOK PAGE 13 LINE 35

(If additional description is necessary use BACK of this sheet)

Does the above conform strictly to the Conservation Division regulations? yes

Was exception made? NO If so describe.

Correspondence regarding this well should be addressed to Mr. F.D. Broadwater

Address P.O. Box 3, Canton, Kansas

STATE OF Kansas, COUNTY OF Rush, ss.

(employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.

(Signature) F. D. Broadwater

P.O. Box 3, Canton, Kansas (Address)

SUBSCRIBED AND SWORN TO before me this 28th day of August, 1935

My commission expires April 26, 1937 Notary Public.

L. G. & G. S. COMPANY, et al
No. 1 WELLS

Sec. 24 Twp. 17S Rgs. 17W
Rush County, Kansas
NS 2E SW

Total Depth 3558'
Commenced June 13, 1935
Completed August 5, 1935
Contractor Broadwater Drilling Company

PLUGGING
FILE SEC 24 T 17 R 17W
BOOK PAGE 13 LINE 35

04380
19" 457' 8" 1303'
12" 1134'
10" 2150'

FIGURES INDICATE DEPTH OF PENETRATION

yellow clay	40	shale & lime shells	1560
blue shale	140	lime	1990
lime	144	shale	1955
blue shale	170	show gas 1963	
sand	185	lime	1770
blue shale	213	blue shale	1995
sand	235	shale	3065
shale	250	sand	3640
lime shale	275	lime	2045
red shale	295	red shale	2075
blue shale	310	lime	2090
2 1/2" 285		1 1/2" 3010	
pink shale	330	lime	2005
sand 20 SW	340	shale	2805
sand	375	lime	2410
blue shale	385	red shale	2215
sand	410	lime	2270
blue shale	440	shale	2485
blue lime	450	lime	2513
sand NW	455	brown shale	2315
lime shale	480	lime	2375
gravel	485	shale	2500
shale	505	red shale	2545
NW 1/4		7 1/2" 2990-2994	
?	565	lime	2715
sand	590	red shale	2442
red sand	675	lime	2477
sand	740	shale	2485
red sand	750	red shale	2495
red shale 1	810	lime	2535
red shale	905	red shale	2535
?	925	lime	2565
red shale	1024	shale	2585
blue shale	1050	2 SW 3510	
red shale	1088	lime	2640
lime	1098	shale	2623
red shale	1125	lime	2630
lime	1125	shale	2662
green	1122	shale & lime shells	2710
lime	1160	red shale	2728
red shale	1200	blue shale	2765
shale	1210	lime	2780
?	1235	shale	2822
red shale	1271	lime	2855
blue shale	1280	shale	2860
red shale	1290	lime	2870
shale	1297	red shale	2880
blue shale & shells	1320	lime	2895
lime	1330	blue shale	2915
shale	1330	lime	2919
lime	1340	blue shale	2945

lime	2965
blue shale	2970
lime	2997
shale	3005
lime	3015
black shale	3030
lime	3040
show gas, estimated	
1 million cu. ft.	3010
lime	3080
gray lime	3110
show gas 3115	
increase in gas 3120	
increase in gas 3170-45	
NW 1/4-35	
lime	3185
lime	3275
red shale	3280
lime	3360
show gas 3360-70	
lime	3395
broken lime	3410
lime	3513
conglomerate	3546
granite wash	3552
granite	3558

Total Depth
3558'

I, G. H. Collingwood, being first duly sworn as oath, state that I have the charge of the facts and matter herein set forth and that the same are true and correct.

G. H. Collingwood

Subscribed and sworn before me, the 8th day of August, 1935.

G. O. Black
Notary Public

My commission expires April 26, 1937

