

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

OPIGINAL Form ACO-1
September 1999
Form Must Be Typed

## **WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Operator: License # 33344	API No. 15 - 133-27117-0000
Name: Quest Cherokee, LLC	County: Neosho
Address: 211 W. 14th Street	swnw_Sec. 36 Twp. 28 S. R. 19
Address: 211 W. 14th Street  City/State/Zip: Chanute, KS 66720	1980feet from S /(N )(circle one) Line of Section
Purchaser: Bluestem Pipeline, LLC	660 feet from E /(W)(circle one) Line of Section
Operator Contact Person: Jennifer R. Ammann	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 431-9500	(circle one) NE SE (NW) SW
Contractor: Name: MOKAT	Lease Name: River Farms Well #: 36-3
License: 5831	Field Name: Cherokee Basin CBM
Wellsite Geologist: Ken Recoy	Producing Formation: not yet complete
	Elevation: Ground: 881 Kelly Bushing: n/a
Designate Type of Completion:	Total Depth: 887 Plug Back Total Depth: 885
New Well Re-Entry Workover	Amount of Surface Pipe Set and Cemented at 38 Feet
OilSWDSIOWTemp. Abd.	
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?  ☐Yes ✓ No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth set Feet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 885
Operator:	feet depth to surface w/ 120 sx cmt.
Well Name:	Drilling Fluid Management Plan AH #119 9509
Original Comp. Date: Original Total Depth:	(Data must be collected from the Reserve Pit)
Deepening Re-perf. Conv. to Enhr./SWD	Chloride contentppm Fluid volumebbls
Plug Back Total Depth	Dewatering method used
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	
Other (SWD or Enhr.?) Docket No	Operator Name:
8/30/07 8/31/07 9/5/07	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workov Information of side two of this form will be held confidential for a period of	n the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, ter or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-s and geologist well report shall be attached with this form. ALL CEMENTING s. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulations are complete and correct to the best of my knowledge.	ate the oil and gas industry have been fully complied with and the statements
Signature: Rew Well Development Coordinator Date: 12/27/07	KCC Office Use ONLY  Letter of Confidentiality Received
of the Table 1	
Subscribed and sworn to before me this 21 day of	Wireline Log Received RECEIVED
20.[5]	Geologist Report Received
Notary Public: Dana Klauman	
0 11 2415	UIC Distribution DEC 2 8 2007
Note Note	ERRA KLAUMAN  ary Public - State of Kansas  xpires 8-4-2010

Operator Name: Quest Cherokee, LLC							Well #: 36-3			
c Twp	S. R	✓ East	County	. Neosh	<b>)</b>					
sted, time tool open mperature, fluid reco	and closed, flowing overy, and flow rate:	and base of formation gand shut-in pressur s if gas to surface tes inal geological well s	es, whether sh st, along with fi	ut-in pre	ssure reached	static level, hydro	ostatic pressure	s, bottom hole		
Drill Stem Tests Taken Yes No (Attach Additional Sheets)			)	✓ Log Formation (Top Name See attached			op), Depth and Datum			
Samples Sent to Geological Survey		)	Тор				Datum			
ores Taken lectric Log Run (Submit Copy)		☐ Yes ☐ No					- 1971 A	Ma.		
st All E. Logs Run:						~M	ILIDEN III			
Compensated Dual Induction	-	ron Log				e e e e e e e e e e e e e e e e e e e	NEC 27 230 NEC 27 230	50		
Duai induction	Log					~	KCC	)		
		CASI Report all strings	ING RECORD	Ne						
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives		
Surface	12-1/4	8-5/8"	22		38	"A"	5			
Production	6-3/4	4-1/2			885	"A"	120			
(8)		ADDITIO	NAL CEMENTI	NG / SOI	IEEZE DECODÍ					
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Top Bottom Top Bottom Top Bottom Type of Cement Type of Cement			#Sacks Used			Percent Additives			
	DEDECDAT	ION DECORD Bridge	Blues Sat/Type		Acid Fra	acture Shot Camer	at Squeeze Recor	d		
Shots Per Foot	Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)  Depth					
	waiting on pipeline					<del></del>				
							KANSA	RECEIVED S CORPORATION COMM		
								DEC 2 8 2007		
TUBING RECORD	Size	Set At	Packer A	At	Liner Run	Yes No	C	ONSERVATION DIVISION WICHITA, KS		
Date of First, Resumerd	Production, SWD or E	Enhr. Producing	Method [	Flowing	g Pump	ing Gas L	ift Othe	er (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf	Wate	er E	Bbls.	Gas-Oil Ratio	Gravity		
Disposition of Gas	METHOD OF 0	COMPLETION	<u></u>		Production Inte	rval				
Vented Sold	Used on Lease	Open H		. 🔲 0	Dually Comp.	Commingled _				



211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9500



TICKET NUMBER 2115

FIELD TICKET REF #

FOREMAN Jue GARNICHOYd

623400

TREATMENT REPORT & FIELD TICKET CEMENT

DATE	WELL NAME & NUMBER				SECTION	TOWNSHIP	RANG	E COUNTY		
9-5-07	River -	farms	s 36·3			36	28	No		
FOREMAN / OPERATOR	TIME -	TIME	LESS LUNCH	TRUCK #	TRAILER #		TRUCK HOURS		EMPLOYEE SIGNATURE	
Jua	2:00	6:15		903427			4.25		you Blanch aid	
		3 7:		903255			4.25		Ly	
TIM		5:00		903600			3 .		M	
Tyler		5.00		931385	9	3/387			Marin Drn R	
MAYEVICK	++-	5:00		931420	<u> </u>	<u> </u>	1		F12:00	
SLURRY WEIGHT_DISPLACEMENT_1/2 REMARKS: TNSTAILED COLUMN	/.// DISPLA	ACEMENT PS	6I N	/IIX PSI	-	RATE	<u> </u>	ppw	cotshol	
	889	5.10		Casing						
		5	Centralizers 4/2 floatshoe							
			TOTAL							
ACCOUNT CODE	QUANTITY or	UNITS	DESCRIPTION OF SERVICES OR PRODUCT  AMOUNT							
903H27	4.25	<u> </u>	Foreman Pickup							
903255	4.2	$\sim$	Cement Pump Truck	<u> </u>						
903600		<u> </u>	Portland Cement							
1104		1032	50/50 POZ Blend C	ement Rass		31/2 4	-3			
1124			SO/SO POZ BIENO CEMENT BOLF 1/2 H 3							
1110			Gilsonite	· /2 (1)	- ()-	= P.30	)	,	·	
1107		<u> </u>	Flo-Seal						RECEIVED	
1118			Premium Gel					KANSAS (	ORPORATION COMMISSI	
1215A	1		KCL		-					
1111B	<u> </u>	2 5×	Sedium Silicate -	Colchloric	e			Ū	EC 28 2007	
1123	7,000		City Water						SERVATION DIVISION	
931385	,,,,,,,		Transport Truck						MICHITA KS	
93/387			Transport Trailer	3						

80 Vac