## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
orm Must Be Typed

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License #_33344	API No. 15 - 133-27051-0000
Name: Quest Cherokee, LLC	County: Neosho
Address: 211 W. 14th Street	sw seSec11Twp28S. R19
City/State/Zip: Chanute, KS 66720	660 feet from S / N (circle one) Line of Section
Purchaser: Bluestem Pipeline, LLC	1980 feet from (É) / W (circle one) Line of Section
lennifer R. Ammann	Footages Calculated from Nearest Outside Section Corner:
Phone: (620 ) 431-9500	(circle one) NE (SE) NW SW
Contractor: Name: TXD Drilling	Lease Name: George, Shyrel A. Well #: 11-1
License: 33837	Field Name: Cherokee Basin CBM
Wellsite Geologist: Ken Recoy	Producing Formation: multiple
Designate Type of Completion:	Elevation: Ground: 913 Kelly Bushing: n/a
New Well Re-Entry Workover	Total Depth: 954 Plug Back Total Depth: 943.42
Oil SWD SIOWTemp. Abd.	Amount of Surface Pipe Set and Cemented at 22 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used?
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 943.42
Operator:	feet depth to Surface w/ 128 sx cmt.
Well Name:	Mustillation
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)  Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug Back Plug Back Total Depth	
Commingled Docket No	Dewatering method used
Dual Completion Docket No	Location of fluid disposal if hauled offsite:
Other (SWD or Enhr.?) Docket No	Operator Name:
·	Lease Name: License No.:
8/30/07         9/2/07         9/4/07           Spud Date or         Date Reached TD         Completion Date or	Quarter Sec Twp S. R
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workown Information of side two of this form will be held confidential for a period of	n the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, er or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. It is months if requested in writing and submitted with the form (see rule 82-3-104 and geologist well report shall be attached with this form. ALL CEMENTING Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulations are complete and correct to the best of my knowledge.	ate the oil and gas industry have been fully complied with and the statements
Signature: Annifu, R. Ammann	KCC Office Use ONLY
Date.	Letter of Confidentiality Received
Subscribed and sworn to before me this 25 day of December	
• .	
$\sim 0.0$ .	
Notary Public: Derra Klauman	Wireline Log Received KANSAS CORPORATION COMMIS  Geologist Report Received  UIC Distribution  DEC 2 8 2007
Notary Public: Derra Klauman	Geologist Report Received

Operator Name: Quest Cherokee, LLC				Leas				Well #: 11-1		
Sec11 Twp2	<sup>28</sup> S. R. 19	<b>✓</b> Eas	t 🗌 West	Cour	nty: Neosh	0				
tested, time tool ope temperature, fluid re	show important tops a en and closed, flowing covery, and flow rate gs surveyed. Attach t	g and shu s if gas to	i-in pressures, surface test, a	whether long with	shut-in pre	ssure reached	static level, hydro	static pressure	es, bottor	m hole
Drill Stem Tests Take		□ Y	es No		✓L		on (Top), Depth a	ind Datum		Sample
Samples Sent to Ge	ological Survey	□Y	es 🗌 No		Nam See	e attached		Тор	[	Datum
Cores Taken Electric Log Run (Submit Copy)			es No es No							
List All E. Logs Run:										
Compensated Dual Induction Gamma Ray N	_	n Log								
		Reno	CASING		_	ew Used ermediate, produc	tion etc			
Purpose of String	Size Hole Drilled	Si	re Casing t (In O.D.)	w	eight	Setting Depth	Type of Cement	# Sacks Used		and Percent dditives
Surface	12-1/4	8-5/8"	t (III O.B.)	L.bs. / Ft.		22	"A"	5		34.000
Production .	6-3/4	4-1/2		10.5		943.42	"A"	128		
·										
I		I	ADDITIONAL	CEMEN.	TING / SQL	JEEZE RECORD	)			
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Туре	of Cement	#Sac	ks Used		Type and F	Percent Additives		
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Specify Footage of Each Interval Perforated (Amount and Kind of Material Perforated)							·d	Depth		
4 824-827/771-773/766-768						500gai 15%HCLw/ 46 bbi	ls 2%kcl water, 646bbls water t	w/ 2% KCL, Blockie, 6700	# 20/40 sand	824-827/771-773
										766-768
4 573-575/556-558/523-526/497-499					400gal 15%HCLw/ 41 bbls 2%kcl water, 546bbls water w/ 2				% KCL, Blocide, 4700# 20/40 sand 573-575/556	
										523-526/497-499
4	414-418/403-407					300gal 15%HCLw/ 50 bbts 2%kct water, 646bbts water w/ 2% KCL. Blocide, 5800# 20/40 aand 414-418/403-407				
TUBING RECORD 2-	Size 3/8"	Set At 835		Packe	r At	Liner Run	Yes ☑ No			
	rd Production, SWD or E		Producing Met	hod	Flowing	g 🗹 Pumpi	ng Gas Lil	ft Othe	er (Explain)	)
Estimated Production Per 24 Hours	Oil n/a	Bbls.	Gas 0mcf	Mcf	Wate 57.6b		ibis. G	as-Oil Ratio		Gravity
Disposition of Gas	METHOD OF 0	COMPLETION	ON		·	Production Inter	rval			
☐ Vented	Used on Lease ubmit ACO-18.)		Open Hole Other (Speci	ify)	erf. [	Dually Comp.	Commingled			



9.4-07

211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9500

## CONFIDENTIAL CEC-2 5 2007

KCC

TICKET NUMBER 2392

FIELD TICKET REF.# \_

TOWNSHIP

28

SECTION

11

FOREMAN 500

RANGE

19

COUNTY

No

622870

TREATMENT REPORT & FIELD TICKET CEMENT

71 - 1

WELL NAME & NUMBER

Shyrel\_

FOREMAN /	TIME	TIME	LESS	TRUCK	TRAILER	TRUCK HOURS	EMPLOYEE SIGNATURE
OPERATOR	IN IN	OUT	LUNCH	#	#	HOURS	
Jue	3:00	H11560		903427	<u> </u>	1.25	Joe Blanchi
Tim	}	L:00	·	903255		5 5	
		5:15		903206	·	2 25	for only
Tyler	<del>-  </del>	5:45	<u> </u>	981385	931387	2 万	Aleh //
MANIEVICK		<b>第</b>	<del> </del>	931420	721301		7. 18
DANIET		V6:0	1	951920	<u> </u>	5.0	1000 W-12
1		/ 31	h · .	IOLE DEDTH Q	CASIN	NG SIZE & WEIGHT_	4/12 10.5
10B TYPE Longs	HOLE	SIZE					A. C.
CASING DEPTH 🤦	43,52 DRILL	PIPE		UBING	OTTIC	NT LEFT in CASING	`in
SLURRY WEIGHT			v	MIX PSI	CEIVIE	LIL 220	Typic .
DISPLACEMENT_)	5.09 DISPL	ACEMENT PSI		MIX PSI	HAIE	- rigar	
REMARKS:			(	۱	100	, (	
Installed Col	mint head	NAW 1	SKG17	10 pyl die of	128 SK	s of cement	10 321 190
Surface. Alu	ist pump.	Romp wip.	u plugt	s bootton a	Set Houts	100	- All All All All All All All All All Al
·		,	<u> </u>	-			
				· · · · · · · · · · · · · · · · · · ·	- 0		
*							· · · · · · · · · · · · · · · · · · ·
					1		
							<u> </u>
				-			
	943	. 42	f+ 41)	2 Cosing			
		5	Contra	•			
		1	41/2 flood				
			<u> </u>				TOTAL
ACCOUNT CODE	QUANTITY or	UNITS		DESCRIPTION OF SI	ERVICES OR PRODUC	. ————————————————————————————————————	AMOUNT
903427	Same of the same o	F h	oreman Pickup				
903255	1	3 hr 0	ement Pump Truc	k			
903206	J.	2.25h, B	ulk Truck				
1104			ortland Cement				
1124	į		0/50 POZ Blend (	Soment Buffle	6 312 M	3"	
1126		1 6	WC - Blend Cem	ent 41/2 C. p	plug		-
1110		13 SK G	ilsonite	<u> </u>		RECE!\	/ED
1107		.5 SK F	lo-Seal			KANSAS CORPORATI	ON COMMISSION
1118		1 5K F	remium Gel				
1215A	1	COLL K	CL			DEC 28	2007
1111B		3 3 5 6	odium Silicate	Calchlorid	<u> </u>	CONSERVATIO	J
1123	7.6	L Decod	City Water			MiChar	A Ke
931385	12.25	D hv 7	ransport Truck				- 3
931387	1.7	5 hr 1	ransport Trailer				M DIAIRW
931420		3 /1 8	0 Vac	,	<del></del>		
Ravin 4513							P.