KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINAL
Form ACO-1
October 2008
Form Must Be Typed

KCC WICHITA

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 7160	API No. 15 - 15-001-29876-00-00
Name: David L. Wrestler	Spot Description:
Address 1: 1776 Georgia RD	SW _nw _nw _nw _sec. 7 _ Twp. 24 _s. R. 19
Address 2:	495 Feet from A North / South Line of Section
City: Humboldt State: ks Zip: 66748 +	Feet from ☐ East / ☑ West Line of Section
Contact Person: Dave Wrestler	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 423-8795	□NE □NW □SE □SW
CONTRACTOR: License # 33977	County: Allen
Name: E.K. Energy LLC.	Lease Name: Korte Farms Well #: 2
Wellsite Geologist: none	Field Name: iOIa
Purchaser: Pacer	Producing Formation: tucker
	Elevation: Ground: Kelly Bushing:
Designate Type of Completion:	Total Depth: 935 Plug Back Total Depth:
New Well Re-Entry Workover	
✓ Oil SWD SIOW	Amount of Surface Pipe Set and Cemented at:Feet
Gas ENHR SIGW CM (Coal Bed Methane) Temp. Abd.	Multiple Stage Cementing Collar Used? Yes A No
Dry Other	If yes, show depth set: Feet
(Core, WSW, Expl., Cathodic, etc.)	If Alternate II completion, cement circulated from: <u>surface</u>
If Workover/Re-entry: Old Well Info as follows:	feet depth to: 930 w/ 100 sx cmt.
Operator:	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit) Sx cmt. AH I Akk -b-10 akk
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content:ppm Fluid volume:bb
Deepening Re-perf Conv. to Enhr Conv. to SWD	Dewatering method used:
Plug Back: Plug Back Total Depth	Location of fluid disposal if hauled offsite:
Commingled Docket No.:	· ·
Dual Completion	Operator Name:
Other (SWD or Enhr.?) Docket No.:	Lease Name: License No.:
11/19/2008 11/20/2008 11/24/08	QuarterSecTwpS. R East West
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, workover or confidential for a period of 12 months if required tiality in excess of 12 months). One copy of all wireline logs and geologist we BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	uested in writing and submitted with the form (see rule 82-3-107 for confiden- Il report shall be attached with this form. ALL CEMENTING TICKETS MUST
are complete and correct to the best of my knowledge.	,
Signature: 1) accide liberthe	KCC Office Use ONLY
Title: 6 - our Date: 11-05-09	
Subscribed and sworn to before me this 5th day of Notion be	Letter of Confidentiality Received
. 1	, If Denied, Yes Date:
20 09.	Wireline Log Received
Notary Public: DWan COOK	Geologist Report Received UIC Distribution
Date Commission Expires: February 6, 2012	Oic Distribution
	RECEIVED
NOTARY PUBLIC - State of Kansas SUSAN E. COOK	NOV 0 9 2009
My Appt. Exp. 02/08/12	•

Operator Name: Davi	d L. Wrestler			Lease	e Name: _	Korte Farms		Well #: _2_	
Sec. 7 Twp. 24		Z East	West	Coun	ty: Aller	1			
instructions: Shortime tool open and clos recovery, and flow rates surveyed. Attach final of	ed, flowing and shu if gas to surface te	t-in pressu st, along v	ures, whether s	hut-in pre	ssure rea	ched static level	, hydrostatic	pressures, bottom	hole temperature, flui
Drill Stem Tests Taken Yes (Attach Additional Sheets)			∕es ☑ No □ Lo		og Formation (Top), Depth		th and Datum	Sample	
Samples Sent to Geolo	gical Survey		Names ✓ No			10		Тор	Datum
Cores Taken Ye		res		ker 923		941 18ft			
List All E. Logs Run: Drillers Log									
		Repo		RECORD		w Used	ion, etc.		
Purpose of String	Size Hole Drilled		e Casing (In O.D.)		eight . / Ft.	Setting Depth	Type of Cemen		Type and Percent Additives
surface	12"1/4	8"5/8				23.2	portland	6 sx	
Long String	5/5/8	2/7/8				930	portland	100	
			ADDITIONAL	CEMENT	ING / SQL	EEZE RECORD			
Purpose: —— Perforate —— Protect Casing —— Plug Back TD —— Plug Off Zone	Depth Top Bottom	Туре	Type of Cement #Sacks t			Type and Percent Additives			5
Shots Per Foot			D - Bridge Plugs Each Interval Perf		:			ement Squeeze Reco of Material Used)	rd Depth
TUBING RECORD:	Size:	Set At:		Packer i	At:	Liner Run:	Yes	[↑] No	
Date of First, Resumed Pr	oduction, SWD or Enh	г.	Producing Meth	od:	Flowing				er (Explain)
Estimated Production Per 24 Hours	Oil E	Bbls.	Gas 1	Mcf	Wate	er Bi 50	bls.	Gas-Oil Ratio	Gravity 22.5
DISPOSITION Vented Sold	OF GAS: V Used on Lease it ACO-18.)		M pen Hole	ETHOD O	F COMPLE		nmingled	PRODUCTION	ON INTERVAL:

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

RECEIVED

NOV 0.9 2009

Drillers Log

Company: David Wrestler

Farm Korte Well No: 2

API: 15-001-29876-0000 Surface Pipe: 23.2' Contractor EK Energy LLC License# 33977

County: Allen

Sec 7 Twp:24 Range:19E

Location: 495 FNL Location: 165FWL Spot: SW-NW-NW-NW

Thickness	Formation	Depth	Remarks
	SOIL & CLAY	8	Drilled 12 1/4 Hole set 23.2' 7" CEMENTED 6 SX
2	GRAVEL	10	Drilled 5 5/8 Hole
3	SHALE SAND	13	
261	LIME	274	
160	SHALE	434	Started 11-19-08
33	LTME	467	Finished 11-20-08
3	SHALE	470	
18	SAND	488	T.D. Hole
39	SHALE	527	T.D. Pipe
3	LIME	530	
3	COAL & SH	533	
. 25	LIME	558	
21	SHALE	579	
31	LIME	610	
8	SHALE COAL 13-14	618	
6	LIME	624	
90	SHALE COAL 627-28	714	18 OIL SAND 941
2	LIME	716	
2	SHALE	718	
2	COAL	720	
16	SHALE	736	
3	BROKEN SAND	739	
35	SHALE	774	
10	BROKEN SAND	784	777-84 BEST
9	SHALE	793	
2	OIL SAND	795	
83	SHALE	878	
4	BROKEN SAND	882	
13	OIL SAND	895	GOOD BLEED
2 `	BROKEN SAND	897	
26	SHALE	923	

RECEIVED NOV 0 9 2009 KCC WICHITA

VOV	RE(
0 9	E
2009	B

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

CASH CUSTOMER

1. 自由的语言

Payless Concrete Products, Inc.

CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer disk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains corner water contents for strength or mix indicated. We do not assume responsibility for strength when water is added at pustomer's exquest. strength test when water is added at customer's request, NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

WR872A DAVID & ROW WRESTLER 1776 GEORGIA RD., HIMB. LEDAS

DELYGLISON & S. DEKOTA WEALKS 56749 DRIVER/TRUCK % ALL 0.80

TIME FORMULA LOAD SIZE YARDS ORDERED PLANT/TRANSACTION # 01:14:000 5.00 vd 10.00 vd Chin sala DATE LOAD # YARDS DEL BATCH# WATER TRIM SLUMP TICKET NUMBER 5.00 11-21-08 odav 5.00 vd AND FRANCE 7Man 4. 防防 WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Bools and Gloves. PROLONGED CONTACT MAY.
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly, With Water, If Irritation Persists, Get Medical Attention, KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' less, incurred in collecting

All accounts not paid within 30 days of delivery will beer interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR. CODE

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) Dear Customer-The driver of this truck in presenting this RELEASE to Dear Customen-The driver of this truck in presenting this RELEASE to you for your signature is of the option that the size and weight of his truck may possibly cause damage to the premises endor adjacent properly. If it places the material in this load where you dealer it. It is our wish to help you in every way that we can, but in order to do this the other is requesting that you stip this RELEASE refleving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent properly buildings, adversible, of theways, curbs, etc., by the delivery of this material, and that you also agree to help him remove much from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undestigned agrees to indemnify and hold harmless the other of this truck and this supplier for any and all damage to the premises of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY

UNIT PRICE

EXTENDED PRICE

QUANTITY

WELL. THURKING

WELL CLE BACKS PER UNIT

TRUCKING CHARGE

DESCRIPTION

69.00

50.00

RETURNED TO PLANT LEFT JOB FINISH LINLOADING DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED JOB NOT READY E. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION LEFT PLANT ARRIVED JOB 4. CONTRACTOR BROKE DOWN START UNLOADING 9. OTHER 5. ADDED WATER TIME DUE ADDITIONAL CHARGE 1 TOTAL ROUND TRIP TOTAL AT JOB UNLOADING TIME

DELAY TIME

VAL CHARGE 2

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

CA861 CASH CLISTOMER CONDITIONS

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are dustromer's risk. The maximum allotted time for unloading trucks is 6 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for NOTICE TO OWNER.

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

WES/SB DAVID & RON WRESTLER 1776 BEDREIG RD., HUMB, E6748 DELTO: 1880 & S. DAKOTA

TIME FORMULA		LOAD SIZE	YARDS ORDERED	IOLA, KS 66749			
		TO OLE	TANUS UNDERED		DRIVER/TRUCK		PLANT/TRANSACTION
01:24:54p	WELL	5,00 vd	10.00 vd	X CAL	BD	% AIR	The strate of th
DATE	125807537903		Table State And Co.	0.00	35	0.00	
	o Date	LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
1-21-98	Today		10,00 93 7				TIONET NUMBER
	The state of the s		10.00 yd	7549		4.00 in	82518
WARNING		PROPERTY DAMAGE RELEASE		Evenesive Water to Details 111 2		E-00-21-0	

IRRITATING TO THE SKIN AND EYES
Contains Portland Cernent. Weer Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS, Avoid Contact. With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, II-Irritation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE Is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undesigned promises to pay all costs, including reasonable attorneys' less, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Cofor Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to Dear Customer-The chiver of this truck in presenting this RELEASE to you for your signature is of the opision that the size and weight of his facts, may possibly cause durings to the premises and/or adjacent property if it places the material in this load where you dealer it. It is out with to help you in every way that we can, but in order to do the the driver is requesting that you sign this RELEASE releving him and this supplier stom any responsibility from any damage that may occur to the premises and/or adjacent properly buildings, sidewalks, driveways, curbs, etc., by the delevery of this materiat, and that you also caree to hall him remove must from the wheels of his which is rediveways, curos, esc., by site generally or the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED.

LOAD RECEIVED BY

QUANTITY CODE DESCRIPTION

UNIT PRICE EXTENDED PRICE

WELL

WELL (10 SACKS PER UNIT)

10.00

RETURNED TO PLANT LEFT JOB FINISH UNLOADING DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED blotal & 1. JOB NOT READY 6. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB E. SIN LEFT PLANT 8. CITATION ARRIVED JOB 4. CONTRACTOR BROKE DOWN START UNLOADING 9. OTHER 5. ADDED WATER TIME DUE der E **ADDITIONAL CHARGE 1 TOTAL ROUND TRIP** TOTAL AT JOB UNLOADING TIME **DELAY TIME ADDITIONAL CHARGE 2** GRAND TOTAL