

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINAL Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33344	API No. 15 - 133-27107-0000
Name: Quest Cherokee, LLC	County: Neosho
Address: 211 W. 14th Street	
City/State/Zip: Chanute, KS 66720	800 feet from S / (N) circle one) Line of Section
Plucatom Pinelina LLC	660 feet from (E) W (circle one) Line of Section
Purchaser: <u>Didestern Pipeline</u> , LLC Operator Contact Person: <u>Jennifer R. Ammann</u> Phone: (620) 431-9500 Contractor: Name: TXD Drilling	Footages Calculated from Nearest Outside Section Corner:
Phone: (620_) 431-9500	(circle one) (NE) SE NW SW
Contractor: Name: TXD Drilling	Lease Name: Tele-Connect Inc. Well #: 26-1
750	Field Name: Cherokee Basin CBM
License: 33837 Wellsite Geologist: Ken Recoy	Producing Formation: not yet complete
	Elevation: Ground: 885 Kelly Bushing: n/a
Designate Type of Completion:	Total Depth: 881 Plug Back Total Depth: 871.62
New Well Re-Entry Workover	Amount of Surface Pipe Set and Cemented at 27 Feet
Oil SWD SIOW Temp. Abd.	
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 871.62
Operator:	feet depth to Surface W/ 120 sx cmt.
Well Name:	Drilling Fluid Management Plan ANT TIM HAIN INS
Original Comp. Date: Original Total Depth:	Drilling Fluid Management Plan AHT M 4(109) (Data must be collected from the Reserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug Back Plug Back Total Depth	Dewatering method used
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	
Other (SWD or Enhr.?) Docket No	Operator Name:
0/0/07 0/40/07	Lease Name: License No.:
9/6/07 9/9/07 9/10/07 Spud Date or Date Reached TD Completion Date or	Quarter SecTwpS. R East West
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, work	with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, cover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply.
Information of side two of this form will be held confidential for a period	of 12 months if requested in writing and submitted with the form (see rule 82-3- ogs and geologist well report shall be attached with this form. ALL CEMENTING
All requirements of the statutes, rules and regulations promulgated to requirement are complete and correct to the best of my knowledge.	gulate the oil and gas industry have been fully complied with and the statements
Signature: Junifer & Commann	KCC Office Use ONLY
Title: New Well Development Coordinator Date: 12/20/07	Letter of Confidentiality Received
Subscribed and sworn to before me this DOT day of	MUCO. If Denied, Yes Date:
20	Wireline Log Received KANSAS CORPORATION COMMISSI
Notary Public: <u>Vevra Klauman</u>	TERRA KI AL MAAN
	TERRA KLAUMAN otary Public - State of Kansas Expires 8-4-2-5-5 WICHITA, KS

•	•		Side Two	,			,. · ·		
Operator Name: Qu	est Cherokee, LL	C	Lease Nar	ne: Tele-Connect I	nc.	Well #: <u>26-1</u>			
		✓ East	County: N						
tested, time tool ope temperature, fluid re	n and closed, flowing covery, and flow rate	and base of formations per grand shut-in pressures, s if gas to surface test, a inal geological well site r	whether shut-i long with final	n pressure reached	static level, hydr	ostatic pressure	es, bottom hole		
Drill Stem Tests Taken Yes No (Attach Additional Sheets)		Yes No	✓ Log Formation (Top), Dep			pth and Datum Sample			
Samples Sent to Ge	ological Survey	Yes No	Name See attached			Top Datum			
Cores Taken		Yes No		د دوي					
Electric Log Run (Submit Copy)		☐ Yes ☐ No		see aπacned					
List All E. Logs Run:									
Compensated Dual Induction	d Density Neut n Log	CASING		New Used					
Purpose of String	Size Hole	Report all strings set-	Weight	Setting	Type of	# Sacks	Type and Percent		
Surface	12-1/4	Set (In O.D.) 8-5/8**	Lbs. / Ft.	Depth 27	Cement	Used 5	Additives		
Production	6-3/4	4-1/2	10.5	871.62	"A"	120			
	. <u></u>	ADDITIONAL	CEMENTING /	SQUEEZE RECOR	D		<u> </u>		
Purpose: Perforate Protect Casing Plug Back TD	Depth Top Bottom	Type of Cement	#Sacks Use	d	Type and Percent Additives				
Plug Off Zone									
Shots Per Foot		ERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth							
	waiting on pipeline	Footage of Each Interval Per	Torated	(Amount and Kind of Material Used) De					
TUBING RECORD	Size	Set At	Packer At	Liner Run	Yes N	do .			
Date of First, Resume	rd Production, SWD or E	Enhr. Producing Met		lowing Pump	oing ☐ Gas L	_ift	er (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls. Gas	Mcf		Bbls.	Gas-Oil Ratio	Gravity		
Disposition of Gas	METHOD OF (COMPLETION		Production Inte	erval				
Vented Sold	Used on Lease ubmit ACO-18.)	Open Hole Other (Spec	3	Dually Comp.	Commingled				
			elista La companya di salah La companya di salah	•					



211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9500

TICKET NUMBER 2405

RANGE

COUNTY

FIELD TICKET REF # __

FOREMAN TOR

SECTION TOWNSHIP

...623370

TREATMENT REPORT & FIELD TICKET CEMENT

WELL NAME & NUMBER

9-10-07	Tele-C	UNNECT	26-1		26	28	19	No	
FOREMAN / OPERATOR	TIME	TIME	LESS LUNCH	TRUCK #	TRAILER #	TRUCH		EMPLOYEE SIGNATURE	
500	6:45	11:15		902427		4.5		you Blanch	mil
Crain	L:45			903197	ý	4.5		Je !	
Tyler	7:45			903600		3.4	<u>-</u>		
MAVERICK	7:00			931385	931397	4.29	5	11/1/1	11
DANIEL	6:45	1		931420		4.5) a	1)0. in el G. s	_
JOB TYPE Louig 5+1). 	3 <i>1.,</i> ⊔	IOLE DEBTH 8	21 CAS	ING SIZE & W	FIGHT	472 10.5	
JOB TYPE <u>Lovig</u> S+1	VILLA HOLES	DIDE	77 — г	URING	OTH	ER			
SLURRY WEIGHT_/	4.5 SHIP	PIFE	· ·	VATER gal/sk	CEM	FNT LEFT in	CASING	0	
DISPLACEMENT_/3	S GO DISBLA	CEMENT D	V	MIX PSI	BATI	= 4hom			
	o. 10 DISPLA	ACEMENT	31 N	MIX 1 51					
REMARKS:	ـ م	1	D <	er ald	Bhla dua =	1 120	< K<	of coment to	00:
INSTAlled due to Surs	Cement	nead	RENO 1	516 ge 1 7 4	D 10.4.00	9 < 4.	Clast	ج المراجعة	مو
dye to Dur	tace thus	namp.	TOMP W.	by Alla	O KICHOM	12-61	X (W).	37102	٠.
						(CONFI	DENTIAL	
						·	20	5 0 5003	
						 _	DEP		
		()	() () ()	0 .				KCC	
	87	1. 62	the office Casing						
		- 7		Centralizers)					
			1/2 710	4/2 float Shoe				TOTAL	٦
ACCOUNT CODE	QUANTITY or	UNITS	DESCRIPTION OF SERVICES OR PRODUCT					TOTAL AMOUNT	4
903427	 Ч.5	ha	Foreman Pickup	Foreman Pickup					
903197	4.5		Cement Pump Truck						
903600		5 hr	Bulk Truck						
1104		10 SK	Portland Cement						_
1124		\mathcal{L}	50/50 POZ Blond Cement 73-17 185 3/2 43						_
1126		1	OWE Blond Comont 11/2 friper plug					4	
1110		2 SK	Gilsonite						4
1107		1 SX	Flo-Seal			··			4
1118		1 sk	Premium Gel			·			4
1215A	١		KCL			÷	FRHRE	RECEIVED SCORPORATION CO.	MISSK
1111B		25K	Sodium Silicate	Calchlar	de		ACNAN	2 Acid Circulation	-
1123		لممرمد	City Water					DEC 2 6 2007	2
931385	4. 25		Transport Truck						_
931387	11.2		Transport Trailer					CONSERVATION DIVIS WICHITA, KS	ION
931420	41. 5	5 hr	80 Vac					WICHIA, NO	
Ravin 4513									