

CONFIDENTIAL

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1  
September 1999  
Form Must Be Typed

12/05/09

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 5363  
Name: Berexco Inc.  
Address: P. O. Box 20380  
City/State/Zip: Wichita, KS 67208  
Purchaser: Central Crude Corporation  
Operator Contact Person: Bruce Meyer **CONFIDENTIAL**  
Phone: (316) 265-3311  
Contractor: Name: Beredco Inc.  
License: 5147  
Wellsite Geologist: Bruce Reed

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SIOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_

Deepening  Re-perf.  Conv. to Enhr./SWD

Plug Back  Plug Back Total Depth

Commingled  Docket No. \_\_\_\_\_

Dual Completion  Docket No. \_\_\_\_\_

Other (SWD or Enhr.?)  Docket No. \_\_\_\_\_

30 Aug. 2007 09 Sep. 2007 15 Oct. 2007  
Spud Date or Date Reached TD Completion Date or  
Recompletion Date Recompletion Date

API No. 15 - 195-22478-00-00

County: Trego

80's of  NE  SE  SW Sec. 13 Twp. 11 S. R. 23  East  West

910 feet from  N (circle one) Line of Section

2310 feet from E  W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:

(circle one) NE SE NW  SW

Lease Name: Carpenter Well #: 3

Field Name: Wakeeney East

Producing Formation: Marmaton

Elevation: Ground: 2241' Kelly Bushing: 2252'

Total Depth: 3982' Plug Back Total Depth: 3917'

Amount of Surface Pipe Set and Cemented at 269 Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set 1752 Feet

If Alternate II completion, cement circulated from 1752

feet depth to surface w/ 375 sx cmt.

Drilling Fluid Management Plan AKINS 3-24-09  
(Data must be collected from the Reserve Pit)

Chloride content 26,000 ppm Fluid volume 400 bbls

Dewatering method used approved disposal & evaporation

Location of fluid disposal if hauled offsite:

Operator Name: Berexco Inc

Lease Name: Krause #2 License No.: 5363

Quarter SE Sec. 15 Twp. 11 S. R. 23  East  West

County: Trego Docket No.: E-23509

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Arvid R. Smith

Title: ENGINEERING TECHNICIAN Date: 5/Dec/07

Subscribed and sworn to before me this 5th day of Dec

Notary Public: Diana E Bell

Date Commission Expires: Aug 10, 2011

DIANA E. BELL  
Notary Public - State of Kansas  
My Appt. Expires 8-10-11

KCC Office Use ONLY

Letter of Confidentiality Attached  
 If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution

RECEIVED  
KANSAS CORPORATION COMMISSION

DEC 07 2007

CONSERVATION DIVISION  
WICHITA, KS

**CONFIDENTIAL**

**DEC 0 5 2007**

**KCC** Well #: 3

Operator Name: Berexco Inc. Lease Name: Carpenter  
 Sec. 13 Twp. 11 S. R. 23  East  West County: Trego

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken  Yes  No  
 (Attach Additional Sheets)

Samples Sent to Geological Survey  Yes  No

Cores Taken  Yes  No

Electric Log Run  Yes  No  
 (Submit Copy)

List All E. Logs Run:

Dual Induction Log                      Gamma Ray Neutron  
 Dual Compensated Porosity Log      CCL Log  
 Microresistivity Log

<input checked="" type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Name	Top	Datum
Topeka	3250'	(- 998')
Heebner	3466'	(-1214')
Lansing	3503'	(-1251')
Base KS City	3731'	(-1479')
Marmaton	3826'	(-1574')

CASING RECORD <input checked="" type="checkbox"/> New <input checked="" type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12 1/4"	8 5/8"	23	269'	Comm	175	2%gel, 3%cc
Production	7 7/8"	5 1/2"	14	3981'	Lite & ASC	110 ea.	
DV Tool				1752'	60/40 POZ	375	6%gel, 1/4#flose

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4 SPF	3842' - 3854' (Marmaton)	1500 gals 15% NEFE & 60 balls	3842'-53'
		19000 gals gelled water	
		9000 # 16/30 sand, 15,500 # 12/20 sand	

TUBING RECORD		Size	Set At	Packer At	Liner Run
		2 7/8"	MA @ 3836'	no pkr	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumed Production, SWD or Enhr.			Producing Method		
15 October 2007			<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	14	no gas	2		34 API

Disposition of Gas                      METHOD OF COMPLETION                      Production Interval

Vented    Sold    Used on Lease                       Open Hole    Perf.    Dually Comp.    Commingled   3842' - 3853'  
 (If vented, Sumit ACO-18.)                       Other (Specify) \_\_\_\_\_

**RECEIVED**  
 KANSAS CORPORATION COMMISSION

**DEC 0 7 2007**

# ALLIED CEMENTING CO., INC.

33267

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <u>9-10-07</u>	SEC. <u>1.3</u>	TWP. <u>11S</u>	RANGE <u>23W</u>	CALLED OUT	ON LOCATION	JOB START <u>1:00pm</u>	JOB FINISH <u>1:30pm</u>
LEASE <u>CARPENTER</u>	WELL # <u>3</u>	LOCATION <u>Wakeenah &amp; Hickson Rd</u>			COUNTY <u>Trego</u>	STATE <u>KS</u>	
OLD OR <input checked="" type="radio"/> (Circle one)				<u>2E 30 1/4 E into</u>			

CONTRACTOR Borexco

TYPE OF JOB DV Production String

HOLE SIZE \_\_\_\_\_ T.D. 3986

CASING SIZE 5 1/2 14# DEPTH \_\_\_\_\_

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL DV Tool # 70 DEPTH 1252

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT 62.9

CEMENT LEFT IN CSG. 62.9

PERFS. \_\_\_\_\_

DISPLACEMENT 94 BL

OWNER \_\_\_\_\_

CEMENT

AMOUNT ORDERED 110 6940 Lite

110 ASC

COMMON	@	_____	_____
POZMIX	@	_____	_____
GEL	@	_____	_____
CHLORIDE	@	_____	_____
ASC	@	<u>110</u>	<u>13.75</u>
	@	<u>110 lite</u>	<u>9.75</u>
	@	_____	_____
	@	_____	_____
	@	_____	_____
	@	_____	_____
	@	_____	_____
	@	_____	_____
HANDLING	@	<u>220</u>	<u>1.90</u>
MILEAGE	@	<u>109/SK/mile</u>	<u>1188.00</u>
TOTAL			<u>4191.00</u>

EQUIPMENT

PUMP TRUCK CEMENTER Justin

# 409 HELPER Craig

BULK TRUCK

# 328 DRIVER Chrs B

BULK TRUCK

# 345 DRIVER Bob

REMARKS:

Insert set @ 3919.80'

Plug land @ 1500psi - Held - Released

OK

Thanks!

CHARGE TO: Borexco

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

SERVICE

DEPTH OF JOB	_____
PUMP TRUCK CHARGE	<u>1610.00</u>
EXTRA FOOTAGE	@ _____
MILEAGE	<u>60</u> @ <u>6.00</u> <u>360.00</u>
MANIFOLD	@ _____
	@ _____
	@ _____
TOTAL	<u>1970.00</u>

PLUG & FLOAT EQUIPMENT

<u>1 5 1/2 Float Shoe AFV</u>	@ <u>470.00</u>	<u>470.00</u>
<u>1 DV Tool</u>	@ <u>4,000.00</u>	<u>4,000.00</u>
<u>14 Turbalizers</u>	@ <u>70.00</u>	<u>980.00</u>
<u>2 Baskets</u>	@ <u>165.00</u>	<u>330.00</u>
<u>1 Latch Down Assembly</u>	@ <u>410.00</u>	<u>410.00</u>
TOTAL		<u>6,190.00</u>

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE [Signature]

RECEIVED \_\_\_\_\_  
KANSAS CORPORATION COMMISSION PRINTED NAME

DEC 07 2007

# ALLIED CEMENTING CO., INC.

33268

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <u>9-10-07</u>	SEC. <u>13</u>	TWP. <u>11s</u>	RANGE <u>23w</u>	CALLED OUT	ON LOCATION	JOB START <u>4:00am.</u>	JOB FINISH <u>5:00am.</u>
LEASE <u>CARPENTER</u>		WELL # <u>3</u>	LOCATION <u>WaKeeney v Hickson Rd</u>		COUNTY <u>Trego</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)			<u>2E 3N 14E v into</u>				

CONTRACTOR Berexo

TYPE OF JOB DV Job Top Stage

HOLE SIZE \_\_\_\_\_ T.D. 3986

CASING SIZE 5 1/2 14" DEPTH \_\_\_\_\_

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL DV Tool #70 DEPTH 1752

PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_

MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_

CEMENT LEFT IN CSG. \_\_\_\_\_

PERFS. \_\_\_\_\_

DISPLACEMENT 42 3/4 BC

EQUIPMENT \_\_\_\_\_

PUMP TRUCK CEMENTER Justin

# 409 HELPER Craig

BULK TRUCK \_\_\_\_\_

# 362 DRIVER CHRIS B.

BULK TRUCK \_\_\_\_\_

# \_\_\_\_\_ DRIVER \_\_\_\_\_

OWNER \_\_\_\_\_

CEMENT AMOUNT ORDERED 400 60/40 60/6 Gel 14# Flo

COMMON	<u>240</u>	@	<u>11.10</u>	<u>2664.00</u>
POZMIX	<u>160</u>	@	<u>6.20</u>	<u>992.00</u>
GEL	<u>24</u>	@	<u>16.65</u>	<u>399.60</u>
CHLORIDE		@		
ASC		@		
	<u>FloSeal 100lbs</u>	@	<u>200lb</u>	<u>200.00</u>
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>426</u>	@	<u>1.90</u>	<u>809.40</u>
MILEAGE	<u>.09/sk/mile</u>			<u>2,300.40</u>
				TOTAL <u>7365.40</u>

REMARKS:

DV Tool set @ 31 #70 - 1752'  
Plug Rathole 155v  
Plug mouse hole 105v  
Plug landed 1500ps: Held - Released -  
150v Cement Circulated!!

Thanks!

SERVICE

DEPTH OF JOB \_\_\_\_\_ 1752'

PUMP TRUCK CHARGE \_\_\_\_\_ 955.00

EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE \_\_\_\_\_ @ \_\_\_\_\_

MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL 955.00

CHARGE TO: Berexo

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

PLUG & FLOAT EQUIPMENT

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL \_\_\_\_\_

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

To Allied Cementing Co., Inc.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE [Signature]

RECEIVED  
KANSAS CORPORATION COMMISSION

PRINTED NAME \_\_\_\_\_

DEC 07 2007

CONSERVATION DIVISION  
WICHITA, KS

# ALLIED CEMENTING CO. WELLF 30434

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

SERVICE POINT:

Great Bend

DATE 8-30-07	SEC 13	TWP 11	RANGE 23	CALLED OUT 9:00	ON LOCATION 11:30 AM	JOB START 2:00 PM	JOB FINISH 3:00 PM
LEASE <del>Salmon Barnett</del> Carpenter	WELL # 3	LOCATION Wakeenay + Rd "H" on North			COUNTY Trego	STATE KS	
OLD OR <input checked="" type="radio"/> NEW (Circle one)				edge of town, 2 E, 3 N, 2 E past tank battery			

CONTRACTOR Beredco #10

TYPE OF JOB Surface job

HOLE SIZE 12 1/4" T.D. 271'

CASING SIZE 8 7/8" DEPTH 269'

TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_

DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_

TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_

PRES. MAX 200# PSI MINIMUM 0

MEAS. LINE \_\_\_\_\_ SHOE JOINT 15'

CEMENT LEFT IN CSG. 15'

PERFS. \_\_\_\_\_

DISPLACEMENT 16 BBLs of freshwater

OWNER Berexco Inc.

CEMENT AMOUNT ORDERED 175 5x Common, 3% CC, 2% Gel

COMMON	<u>175</u>	@	<u>11.10</u>	<u>1942.50</u>
POZMIX		@		
GEL	<u>4</u>	@	<u>16.65</u>	<u>66.60</u>
CHLORIDE	<u>5</u>	@	<u>46.60</u>	<u>233.00</u>
ASC		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>184</u>	@	<u>1.90</u>	<u>349.60</u>
MILEAGE	<u>50.9.184</u>			<u>828.00</u>
TOTAL				<u>3419.70</u>

EQUIPMENT

PUMP TRUCK CEMENTER Rick H.

# 224 HELPER Derek D.

BULK TRUCK

# 399 DRIVER Darrin

BULK TRUCK

# \_\_\_\_\_ DRIVER \_\_\_\_\_

REMARKS:  
pipe on bottom broke circulation, mixed  
175 5x Common 3% CC, 2% gel. Shut down  
Released plug, and displaced with 16 BBLs  
of freshwater, and shut in. Rigged down.

SERVICE

DEPTH OF JOB 269'

PUMP TRUCK CHARGE \_\_\_\_\_ 815.00

EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_

MILEAGE 50 @ 6.00 300.00

MANIFOLD Head Rest @ \_\_\_\_\_ 100.00

TOTAL 1215.00

CHARGE TO: Berexco Inc.

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

PLUG & FLOAT EQUIPMENT

1 wooden plug \_\_\_\_\_ 60.00

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

\_\_\_\_\_ @ \_\_\_\_\_

TOTAL 60.00

To Allied Cementing Co., Inc.  
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX \_\_\_\_\_

TOTAL CHARGE \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

SIGNATURE X Mow B. Subar

RECEIVED  
KANSAS CORPORATION COMMISSION  
PRINTED NAME  
**DEC 07 2007**  
CONSERVATION DIVISION  
WICHITA, KS