

CONFIDENTIAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999

Form Must Be Typed

12-7-09

AMENDED

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 33365
Name: Layne Energy Operating, LLC
Address: 1900 Shawnee Mission Parkway
City/State/Zip: Mission Woods, KS 66205
Purchaser: _____
Operator Contact Person: Timothy H. Wright
Phone: (913) 748-3960
Contractor: Name: McPherson Drilling
License: 5675
Wellsite Geologist: _____

Designate Type of Completion:
____ New Well ____ Re-Entry ____ Workover
____ Oil ____ SWD ____ SLOW ____ Temp. Abd.
 Gas ____ ENHR SIGW
____ Dry ____ Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____
____ Deepening ____ Re-perf. ____ Conv. to Enhr./SWD
____ Plug Back ____ Plug Back Total Depth
____ Commingled Docket No. _____
____ Dual Completion Docket No. _____
____ Other (SWD or Enhr.?) Docket No. _____

8/15/2007 8/17/2007 11/30/2007
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 125-31383-00-00
County: Montgomery
____ SE SW Sec. 36 Twp. 32 S. R. 16 East West
402 feet from N (circle one) Line of Section
1720 feet from E / W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE NW SW
Lease Name: Taylor Well #: 14-36

Field Name: Cherokee Basin Coal Area
Producing Formation: Cherokee Coals
Elevation: Ground: 754' Kelly Bushing: _____
Total Depth: 1090' Plug Back Total Depth: 1083'
Amount of Surface Pipe Set and Cemented at 40 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from 1083
feet depth to Surface w/ 115 sx cmt.

Drilling Fluid Management Plan AN II NT 3 26 09
(Data must be collected from the Reserve Pit)
Chloride content N/A ppm Fluid volume _____ bbls
Dewatering method used N/A - Air Drilled

Location of fluid disposal if hauled offsite:
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
Title: Agent Date: 2/29/2008
Subscribed and sworn to before me this 29 day of February,
20 08.
Notary Public: MacLaughlin Darling
Date Commission Expires: 1-4-2009



KCC Office Use ONLY
 Letter of Confidentiality Attached
If Denied, Yes Date: RECEIVED
KANSAS CORPORATION COMMISSION
 Wireline Log Received
 Geologist Report Received
MAR 03 2008
CONSERVATION DIVISION
WICHITA, KS

Operator Name: Layne Energy Operating, LLC Lease Name: Taylor Well #: 14-36
 Sec. 36 Twp. 32 S. R. 16 East West County: Montgomery

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: Compensated Density Neutron Dual Induction	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample <table style="width:100%; border-collapse: collapse;"> <tr> <td style="width:60%;">Name</td> <td style="width:20%;">Top</td> <td style="width:20%;">Datum</td> </tr> <tr> <td>Pawnee Lime</td> <td>427 GL</td> <td>327</td> </tr> <tr> <td>Excello Shale</td> <td>563 GL</td> <td>191</td> </tr> <tr> <td>V Shale</td> <td>614 GL</td> <td>140</td> </tr> <tr> <td>Mineral Coal</td> <td>658 GL</td> <td>96</td> </tr> <tr> <td>Mississippian</td> <td>999 GL</td> <td>-245</td> </tr> </table>	Name	Top	Datum	Pawnee Lime	427 GL	327	Excello Shale	563 GL	191	V Shale	614 GL	140	Mineral Coal	658 GL	96	Mississippian	999 GL	-245
Name	Top	Datum																	
Pawnee Lime	427 GL	327																	
Excello Shale	563 GL	191																	
V Shale	614 GL	140																	
Mineral Coal	658 GL	96																	
Mississippian	999 GL	-245																	

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacjs Used	Type and Percent Additives
Surface	11"	8.625"	24	40'	Class A	10	Type 1 cement
Casing	6.75"	4.5"	10.5	1083'	Thick Set	115	#10 KOL seal @ sx

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
	See Attached Page		

TUBING RECORD	Size	Set At	Packer At	Liner Run
	2-3/8"	1017'		<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr.		Producing Method		
SI - waiting on pipeline		<input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbbs.	Gas Mcf	Water Bbbs.	Gas-Oil Ratio Gravity

Disposition of Gas	METHOD OF COMPLETION	Production Interval	RECEIVED
<input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	<input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____		MAR 03 2008

KANSAS CORPORATION COMMISSION

CONFIDENTIAL

Operator Name:	Layne Energy Operating, LLC.		
Lease Name:	Taylor 14-36		
	Sec. 36 Twp. 32S Rng. 16E, Montgomery County		
API:	15-125-31383-00-00		
Shots per Foot	Perforation Record	Acid, Fracture, Shot, Cement Squeeze Record	Depth
Initial Perforations			
4	Rowe 912' - 913.5'	1327 lbs 20/40 sand 221 bbls water 350 gals 15% HCl acid	912' - 913.5'
4	Mineral 658' - 659' Croweburg 615.5' - 618.5' Iron Post 592.5' - 594'	8622 lbs 20/40 sand 664 bbls water 500 gals 15% HCl acid	592.5' - 659'
4	Mulky 564' - 567.5' Summit 536.5' - 538.5'	9023 lbs 20/40 sand 596 bbls water 400 gals 15% HCl acid	536.5' - 567.5'

RECEIVED
KANSAS CORPORATION COMMISSION

MAR 03 2008

CONSERVATION DIVISION
WICHITA, KS

CONFIDENTIAL

Layne Energy, Inc.

1900 Shawnee Mission Parkway, Mission Woods, Kansas 66205 Phone: (913) 748-3987 Fax: (913) 748-3970

February 29, 2008

Mr. Steve Bond
Kansas Corporation Commission
Oil & Gas Conservation Division
130 S. Market, Room 2078
Wichita, KS 67202

Re: Amended Well Completion Forms

Dear Mr. Bond:

I have enclosed the **amended** ACO-1 form and associated data for the following well:

API # 15-125-31383-00-00
Taylor 14-36

We respectfully request that all information submitted be kept confidential. Per provision E-4 of K.A. R. 82-3-107, we request that the term of the confidentiality be extended by one year.

If you need additional information, please contact me at (913) 748-3960.

Sincerely,



MacLaughlin Darling
Engineering Technician

Enclosures

cc: Well File
Field Office



RECEIVED
KANSAS CORPORATION COMMISSION

MAR 03 2008

CONSERVATION DIVISION
WICHITA, KS