

12/28/09

CONFIDENTIAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 5363
Name: Berexco Inc.
Address: P. O. Box 20380
City/State/Zip: Wichita, KS 67208
Purchaser: N/A
Operator Contact Person: Bruce Meyer
Phone: (316) 265-3311
Contractor: Name: Beredco Inc.
License: 5147
Wellsite Geologist: Bruce Reed

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____

<u>17 Sep. 2007</u>	<u>20 Sep 2007</u>	<u>09 Oct 2007</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 051-25679-00-00
County: Ellis
N/2 NW Sec. 3 Twp. 12 S. R. 17 East West
660 feet from S / (N) (circle one) Line of Section
1320 feet from E / (W) (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE SE (NW) SW
Lease Name: ECD Well #: 1
Field Name: Bemis-Shutts

Producing Formation: Arbuckle
Elevation: Ground: 2123' Kelly Bushing: 2134'
Total Depth: 3624' Plug Back Total Depth: 3625'
Amount of Surface Pipe Set and Cemented at 269 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set 1377 Feet
If Alternate II completion, cement circulated from 1377
feet depth to surface w/ 350 sx cmt.

Drilling Fluid Management Plan Att # NJ3-0409
(Data must be collected from the Reserve Pit)

Chloride content 58,000 ppm Fluid volume 400 bbls
Dewatering method used evaporation


Location of fluid disposal if hauled offsite:
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Richard C. Smith
Title: ENGINEERING TECHNICIAN Date: 28 DEC 07
Subscribed and sworn to before me this 28th day of December,
10-2007

Notary Public: [Signature]
Date Commission Expires: 10-19-09
My Appt. Exp. 10-19-09



KCC Office Use ONLY

Letter of Confidentiality Attached
If Denied, Yes Date: _____

Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED
KANSAS CORPORATION COMMISSION
JAN 02 2008

Operator Name: Berexco Inc. Lease Name: ECD Well #: 1
 Sec. 3 Twp. 12 S. R. 17 East West County: Ellis

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken Yes No
 (Attach Additional Sheets)
 Samples Sent to Geological Survey Yes No
 Cores Taken Yes No
 Electric Log Run Yes No
 (Submit Copy)
 List All E. Logs Run:

Log Formation (Top), Depth and Datum Sample
 Name Top Datum
 Topeka 3078' (-944')
 Heebner 3312' (-1178')
 Lansing 3358' (-1274')
 Base KS City 3590' (-1456')
 Arbuckle 3670' (-1486')

CONFIDENTIAL
 DEC 28 2003
 KCC

Radiation Guard Log Gamma Ray Neutron
 Borehole Compensated Sonic Log CCL Log
 Microresistivity Log

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
surface	12 1/4"	8 5/8"	20	269'	Comm	175	3% cc, 2% gel
production	7 7/8"	5 1/2"	14	3625'	Lite & ASC	110 ea.	
D-V tool				1377'	60/40/6(Lite)	350	1/4# Floseal

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
___ Perforate				
___ Protect Casing				
___ Plug Back TD				
___ Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	Perf 3621'-3625' (Arbuckle open hole)		3621'-25'

TUBING RECORD		Size	Set At	Packer At	Liner Run
		2 7/8	3620'	no pkr	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumed Production, SWD or Enhr.			Producing Method		
09 October 2007			<input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)		
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity
	36	no gas	60		28 API

Disposition of Gas Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled Other (Specify) _____

METHOD OF COMPLETION Production Interval

3621' - 3625' KANSAS CORPORATION

RECEIVED
JAN 02 2003
 CONSERVATION DIV.
 WICHITA, KS

ALLIED CEMENTING CO., INC.

25383

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <u>9-20-07</u>	SEC. <u>3</u>	TWP. <u>12</u>	RANGE <u>17</u>	CALLED OUT	ON LOCATION	JOB START <u>5:00 p.m.</u>	JOB FINISH <u>5:30 p.m.</u>
LEASE <u>ECI</u>	WELL # <u>1</u>	LOCATION <u>Codell Rd N St Andrew</u>		COUNTY <u>Atch</u>		STATE <u>KS</u>	
OLD OR NEW (Circle one) <u>NEW</u>				<u>1/2 W 1/2 N W into</u>			

CONTRACTOR Berco

TYPE OF JOB Bottom Stage

HOLE SIZE _____ T.D. 3625

CASING SIZE 5" 1/2 14# DEPTH _____

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL Du Tool DEPTH 1377

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT 33.6 BC

EQUIPMENT _____

PUMP TRUCK # 409 CEMENTER Craig / Susan / Mark
HELPER Adrian

BULK TRUCK # 362 DRIVER Chuck

BULK TRUCK # _____ DRIVER _____

OWNER _____

CEMENT AMOUNT ORDERED 350 Lite

COMMON @ _____

POZMIX @ _____

GEL @ _____

CHLORIDE @ _____

ASC @ _____

350 Lite @ 10.45 3657.50

HANDLING 350 @ 1.90 667.50

MILEAGE .09/mile 913.50

TOTAL 5236.00

CONFIDENTIAL
DEC 28 2008
KCC

REMARKS:

Plug lands 1500 ps. Held. Released
Dry. Cement Circulated
Thanks

SERVICE:

DEPTH OF JOB _____

PUMP TRUCK CHARGE 955

EXTRA FOOTAGE @ _____


MILEAGE @ _____

MANIFOLD @ _____

CHARGE TO: Berco

STREET _____

CITY _____ STATE _____ ZIP _____



TOTAL 955.00

PLUG & FLOAT EQUIPMENT

RECEIVED
KANSAS CORPORATION COMMISSION
JAN 02 2008
CONSERVATION DIV.
WICHITA, KS

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE [Signature]

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME _____

ALLIED CEMENTING CO., INC.

25382

F

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <u>9-20-07</u>	SEC. <u>3</u>	TWP. <u>12</u>	RANGE <u>17</u>	CALLED OUT	ON LOCATION	JOB START <u>2:00 p.m.</u>	JOB FINISH <u>2:30 p.m.</u>
LEASE <u>ECD</u>	WELL # <u>1</u>	LOCATION <u>Cadell Rd N St Andrew</u>			COUNTY <u>Ellis</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)				<u>1/2w 1/2n w into</u>			

CONTRACTOR Beredco
 TYPE OF JOB 1 1/2" Job Bottom Stage
 HOLE SIZE 5 1/2 1 1/4" I.D. 3624
 CASING SIZE 5 1/2 1 1/4" DEPTH 3625
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE _____ DEPTH _____
 TOOL _____ DEPTH _____
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT 4234
 CEMENT LEFT IN CSG. 42.34
 PERFS. _____
 DISPLACEMENT 87.4 Bl
 EQUIPMENT _____
 PUMP TRUCK # 409 CEMENTER Craig/Justin/Marc
 HELPER Adrian
 BULK TRUCK # 213 DRIVER Bob
 BULK TRUCK # _____ DRIVER _____

OWNER _____
 CEMENT AMOUNT ORDERED 110 Lite 110 ASC
 COMMON _____ @ _____
 POZMIX _____ @ _____
 GEL _____ @ _____
 CHLORIDE _____ @ _____
 ASC _____ @ _____
110 Lite 110 @ 13.75 1512.50
 @ 10.45 1149.50
 @ _____
 @ _____
 @ _____
 @ _____
 @ _____
 @ _____
 HANDLING 220 @ 1.90 418.00
 MILEAGE .09/SK/mile 574.20
 TOTAL 3654.20

REMARKS:

Aug landed 1500psi. Hold. Released
Sy.

Thanks!

CHARGE TO: Beredco
 STREET _____
 CITY _____ STATE _____ ZIP _____

SERVICE
 DEPTH OF JOB _____
 PUMP TRUCK CHARGE _____ 1610.00
 EXTRA FOOTAGE _____ @ _____
 MILEAGE 29 @ 6.00 174.00
 MANIFOLD _____ @ _____
 @ _____
 @ _____

~~_____~~
~~_____~~
~~_____~~
 TOTAL 1784.00

PLUG & FLOAT EQUIPMENT
1 5 1/2 Triplex Shoe 1550.00
1 1 1/2" Tool @ 4,000.00
7 Turbolizers 7 @ 70.00 490.00
2 Baskets 2 @ 165.00 330.00
1 Catch Down Assembly @ 410.00 410.00
 @ _____

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

RECEIVED
 KANSAS CORPORATION COMMISSION TOTAL 6780.00

TAX JAN 02 2008
 TOTAL CHARGE CONSERVATION DIVISION
 WICHITA, KS
 DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE [Signature]

PRINTED NAME _____

ALLIED CEMENTING CO., INC.

25386

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <u>9-22-07</u>	SEC. <u>3</u>	TWP. <u>12</u>	RANGE <u>17</u>	CALLED OUT	ON LOCATION	JOB START <u>7:00am</u>	JOB FINISH <u>7:30am</u>
LEASE <u>Drilling</u>	WELL # <u>D-4</u>		LOCATION <u>Cadell Rd N St. Andrew 1/2 W</u>		COUNTY <u>Ellis</u>	STATE <u>KS</u>	
OLD OR <u>NEW</u> (Circle one)			<u>1/2 N W. into</u>				

CONTRACTOR Beraco

TYPE OF JOB Surface Job

HOLE SIZE 12 1/4 T.D. 294

CASING SIZE 8 5/8 20ft DEPTH 294

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. 15'

PERFS. _____

DISPLACEMENT 18BL

EQUIPMENT _____

OWNER _____

CEMENT AMOUNT ORDERED 185 cum 312

PUMP TRUCK # 409 CEMENTER Craig HELPER Adrian

BULK TRUCK # 396 DRIVER Rocky

BULK TRUCK # _____ DRIVER _____

COMMON	<u>185</u>	@	<u>1.10</u>	<u>2053.50</u>
POZMIX		@		
GEL	<u>3</u>	@	<u>16.65</u>	<u>49.95</u>
CHLORIDE	<u>5</u>	@	<u>46.40</u>	<u>232.00</u>
ASC		@		
HANDLING	<u>193</u>	@	<u>1.90</u>	<u>366.70</u>
MILEAGE	<u>94</u>	@	<u>3.75/mile</u>	<u>347.50</u>
TOTAL				<u>3050.55</u>

REMARKS:

Cement Circulated!

Thanks!

SERVICE

DEPTH OF JOB			
PUMP TRUCK CHARGE			<u>815.00</u>
EXTRA FOOTAGE		@	
MILEAGE	<u>20</u>	@	<u>6.00</u> <u>120.00</u>
MANIFOLD		@	
TOTAL <u>935.00</u>			

PLUG & FLOAT EQUIPMENT

<u>1 8 1/8" wooden Surface Plug</u>	@		<u>60.00</u>
	@		
	@		
	@		
TOTAL <u>60.00</u>			

RECEIVED
KANSAS CORPORATION COMMISSION

JAN 02 2008

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

SIGNATURE Mavis B. Jabara

PRINTED NAME