For KCC Use: Effective Date: District # SGA? No

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

month	1 2010	Spot Description: NW NW				
	day year	NE _SW NW NW Sec. 32 Twp. 32 S. R. 17 ⊠E W				
OPERATOR: License# 34027		(C/C/C/C/C) 937 feet from N / S Line of Section				
Name: CEP MID CONTINENT LLC		4,855 feet from E / W Line of Section				
Address 1: 15 WEST 6TH ST SUITE 1100		ls SECTION: Regular X Irregular?				
Address 2:		(Note: Locate well on the Section Plat on reverse side)				
	OK Zip: <u>74119</u> + <u>5415</u>	County: MONTGOMERY				
Contact Person: RODNEY TATE, ENG.		Lease Name: KNISLEY Well #: 32-1				
Phone: 918-877-2912		Field Name: KANMARP Cherokee Basin Goal Area				
CONTRACTOR: License# 34126		Is this a Prorated / Spaced Field?				
Name: SMITH OILFIELD SERVICES		Target Formation(s): WEIR PITT, RIVERTON, MISSISSIPPI				
Well Drilled For: Well Class.	: Type Equipment:	Nearest Lease or unit boundary line (in footage): 425				
Oil / Enh Rec XInfield	Mud Rotary 1	Ground Surface Elevation: 831 feet MSL				
Gas Storage Pool E		Water well within one-quarter mile:				
Disposal Wildca		Public water supply well within one mile:				
Seismic ; # of Holes Other		Depth to bottom of fresh water: 70				
Other:		Depth to bottom of usable water: 150				
		Surface Pipe by Alternate: I I I I				
If OWWO: old well information as folion	ows:	Length of Surface Pipe Planned to be set: 20'				
Operator:		Length of Conductor Pipe (if any):				
Well Name:		Projected Total Depth: 1200				
Original Completion Date:	Original Total Depth:	Formation at Total Depth: MISSISSIPPI				
		Water Source for Drilling Operations:				
Directional, Deviated or Horizontal wellbore?		Well Farm Pond Other:				
If Yes, true vertical depth:		DWR Permit #:				
Bottom Hole Location:		(Note: Apply for Permit with DWR				
KCC DKT #:		Will Cores be taken?				
		If Yes, proposed zone:				
		BECEN/ED				
		IDAVIT KANSAS COHPONATION COMMISS VALUE OF THE SERVED KANSAS COHPONATION COMMISS				
The undersigned hereby affirms that the d	rilling, completion and eventual pluç	gging of this well will comply with K.S.A. 55 et. seq.				
It is agreed that the following minimum req	quirements will be met:	JAN 29 2010				
1. Notify the appropriate district office	prior to spudding of well;	- W 20 20 (U				
2. A copy of the approved notice of inte	ent to drill shall be posted on each	drilling rig;				
		oy circulating cement to the top; in all cases surface pipe shall be section Difficion				
through all unconsolidated materials						
	•	ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in;				
		I from below any usable water to surface within 120 DAYS of spud date.				
6 ITAN ALLERNALE ILCOMPLETION.						
		33,891-C, which applies to the KCC District 3 area, alternate II cementing				
Or pursuant to Appendix "B" - Easte	ern Kansas surface casing order #13	33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.				
Or pursuant to Appendix "B" - Easte	ern Kansas surface casing order #13 of the spud date or the well shall be	plugged. In all cases, NOTIFY district office prior to any cementing.				
Or pursuant to Appendix "B" - Easte must be completed within 30 days o I hereby certify that the statements made I	ern Kansas surface casing order #13 of the spud date or the well shall be a herein are true and correct to the be	plugged. In all cases, NOTIFY district office prior to any cementing.				
Or pursuant to Appendix "B" - Easte must be completed within 30 days of the last the statements made I	ern Kansas surface casing order #13 of the spud date or the well shall be	plugged. In all cases, NOTIFY district office prior to any cementing.				
Or pursuant to Appendix "B" - Easte must be completed within 30 days o I hereby certify that the statements made I	ern Kansas surface casing order #13 of the spud date or the well shall be a herein are true and correct to the be	plugged. In all cases, NOTIFY district office prior to any cementing. est of my prowledge and belief. Title: ENGINEERING				
Or pursuant to Appendix "B" - Easte must be completed within 30 days of the large statements made I hereby certify that the statements made I hereby certification is statement to the statement of	ern Kansas surface casing order #13 of the spud date or the well shall be herein are true and correct to the be of Operator or Agent:	plugged. In all cases, NOTIFY district office prior to any cementing. est of my Prowledge and belief. ENGINEERING Title:				
Or pursuant to Appendix "B" - Easter must be completed within 30 days of thereby certify that the statements made in the statement in the stateme	ern Kansas surface casing order #13 of the spud date or the well shall be herein are true and correct to the be of Operator or Agent:	plugged. In all cases, NOTIFY district office prior to any cementing. ENGINEERING Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACC-1 within 120 days of soud date:				
Or pursuant to Appendix "B" - Easter must be completed within 30 days of the large that the statements made I Date: 1-22-10	ern Kansas surface casing order #13 of the spud date or the well shall be herein are true and correct to the be of Operator or Agent:	plugged. In all cases, NOTIFY district office prior to any cementing. ENGINEERING Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACC-1 within 120 days of soud date:				
Or pursuant to Appendix "B" - Easter must be completed within 30 days of thereby certify that the statements made in the statement in the s	ern Kansas surface casing order #13 of the spud date or the well shall be herein are true and correct to the be of Operator or Agent:	plugged. In all cases, NOTIFY district office prior to any cementing. ENGINEERING Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;				
Or pursuant to Appendix "B" - Easter must be completed within 30 days of the large that the statements made I hereby certify that the statements made I hereby certification is considered.	ern Kansas surface casing order #13 of the spud date or the well shall be herein are true and correct to the be of Operator or Agent:	plugged. In all cases, NOTIFY district office prior to any cementing. ENGINEERING Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days):				
Or pursuant to Appendix "B" - Easter must be completed within 30 days of the large that the statements made in the large that the large th	ern Kansas surface casing order #13 of the spud date or the well shall be herein are true and correct to the be of Operator or Agent: OO-OO feet feet feet per ALT. I III	plugged. In all cases, NOTIFY district office prior to any cementing. ENGINEERING Title: ENGINEERING Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.				
Or pursuant to Appendix "B" - Easter must be completed within 30 days of the large that the statements made in the large that the large th	ern Kansas surface casing order #13 of the spud date or the well shall be herein are true and correct to the be of Operator or Agent: OO-OO feet feet feet per ALT. I III	plugged. In all cases, NOTIFY district office prior to any cementing. ENGINEERING Title: ENGINEERING Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please				
Or pursuant to Appendix "B" - Easter must be completed within 30 days of the large that the statements made I hereby certify that the statements made I hereby certification is considered.	ern Kansas surface casing order #13 of the spud date or the well shall be herein are true and correct to the be of Operator or Agent:	plugged. In all cases, NOTIFY district office prior to any cementing. ENGINEERING Title: ENGINEERING Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.				
Or pursuant to Appendix "B" - Easter must be completed within 30 days of thereby certify that the statements made in the statement in the statem	ern Kansas surface casing order #13 of the spud date or the well shall be herein are true and correct to the be of Operator or Agent:	plugged. In all cases, NOTIFY district office prior to any cementing. ENGINEERING Title: ENGINEERING Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.				
Or pursuant to Appendix "B" - Easter must be completed within 30 days of thereby certify that the statements made in the statement in the statem	ern Kansas surface casing order #13 of the spud date or the well shall be herein are true and correct to the be of Operator or Agent: OO - OO	plugged. In all cases, NOTIFY district office prior to any cementing. ENGINEERING Title: ENGINEERING Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.				


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-31920-00-00					
Operator: CEP MID CONTINENT LLC	Location of Well: County: MONTGOMERY				
Lease: KNISLEY	937 feet from N / S Line of Section				
Well Number: 32-1	4,855 feet from X E / W Line of Section				
Field: KANMAP	Sec. <u>32</u> Twp. <u>32</u> S. R. <u>17</u> 🔀 E 🔲 W				
Number of Acres attributable to well:	Is Section: Regular or Kirregular				
QTR/QTR/QTR/QTR of acreage: NW _ NW					
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW				

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)



In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (CO-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: CEP MID CONTINENT LLC			License Number: 34027				
Operator Address: 15 WEST 6TH ST SUITE 1100			TULSA OK 74119				
Contact Person: RODNEY TATE, ENG.			Phone Number: 918-877-2912				
Lease Name & Well No.: KNISLEY 32-1			Pit Location (QQQQ):				
Type of Pit:	Pit is:		<u>NW - NW _</u>				
Emergency Pit Burn Pit	Proposed	Existing	Sec. 32 Twp. 32 F				
Settling Pit Drilling Pit	If Existing, date constructed:		937 Feet from North / South Line of Section				
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		4,855 Feet from East / West Line of Section				
	1,710	(bbis)	MONTGOMERY			County	
Is the pit located in a Sensitive Ground Water Area? Yes No			Chloride concentration: mg/l				
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?				
Yes No	Yes X	No (
Pit dimensions (all but working pits):	60 Length (fe	eet)40	Width (feet)		I/A: Steel	Pits	
Depth fr	om ground level to d	eepest point:	(feet)	r	No Pit		
If the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce	edures for periodic maintena ncluding any special monitor	ucelcrive tracelun	ONO. PER	CMMICSION	
NA		NA		JAN	2 9 20	110	
				OCN BETTA	ATENIO Mitalio	³ AtGiOM	
Distance to nearest water well within one-mile	e of pit	Depth to shallowest fresh water					
4856 feet Depth of water well 70 feet		Source of information: measuredwell ownerelectric logKDWR					
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:					
Producing Formation:		Type of material utilized in drilling/workover: FRESH WATER					
Number of producing wells on lease:		Number of working pits to be utilized:1					
Barrels of fluid produced daily:		Abandonment procedure: AIR DRIED AND BACKFILLED					
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.					
I hereby certify that the above state	ments are true and	correct to the bes	t of my knowledge and belie	f.			
		11					
1-22-10		-14	4			ļ	
Date		/ s	ignature of Applicant or Ager	nt 			
KCC OFFICE USE ONLY Steel Pit RFAC RFAS							
Date Received: 1/29/10 Permit Num	ber:	Perm	it Date: 1/29/10 Le	ease Inspection:	Yes	⊠No	