# For KCC Use: Effective Date: 2-6-2010 District # Vee No.

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

### NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

must be approved by NOO me (	
Expected Spud Date: March 20th 2010	Spot Description: 70' west of
month day year	<u>SWSESESec24Twp15</u> SR <u>18</u> E W
OPERATOR: License#	(Q/Q/Q/Q) 330 feet from N / X S Line of Section
Name: Dreiling Oil, Inc.	1,060 feet from E / W Line of Section
Address 1: P.O. Box 550	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Hays State: Ks. Zip: 67601 +	County: Ellis
Contact Person: Terry W. Piesker	Loose Name: Kuhn "A" Weil #: 1
Phone: 785-625-8327	Field Name: Wheat land Southwest
CONTRACTOR: License# 31548	Is this a Prorated / Spaced Field?
Name: Discovery Drilling Co., Inc	Target Formation(s): Arbuckle and Lansing/Kansas City
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330'
◯ Oil ☐ Enh Rec ☐ Infield ☐ Mud Rotary	Ground Surface Elevation: 1997 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 160'
Other:	Depth to bottom of usable water: 500 480
If OWWO: old well information as follows:	Surface Pipe by Alternate: XI IIII  Length of Surface Pipe Planned to be set: 1125'
	Length of Conductor Pipe (if any):
Operator:	Projected Total Depth: 3600'
Well Name:Original Total Depth:	Formation at Total Depth: Arbuckle
<u> </u>	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well X Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR 🗾
KCC DKT #:	Will Cores be taken?
KCC DKT #:	16)/co accepted 7000;
	16)/co accepted 7000;
AFFI	DAVIT
AFFI  The undersigned hereby affirms that the drilling, completion and eventual plug.	DAVIT
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met:	DAVIT
AFFI  The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  JAN 29 2010
AFFI  The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  CCN  CCN  CCN  CCN  CCN  CCN  CCN  C
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	DAVIT ging of this well will comply with K.S.A. 55 et. seq.    Compared to the top; in all cases surface pipe   Shall be serviced.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office of the well is dry hole, an agreement between the operator and the district.	DAVIT ging of this well will comply with K.S.A. 55 et. seq.    Compared to the top; in all cases surface pipe
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will be appropriate district office will be notified before well is either plugge	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  CCN drilling rig; y circulating cement to the top; in all cases surface pipe shall be serious confidence on plug length and placement is necessary prior to plugging; d or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  CCN  drilling rig; y circulating cement to the top; in all cases surface pipe shall be serviced underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office will is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  CCN  drilling rig; y circulating cement to the top; in all cases surface pipe shall be serviced underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the office. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  CCN  drilling rig; y circulating cement to the top; in all cases surface pipe shall be selected and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unsurface of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge of the an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put thereby certify that the statements made herein are true and correct to the be	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  CCN  drilling rig; y circulating cement to the top; in all cases surface pipe shall be serviced underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plugs It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the surface propriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be proceed to the standard of the surface of the su	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  CCN  drilling rig; y circulating cement to the top; in all cases surface pipe shall be serviced underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus a minimum of 20 feet into the unsurface of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge of the an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be put thereby certify that the statements made herein are true and correct to the be	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  CCN  drilling rig; y circulating cement to the top; in all cases surface pipe shall be serviced underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the definition of the district office will be notified before well is either plugge for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate:  I hereby certify that the statements made herein are true and correct to the beding the complete of the spud date or the well shall be plate:    The complete of the complete of the complete of the spud date or the well shall be plate:   The complete of the spud date or the well shall be plate:   The complete of the spud date or the well shall be plate:   The complete of the spud date or the well shall be plate:   The complete of the spud date or the well shall be plate:   The complete of the spud date or the well shall be plate:   The complete of the spud date or the well shall be plate:   The complete of the spud date or the well shall be plate:   The complete of the spud date or the well shall be plate.   The complete of the spud date or the well shall be plate.   The complete of the spud date or the well shall be plate.   The complete of the spud date or the well shall be plate.   The complete of the spud date or the well shall be plate.   The complete of the spud date or the well shall be plate.   The complete of the spud date or the well shall be plate.   The complete of the spud date or the well shall be plate.   The complete of the spud date or the well shall be plate.   The complete of the spud date or the well shall be plate.   The complete of the spud date or the well shall be pl	DAVIT ging of this well will comply with K.S.A. 55 et. seq.    CCN   Commosion
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the element of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate:  I hereby certify that the statements made herein are true and correct to the because of the complete of the plate:  For KCC Use ONLY  API # 15 - D 5 I - 2 5 9 55 - DO-OD	DAVIT ging of this well will comply with K.S.A. 55 et. seq.    Complete   Complete   Complete
The undersigned hereby affirms that the drilling, completion and eventual pluging it is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge.  4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate:  I hereby certify that the statements made herein are true and correct to the because of the conductor pipe required.  For KCC Use ONLY  API #15 - D51 - 25955 - DO-OD  Conductor pipe required.	DAVIT ging of this well will comply with K.S.A. 55 et. seq.    CCN   Commosion
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the latter of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided that the statements made herein are true and correct to the between the complete that the statements made herein are true and correct to the between the conductor pipe required the more of the conductor pipe required the provided that the feet that the statement of the conductor pipe required the provided that the district of the provided that the statement of the provided that the provided that the stateme	DAVIT ging of this well will comply with K.S.A. 55 et. seq.    Compared to the top; in all cases surface pipe   Compared to the top; in all cases surface pipe   Compared to the top; in all cases surface pipe   Compared to the top; in all cases surface pipe   Compared to the top; in all cases surface pipe   Compared to the top; in all cases surface pipe   Compared to the top; in all cases surface pipe   Compared to the top; in all cases and placement is necessary   Compared to the top; in all cases   Compared top;
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the latter of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided that the statements made herein are true and correct to the between the complete of the provided signature of Operator or Agent:    For KCC Use ONLY	DAVIT ging of this well will comply with K.S.A. 55 et. seq.    CCN   Commosion
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the strict of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate:  I hereby certify that the statements made herein are true and correct to the be Date:  For KCC Use ONLY  API # 15 - D 51 - 2 5 9 55 - DO-OD  Conductor pipe required  Minimum surface pipe required  feet per ALT. III	DAVIT ging of this well will comply with K.S.A. 55 et. seq.    Continue Commosion
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge of an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the completed within 30 days of the spud date or the well shall be placed.  I hereby certify that the statements made herein are true and correct to the because of the complete of the complete of the determinant of the placed by the statement of the placed by th	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  JAN 29 2010  constitution of this well will comply with K.S.A. 55 et. seq.  JAN 29 2010  constitution of the top; in all cases surface pipe shall be serviced and underlying formation.  ct office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  It is file Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual plug. It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the strict of the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate:  I hereby certify that the statements made herein are true and correct to the be Date:  For KCC Use ONLY  API # 15 - D 51 - 2 5 9 55 - DO-OD  Conductor pipe required  Minimum surface pipe required  feet per ALT. III	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  JAN 29 2010  conversion of this well will comply with K.S.A. 55 et. seq.  JAN 29 2010  conversion of this well will comply with K.S.A. 55 et. seq.  JAN 29 2010  conversion of this well will comply with K.S.A. 55 et. seq.  JAN 29 2010  conversion of this well will comply with K.S.A. 55 et. seq.  JAN 29 2010  conversion of this well will comply with K.S.A. 55 et. seq.  JAN 29 2010  conversion of this well will comply with K.S.A. 55 et. seq.  JAN 29 2010  conversion of this well will comply with K.S.A. 55 et. seq.  JAN 29 2010  conversion of this well will comply with K.S.A. 55 et. seq.  JAN 29 2010  conversion of this well will comply with K.S.A. 55 et. seq.  JAN 29 2010  Conversion of this well will comply with K.S.A. 55 et. seq.  JAN 29 2010  Conversion of this well will comply with K.S.A. 55 et. seq.  JAN 29 2010  Conversion of this well will comply with L.S.A. 55 et. seq.  JAN 29 2010  Conversion of this well will comply with K.S.A. 55 et. seq.  JAN 29 2010  Conversion of this well will comply with K.S.A. 55 et. seq.  JAN 29 2010  JAN 29 2010  JAN 29 2010  Conversion of this perwit to the top; in all cases surface pipe shall be separation of the separatio
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge of an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the completed within 30 days of the spud date or the well shall be placed.  I hereby certify that the statements made herein are true and correct to the because of the complete of the complete of the determinant of the placed by the statement of the placed by th	DAVIT ging of this well will comply with K.S.A. 55 et. seq.  JAN 29 2010  critiling rig; y circulating cement to the top; in all cases surface pipe share be sequenced on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing oblugged. In all cases, NOTIFY district office prior to any cementing.  It of my knowledge and belief.  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 051-25955-00-00	
Operator: Dreiling Oil, Inc.	Location of Well: County: Ellis
Lease: Kuhn "A"	330 feet from N / X S Line of Section
Well Number: 1	1,060 feet from E / W Line of Section
Field:	Sec. <u>24</u> Twp. <u>15</u> S. R. <u>18</u> E 🔀 W
Number of Acres attributable to well: SW _ SE _ SE _ SE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)




NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

CENTRAL KS SURVEYING

**2**1002



## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Dreiling Oil, Inc.			License Number: 5145	
Operator Address: P.O. Box 550			Hays Ks. 6	7601
Contact Person: Terry W. Piesker	<del></del>		Phone Number: 785-625-8327	
Lease Name & Well No.: Kuhn "A"	1		Pit Location (QQQQ):	
Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Workover Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit is: Proposed  If Existing, date conception  Pit capacity: 3,000	(bbls)	Sec. 24 Twp. 15 R. 18 East We 330 Feet from East / South Line of Ellis	Section
Is the pit located in a Sensitive Ground Water	Area? Yes	<b>∑</b> tNo	Chloride concentration:	mg/l
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?  Drilling Mud and Native Mud	
Pit dimensions (all but working pits):	50 Length (for	,	Width (feet) N/A: Steel Pite  6 (feet) No Pit	s
If the pit is lined give a brief description of the material, thickness and installation procedure			dures for periodic maintenance and determining notuding any special monitoring.	
			JAN 200	ş.
Distance to nearest water well within one-miles	40	Depth to shallo Source of info		)WR
Emergency, Settling and Burn Pits ONLY			over and Haul-Off Pits ONLY:	<del>·····</del>
		terial utilized in drilling/workover: Chemical Mu-Fresh Water		
		king pits to be utilized:		
1 · · · · · · · · · · · · · · · · · · ·		procedure: Evaporation and Backfill	\( \rac{\rac{\rac{\rac{\rac{\rac{\rac{	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		be closed within 365 days of spud date.	70	
I hereby certify that the above state	ements are true and	correct to the bes	t of my knowledge and belief.	
1-27-10  Overy W. Pieshon  Date  Signature of Applicant or Agent				
KCC OFFICE USE ONLY Steel Pit RFAC RFAS				
Date Received: 2-1-10 Permit Nun	nber:	Perm	it Date: 2 -/ 4-/OLease Inspection: Yes	¥No