For KCC Use: 2-16-2010 Effective Date: 2 District # SGA2 V Vse No

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: February 15, 2010	Spot Description:	
month day year		
ORERATOR: Linguist 33936 V	SW SE NE NW Sec. 26 Twp. 34 S	
OFERATOR, LICENSE#	feet from N	
Name: Charles N. Griffin	3,028 feet from X E	/ W Line of Section
Address 1: P.O. Box 347	Is SECTION: Regular Irregular?	
Address 2:	(Mate: Legale well on the Section Diet as as	
City: Pratt State: KS Zip: 67124 + 0347	(Note: Locate well on the Section Plat on recounty: Harper	verse side)
Contact Person: Charles N. Griffin		A
Phone: 720-490-5648	Lease Name; Hibbord	Well #: 4
CONTRACTOR: License#_34233	Field Name: Hibbord	
Name: Maverick Drilling, LLC	Is this a Prorated / Spaced Field?	☐Yes X No
right,	Target Formation(s): Arbuckle	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 388'	
☑Oil ☐ Enh Rec ☐ Infield ✓ ☑ Mud Rotary	Ground Surface Elevation: 1274	feet MSL
Gas Storage X Pool Ext. Air Rotary	Water well within one-quarter mile:	Yes XIVO
Disposal Wildcat Cable	Public water supply well within one mile:	☐Yes 🔀 No
Seismic ; # of Holes Other	Depth to bottom of fresh water: 120'	
Other:	Depth to bottom of usable water: 180'	
	Surface Pipe by Alternate: XI III	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200	
Operator:	Length of Conductor Pipe (if any): None	
Well Name:	Projected Total Depth: 5100'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle	
/	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR	111
KCC DKT #:		
100 BH: 11	Will Cores be taken?	I IVac (XINA
	Will Cores be taken? If Yes, proposed zone:	Yes X No
	Will Cores be taken? If Yes, proposed zone:	Yes X No
	If Yes, proposed zone:	· · · · · · · · · · · · · · · · · · ·
AFFI	If Yes, proposed zone:	RECEIVED
AFFII The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone:	RECEIVED
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met:	If Yes, proposed zone:	· · · · · · · · · · · · · · · · · · ·
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	DAVIT ging of this well will comply with K.S.A. 55 et. seq.	RECEIVED JAN 2 7 2010
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	DAVIT ging of this well will comply with K.S.A. 55 et. seq.	RECEIVED JAN 2 7 2010
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by	If Yes, proposed zone: DAVIT ging of this well will comply with K.S.A. 55 et. seq. irilling rig; circulating cement to the top; in all cases surface pipe	RECEIVED JAN 2 7 2010
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the unconsolidated materials plus as the set of	DAVIT ging of this well will comply with K.S.A. 55 et. seq. irilling rig; of circulating cement to the top; in all cases surface pipe anderlying formation.	RECEIVED JAN 2 7 2010 CC.WICHITA
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged.	DAVIT ging of this well will comply with K.S.A. 55 et. seq. irilling rig; r circulating cement to the top; in all cases surface pipe anderlying formation. It office on plug length and placement is necessary prior or production casing is cemented in:	RECEIVED JAN 2 7 2010 C.C.WICHITA to plugging;
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented it	DAVIT ging of this well will comply with K.S.A. 55 et. seq. irilling rig; recirculating cement to the top; in all cases surface pipe anderlying formation. It office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS	RECEIVED JAN 2 7 2010 C.C.WICHITA to plugging; of spud date.
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the c. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133	DAVIT ging of this well will comply with K.S.A. 55 et. seq. irilling rig; recirculating cement to the top; in all cases surface pipe and or production casing is cemented in; from below any usable water to surface within 120 DAYS 3.891-C, which applies to the KCC District 3 area, afternal	RECEIVED JAN 2 7 2010 CC.WICHITA to plugging; of spud date. tte II cementing
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the c. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented if Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p	DAVIT ging of this well will comply with K.S.A. 55 et. seq. irilling rig; reirculating cement to the top; in all cases surface pipe underlying formation. It office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternal lugged. In all cases, NOTIFY district office prior to any	RECEIVED JAN 2 7 2010 CC.WICHITA to plugging; of spud date. tte II cementing
AFFII The undersigned hereby affirms that the drilling, completion and eventual plugg It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the c. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133	DAVIT ging of this well will comply with K.S.A. 55 et. seq. irilling rig; reirculating cement to the top; in all cases surface pipe underlying formation. It office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternal lugged. In all cases, NOTIFY district office prior to any	RECEIVED JAN 2 7 2010 CC.WICHITA to plugging; of spud date. tte II cementing
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented in Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best language 27, 2010.	DAVIT ging of this well will comply with K.S.A. 55 et. seq. irilling rig; recirculating cement to the top; in all cases surface pipe anderlying formation. It office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternal lugged. In all cases, NOTIFY district office prior to any stof my knowledge and belief.	RECEIVED JAN 2 7 2010 CC.WICHITA to plugging; of spud date. tte II cementing
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the destrict office will be notified before well is either plugged. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented if Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best Date: January 27, 2010 Signature of Operator or Agent:	DAVIT ging of this well will comply with K.S.A. 55 et. seq. irilling rig; refrequent to the top; in all cases surface pipe anderlying formation. It office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS 8,891-C, which applies to the KCC District 3 area, alternal lugged. In all cases, NOTIFY district office prior to any stof my knowledge and belief. Agent	RECEIVED JAN 2 7 2010 CC.WICHITA to plugging; of spud date. tte II cementing
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the destrict office will be notified before well is either plugged. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented if Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best Date: January 27, 2010 Signature of Operator or Agent:	DAVIT ging of this well will comply with K.S.A. 55 et. seq. irilling rig; recirculating cement to the top; in all cases surface pipe anderlying formation. It office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternal lugged. In all cases, NOTIFY district office prior to any stof my knowledge and belief.	RECEIVED JAN 2 7 2010 CCCWICHITA to plugging; of spud date. te II cementing cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugging it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each did. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the district. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be comented if Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be posterior to the best part of the production of the statements made herein are true and correct to the best part of Operator or Agent: January 27, 2010 Signature of Operator or Agent: For KCC Use ONLY	DAVIT ging of this well will comply with K.S.A. 55 et. seq. irilling rig; recirculating cement to the top; in all cases surface pipe anderlying formation. It office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS 8,891-C, which applies to the KCC District 3 area, alternal lugged. In all cases, NOTIFY district office prior to any stof my knowledge and belief. Agent Title: Agent	RECEIVED JAN 2 7 2010 CCC-WICHITA to plugging; of spud date. Ite II cementing cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the c. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best date: Date: January 27, 2010 Signature of Operator or Agent:	DAVIT ging of this well will comply with K.S.A. 55 et. seq. irilling rig; refreculating cement to the top; in all cases surface pipe anderlying formation. It office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternal lugged. In all cases, NOTIFY district office prior to any stof my knowledge and belief. Agent	RECEIVED JAN 2 7 2010 CCC-WICHITA to plugging; of spud date. Ite II cementing cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugging it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each did. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the did. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented if Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be pound to the statements made herein are true and correct to the best part of Operator or Agent: Date: January 27, 2010 Signature of Operator or Agent: For KCC Use ONLY API # 15 - O 7 7 - 2 1668 - O O O O O O O O O O O O O O O O O O	DAVIT ging of this well will comply with K.S.A. 55 et. seq. irilling rig; refrequent to the top; in all cases surface pipe anderlying formation. It office on plug length and placement is necessary prior of or production casing is cemented in; Irom below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternal lugged. In all cases, NOTIFY district office prior to any stof my knowledge and belief. Title: Agent Title: File Drill Pit Application (form CDP-1) with Intent to Drill. File Completion Form ACO-1 within 120 days of spud displacements.	RECEIVED JAN 2 7 2010 CCC-WICHITA to plugging; of spud date. Ite II cementing cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the c. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best pate: Date: For KCC Use ONLY API # 15 - 0777 - 21668 - 0000000000000000000000000000000000	DAVIT ging of this well will comply with K.S.A. 55 et. seq. irilling rig; recirculating cement to the top; in all cases surface pipe anderlying formation. It office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternating allugged. In all cases, NOTIFY district office prior to any state of my knowledge and belief. Agent Title: Agent File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud direction of the completion form ACO-1 within 120 days of spud direction of the completion form ACO-1 within 120 days of spud direction of the completion form ACO-1 within 120 days of spud direction of the completion form ACO-1 within 120 days of spud direction of the completion form ACO-1 within 120 days of spud direction of the completion form ACO-1 within 120 days of spud direction of the completion form ACO-1 within 120 days of spud direction of the completion form ACO-1 within 120 days of spud direction of the completion form ACO-1 within 120 days of spud direction of the completion form ACO-1 within 120 days of spud direction form ACO-1 within 120 days of spud dire	RECEIVED JAN 2 7 2010 CCC-WICHITA to plugging; of spud date. Ite II cementing cementing.
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the c. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best pater. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 0777 - 21668 - 0000000000000000000000000000000000	DAVIT ging of this well will comply with K.S.A. 55 et. seq. irilling rig; recirculating cement to the top; in all cases surface pipe anderlying formation. It office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS 8,891-C, which applies to the KCC District 3 area, alternal lugged. In all cases, NOTIFY district office prior to any stof my knowledge and belief. File Drill Pit Application (form CDP-1) with Intent to Drill. File Completion Form ACO-1 within 120 days of spud district office 48 hours prior to worker. Notify appropriate district office 48 hours prior to worker. Submit plugging report (CP-4) after plugging is completed.	RECEIVED JAN 2 7 2010 CCC-WICHITA to plugging; of spud date. Ite II cementing cementing. 26 ate; orders; ver or re-entry; ed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented in Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best Date: January 27, 2010	DAVIT ging of this well will comply with K.S.A. 55 et. seq. irilling rig; circulating cement to the top; in all cases surface pipe anderlying formation. It office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS 13,891-C, which applies to the KCC District 3 area, alternating lugged. In all cases, NOTIFY district office prior to any state of my knowledge and belief. Agent Title: Agent File Drill Pit Application (form CDP-1) with Intent to Drill File Completion Form ACO-1 within 120 days of spud di File acreage attribution plat according to field proration of Notify appropriate district office 48 hours prior to workow Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting sal	RECEIVED JAN 2 7 2010 CCCWICHITA to plugging; of spud date. Ite II cementing cementing. 26 ate; orders; ver or re-entry; ed (within 60 days); t water.
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented in Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best Date: January 27, 2010	DAVIT ging of this well will comply with K.S.A. 55 et. seq. irilling rig; recirculating cement to the top; in all cases surface pipe anderlying formation. It office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS 13,891-C, which applies to the KCC District 3 area, alternating allugged. In all cases, NOTIFY district office prior to any state of the knowledge and belief. Agent Title: Agent File Drill Pit Application (form CDP-1) with Intent to Drill. File Completion Form ACO-1 within 120 days of spud district office 48 hours prior to workow. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting sal. If this permit has expired (See: authorized expiration da).	RECEIVED JAN 2 7 2010 CCCWICHITA to plugging; of spud date. Ite II cementing cementing. 26 ate; orders; ver or re-entry; ed (within 60 days); t water.
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the c. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented for pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best pater. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 0777 - 21668 - 0000000000000000000000000000000000	DAVIT ging of this well will comply with K.S.A. 55 et. seq. irilling rig; recirculating cement to the top; in all cases surface pipe anderlying formation. It office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS 8,891-C, which applies to the KCC District 3 area, alternal lugged. In all cases, NOTIFY district office prior to any stof my knowledge and belief. Agent Title: Agent File Drill Pit Application (form CDP-1) with Intent to Drill. File completion Form ACO-1 within 120 days of spud decement in the surface of the properties of the plugging is completed. Notify appropriate district office 48 hours prior to worker. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting sall. If this permit has expired (See: authorized expiration day check the box below and return to the address below.	RECEIVED JAN 2 7 2010 CCCWICHITA to plugging; of spud date. Ite II cementing cementing. 26 ate; orders; ver or re-entry; ed (within 60 days); t water.
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented if Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best part of Operator or Agent: Date: January 27, 2010	DAVIT ging of this well will comply with K.S.A. 55 et. seq. irilling rig; recirculating cement to the top; in all cases surface pipe anderlying formation. It office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS 3,891-C, which applies to the KCC District 3 area, alternal lugged. In all cases, NOTIFY district office prior to any stof my knowledge and belief. Agent Title: Agent File Drill Pit Application (form CDP-1) with Intent to Drill. File completion Form ACO-1 within 120 days of spud dientified acreage attribution plat according to field proration. Notify appropriate district office 48 hours prior to workow. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting sall. If this permit has expired (See: authorized expiration dae check the box below and return to the address below. Well Not Drilled - Permit Expired.	RECEIVED JAN 2 7 2010 CCCWICHITA to plugging; of spud date. Ite II cementing cementing. 26 ate; orders; ver or re-entry; ed (within 60 days); t water.
The undersigned hereby affirms that the drilling, completion and eventual plugg. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each d. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the u. 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented if Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133 must be completed within 30 days of the spud date or the well shall be p. I hereby certify that the statements made herein are true and correct to the best part of Operator or Agent: Date: January 27, 2010	DAVIT ging of this well will comply with K.S.A. 55 et. seq. irilling rig; recirculating cement to the top; in all cases surface pipe anderlying formation. It office on plug length and placement is necessary prior of or production casing is cemented in; from below any usable water to surface within 120 DAYS 8,891-C, which applies to the KCC District 3 area, alternal lugged. In all cases, NOTIFY district office prior to any stof my knowledge and belief. Agent Title: Agent File Drill Pit Application (form CDP-1) with Intent to Drill. File completion Form ACO-1 within 120 days of spud decement in the surface of the properties of the plugging is completed. Notify appropriate district office 48 hours prior to worker. Submit plugging report (CP-4) after plugging is completed. Obtain written approval before disposing or injecting sall. If this permit has expired (See: authorized expiration day check the box below and return to the address below.	RECEIVED JAN 2 7 2010 CCCWICHITA to plugging; of spud date. Ite II cementing cementing. 26 ate; orders; ver or re-entry; ed (within 60 days); t water.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

APINO. 15 - 077-21668-00-00	
Operator: Charles N. Griffin	Location of Well: County: Harper
Lease: Koblitz	1,260 feet from N / S Line of Section
Well Number: 4	3,028 feet from X E / W Line of Section
Field: Hibbord	Sec. <u>26</u> Twp. <u>34</u> S. R. <u>9</u> E X W
Number of Acres attributable to well:QTR/QTR/QTR of acreage: _SWSE _ NE _ NW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)


	anni ja muu ja maana ja ja	•	1260				A TANK
			2]		スも′		
				50	~0		
3		,,,,,,,,,,	-				
				ሪ			
					••••		
		••••			••••		

	-"				and admitting	- /	

RECEIVED

JAN 2 7 2010

KCC WICHITA



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Charles N. Griffin		License Number: 33936	
Operator Address: P.O. Box 347		Pratt KS 67124	
Contact Person: Charles N. Griffin		Phone Number: 720-490-5648	
Lease Name & Well No.: Koblitz 4		Pit Location (QQQQ):	
Type of Pit:	Pit is:	SW SE NE NW	
Emergency Pit Burn Pit Settling Pit X Drilling Pit	Proposed E	ted: Sec. 26 Twp. 34 R. 9 East West 1,260 Feet from North / South Line of Section	
Workover Pit Haul-Off Pit	Pit capacity:	3,028 Feet from East / West Line of Section	
(II VVF Supply AFTINO. Of Teal Diffied)	5,000	(bbls) Harper County	
Is the pit located in a Sensitive Ground Water	Area? Yes No	Chloride concentration: mg/lmg/lmg/lmg/l	
Is the bottom below ground level? Yes No	Artificial Liner? Yes No	How is the pit lined if a plastic liner is not used? Native mud and clay.	
Pit dimensions (all but working pits):1	00 Length (feet) rom ground level to deepest		
material, thickness and installation procedure	•	r integrity, including any special monitoring.	
		oth to shallowest fresh water//feet.	
Emergency, Settling and Burn Pits ONLY: Drilling, Worl		measured well owner electric log KDWR lling, Workover and Haul-Off Pits ONLY: e of material utilized in drilling/workover: Fresh water gel mud. show the property of the pr	
		e of material utilized in drilling/workover: Fresh water gel mud.	
Barrels of fluid produced daily:	Aba	andonment procedure: Allow to dry naturally and backfill as conditions permit.	
Does the slope from the tank battery allow all flow into the pit? Yes No	Il spilled fluids to Dril	andonment procedure: Allow to dry naturally and backfill as conditions permit. I pits must be closed within 365 days of spud date.	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. JAN 2 7 2010			
January 27, 2010 Date		Signature of Applicant or Agent KCC WICHITA	
	KCC OFFIC	DE USE ONLY Steel Pit K RFAC RFAS	
Date Received: 1-27-10 Permit Nur	mber:	Permit Date: 2-11-10 Lease Inspection: < Yes No	



February 11, 2010

Charles N. Griffin PO Box 670 Byers, CO 80103-0670

RE:

Drilling Pit Application Koblitz Lease Well No. 4 NW/4 Sec. 26-34S-09W Harper County, Kansas

Dear Sir or Madam:

District staff has inspected the location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has instructed that no earthen pits are to be used at the location. Steel pits are to be used. Please inform the Commission in writing as to which disposal well you will utilize to dispose of the contents in the steel pits and the amount of fluid that will be disposed. If a hauloff pit is necessary please file, form CDP-1, Application for Surface Pit. This location will have to be inspected prior to approval of the haul-off pit application.

If fluids are taken to an authorized disposal well, please call the District Office at (316) 630-4000. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

Sincerely,

Kathy Havnes

Environmental Protection and Remediation Department

Cc: File

Mark Parkinson, Governor Thomas E. Wright, Chairman Joseph F. Harkins, Commissioner

HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

82-3-607. DISPOSAL OF DIKE AND PIT CONTENTS.

- (1) Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;
- (2) dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well; or
- (3) dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following:
 - (A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f);
 - (B) removal and placement of the contents in an on-site disposal area approved by the commission;
 - (C) removal and placement of the contents in an off-site disposal area on acreage owned by the same landowner or to another producing lease or unit operated by the same operator, if prior written permission from the landowner has been obtained; or
 - (D) removal of the contents to a permitted off-site disposal area approved by the department.
- (b) Each violation of this regulation shall be punishable by the following:
 - (1) A \$1,000 penalty for the first violation;
 - (2) a \$2,500 penalty for the second violation; and
 - (3) a \$5,000 penalty and an operator license review for the third violation.

Complete and return with Haul-Off Pit Application, Form CDP1(2004)

Haul-off pit will be located in an on-site disposal area: Yes \(\backslash \) No \(\Boxed \)
Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner: Yes \square No \square If yes, written permission from the land owner must be obtained. Attach written permission to haul-off pit application.
Haul-off pit is located in an off-site disposal area on another producing lease or unit operated by the same operator: \square s \square No If yes, written permission from the land owner must be obtained. Attach permission and a copy of the lease assignment that covers the acreage where the haul-off pit is to be located, to the haul-off pit application.