For KCC Use: 2-16-2010 Effective Date: 0 District # No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well
Expected Spud Date: February 22nd 2010 OPERATOR: License# 5614 Name: Hutchinson 0il Co. Address 1: P.O. Box 521 Address 2: City: Derby State: KS zip:67037 +0521 Contact Person: Steve Hutchinson Phone: 316-788-5440 CONTRACTOR: License# 34233 Name: Maverick Drilling, LLC Well Drilled For: Well Class: Type Equipment: X Oil Seismic; # of Holes Other Other: # of Holes Other Other: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? Yes X No If Yes, true vertical depth: Bottom Hole Location:	Spot Description: NW NE SE Sec. 21 Twp. 22 S. R. 11 E X W 2300 feet from N / X S Line of Section 1190 feet from X E / W Line of Section 1190 feet from X Line of Section 1190 feet from X E / W Line of Section 1190 feet from X Li
Bottom Hole Location:	Will Cores be taken? Yes No
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ict or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
I hereby certify that the statements made herein are true and correct to the bed Date: 2/8/2010 Signature of Operator or Agent:	ast of my knowledge and belief. Title: Owner/Operator
For KCC Use ONLY API # 15	File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below. Well Not Drilled - Permit Expired Date:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 185-23608-00-00	
Operator: Hutchinson Oil Co.	Location of Well: County: Stafford
Lease: Sleeper	feet from N / X S Line of Section
Well Number: #21-2	1190 feet from X E / W Line of Section
Field: NE Sleeper	Sec. 21 Twp. 22 S. R. 11 E \overline{X} W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: X Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW X SE SW


PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

Twp.22South 21 •←1190'→

Rge.11West



NOTE: In all cases locate the spot of the proposed drilling locaton.

Stafford Co., Kansas

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Hutchinson Oil	Co.	License Number: 5614							
Operator Address: P.O. Box 521	- Derby, KS	67037-0521							
Contact Person: Steve Hutchinson	n		Phone Number: (316) 788 - 5440						
Lease Name & Well No.: Sleeper # 2	1-2	·	Pit Location (QQQQ):						
Type of Pit:	Pit is:	v =	<u>NW NE SE</u>						
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 21 Twp. 22S R. 11 Eas	t 🗓 West					
Settling Pit X Drilling Pit	If Existing, date co	onstructed:	2300 Feet from North / X Sout	h Line of Section					
Workover Pit Haul-Off Pit (If WP Supply AP! No. or Year Drilled)	Pit capacity:	(bbis)	Feet from X East / Wes Stafford	į.					
			· · · · · · · · · · · · · · · · · · ·						
Is the pit located in a Sensitive Ground Water	· Area? X Yes	No	Chloride concentration:						
Is the bottom below ground level? X Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used Benonite and Solids from Droperations.	rilling					
Pit dimensions (all but working pits): 7.	5Length (fe	eet)75	Width (feet) N/A:	Steel Pits					
	rom ground level to de								
material, thickness and installation procedur	·	inner integrity, i	ncluding any special monitoring.						
material, trickless and installation process.		iner integrity, t	ncluding any special monitoring.	RECEIVE FEB 1 0 2 KCC WICH					
			•	FEB 1 0 2					
Distance to nearest water well within one-mi	le of pit	Depth to shallo Source of info	west fresh water <u>16</u> feet.	FEB 1 0 2					
	e of pit 33_feet	Depth to shallo Source of infor	west fresh water <u>16</u> feet. mation:	FEB 1 0 2					
Distance to nearest water well within one-mi	le of pit 33_feet :	Depth to shalld Source of informeast Drilling, Work	west fresh water <u>16</u> feet. mation: uredwell owner electric log	FEB 1 0 2 KCC WICH					
Distance to nearest water well within one-mi	le of pit 33 <u>fe</u> et :	Depth to shalld Source of informeast Drilling, Work Type of materi	west fresh water16feet. mation: uredwell ownerelectric log over and Haul-Off Pits ONLY: al utilized in drilling/workover: fresh wtr.	FEB 1 0 Z KCC WICH					
Distance to nearest water well within one-mi //5 feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation:	e of pit 33feet :	Depth to shalld Source of informeast Drilling, Work Type of materi	west fresh water16feet. mation: uredwell ownerelectric log over and Haul-Off Pits ONLY: al utilized in drilling/workover: fresh wtr.	FEB 1 0 Z KCC WICH					
Distance to nearest water well within one-mi //5 / feet Depth of water well _ Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease:	e of pit 33_feet	Depth to shallo Source of informeas. Drilling, Work Type of materi Number of work Abandonment eyaporat allow.	west fresh water <u>16</u> feet. mation: uredwell ownerelectric log over and Haul-Off Pits ONLY: al utilized in drilling/workover: fresh wtr.	FEB 1 0 Z KCC WICH					
Distance to nearest water well within one-mi 1154 feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a	le of pit 33_feet :	Depth to shallo Source of informeas. Drilling, Work Type of materi Number of wood Abandonment eyaporat allow. Drill pits must	west fresh water	FEB 1 0 Z KCC WICH					
Distance to nearest water well within one-mi !!54 feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? Yes No	le of pit 33_feet :	Depth to shallo Source of informers. Drilling, Work Type of materi Number of work Abandonment eyaporat allow. Drill pits must correct to the bes	west fresh water	FEB 1 0 Z KCC WICH					
Distance to nearest water well within one-mi 154 feet Depth of water well Emergency, Settling and Burn Pits ONLY Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow a flow into the pit? Yes No I hereby certify that the above state 2/8/2010	le of pit 33_feet : Il spilled fluids to	Depth to shallo Source of informers. Drilling, Work Type of materi Number of work Abandonment eyaporat allow. Drill pits must correct to the bes	west fresh water feet. mation: ured well owner electric log over and Haul-Off Pits ONLY: al utilized in drilling/workover: fresh wtr. king pits to be utilized:(3) procedure Pull all free fluids, e until dry, then backfill a be closed within 365 days of spud date. It of my knowledge and belief.	FEB 1 0 Z KCC WICH					



February 11, 2010

Hutchinson Oil Co. PO Box 521 Derby, KS 67037-0521

RE:

Drilling Pit Application

Sleeper Lease Well No. 21-2 SE/4 Sec. 21-22S-11W Stafford County, Kansas

Dear Sir or Madam:

District staff has inspected the location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has instructed that no earthen pits are to be used at the location. Steel pits are to be used. Please inform the Commission in writing as to which disposal well you will utilize to dispose of the contents in the steel pits and the amount of fluid that will be disposed. If a hauloff pit is necessary please file, form CDP-1, Application for Surface Pit. This location will have to be inspected prior to approval of the haul-off pit application.

If fluids are taken to an authorized disposal well, please call the District Office at (620) 225-8888. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

Cc: File

Mark Parkinson, Governor Thomas E. Wright, Chairman Joseph F. Harkins, Commissioner

HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

82-3-607. DISPOSAL OF DIKE AND PIT CONTENTS.

(a)	Eac	n opera	tor sha	ali per	form	one	of	the	follov	ving	when	disp	osing	g of	dike	or	pit	conter	its:
-----	-----	---------	---------	---------	------	-----	----	-----	--------	------	------	------	-------	------	------	----	-----	--------	------

- (1) Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;
- (2) dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well; or
- (3) dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following:
 - (A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f);
 - (B) removal and placement of the contents in an on-site disposal area approved by the commission;
 - (C) removal and placement of the contents in an off-site disposal area on acreage owned by the same landowner or to another producing lease or unit operated by the same operator, if prior written permission from the landowner has been obtained; or
 - (D) removal of the contents to a permitted off-site disposal area approved by the department.
- (b) Each violation of this regulation shall be punishable by the following:
 - (1) A \$1,000 penalty for the first violation;
 - (2) a \$2,500 penalty for the second violation; and
 - (3) a \$5,000 penalty and an operator license review for the third violation.

Complete and return with Haul-Off Pit Application, Form CDP1(2004)

Haul-off pit will be located in an on-site disposal area: Yes No
Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner: Yes \sum No \subseteq If yes, written permission from the land owner must be obtained. Attach written permission to haul-off pit application.
Haul-off pit is located in an off-site disposal area on another producing lease or unit operated by the same operator:ls No If yes, written permission from the land owner must be obtained. Attach permission and a copy of the lease assignment that covers the acreage where the haul-off pit is to be located, to the haul-off pit application.