For KCC Use: 2-17-2010 Effective Date: _ District # SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

mass be approved by NOC me	(a) days prior to confinencing well
Expected Spud Date:03	Spot Description:
month day year	C N2 NW Sec. 10 Twp. 33 S. R. 30 EXW
OPERATOR: License# 32198	(O/O/O/O) 330 feet from N / S Line of Section
Name: Petrosantander (USA) INC	feet from E / W Line of Section
Address 1: 6363 Woodway Dr Suite 350	ls SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Houston State: TX Zip: 77057 +	County: Meade
Contact Person: LILIANA HERNANDEZ Phone:	Lease Name: HUSH Well #: 1
	Field Name: STEVENS
CONTRACTOR: License# 33784	Is this a Prorated / Spaced Field?
Name: Trinidad Drilling Limited Partnership	Target Formation(s): MORROW
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 330
⊠Oil ☐ Enh Rec ☐ Infield ☑ Mud Rotary	Ground Surface Elevation: 2728 feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal XWildcat Cable	Public water supply well within one mile:
Seismic; # of Holes Other	Depth to bottom of fresh water: —540′
Other:	Depth to bottom of usable water: ~580 540
— — — — — — — — — — — — — — — — — — —	Surface Pipe by Alternate: XI III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any): NONE
Well Name:	Projected Total Depth: ~5900'
Original Completion Date: Original Total Depth:	Formation at Total Depth: MISSISSIPPIAN
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth: Bottom Hole Location:	DWR Permit #:
	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
KCC DKT #:	Will Cores be taken? Yes No If Yes, proposed zone:
KCC DKT #:	Will Cores be taken? If Yes, proposed zone: PAVIT RECEIVED
KCC DKT #: AFFI The undersigned hereby affirms that the drilling, completion and eventual plug	Will Cores be taken? If Yes, proposed zone: PAVIT Iging of this well will comply with K.S.A. 55 et. seq.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: PAVIT RECEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken? If Yes, proposed zone: PAVIT Iging of this well will comply with K.S.A. 55 et. seq. FEB 1 2 2010
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken? If Yes, proposed zone: PAVIT Iging of this well will comply with K.S.A. 55 et. seq. FEB 1 2 2010
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken? If Yes, proposed zone: DAVIT RECEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the standard and unconsolidated materials plus a minimum of 20 feet into the definition of the district office prior and t	Will Cores be taken? If Yes, proposed zone: DAVIT Iging of this well will comply with K.S.A. 55 et. seq. FEB 1 2 2010 drilling rig; y circulating cement to the top; in all cases surface pipe shall be calculated to the control of the control
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge	Will Cores be taken? If Yes, proposed zone: PAVIT Iging of this well will comply with K.S.A. 55 et. seq. FEB 1 2 2010 Adrilling rig; Yes No RECEIVED FEB 1 2 2010 Adrilling rig; Yes No RECEIVED FEB 1 2 2010 Adrilling rig; Yes One RECEIVED FEB 1 2 2010 Adrilling rig; Yes One RECEIVED FEB 1 2 2010 Adrilling rig; Yes One FEB 1 2 2010
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the d. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	Will Cores be taken? If Yes, proposed zone: PAVIT Iging of this well will comply with K.S.A. 55 et. seq. RECEIVED FEB 1 2 2010 Adrilling rig; Yes No RECEIVED FEB 1 2 2010 Adrilling rig; Yes No RECEIVED FEB 1 2 2010 Adrilling rig; Yes No RECEIVED FEB 1 2 2010 Adrilling rig; Yes No RECEIVED FEB 1 2 2010 Adrilling rig; Yes No RECEIVED FEB 1 2 2010 Adrilling rig; Yes No FEB 1 2 2010 Adrilling rig; Yes No RECEIVED FEB 1 2 2010 Adrilling rig; Yes No FEB 1 2 2010
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	Will Cores be taken? If Yes, proposed zone: PAVIT Iging of this well will comply with K.S.A. 55 et. seq. RECEIVED FEB 1 2 2010 Addilling rig: Yes No RECEIVED FEB 1 2 2010 Addilling rig: Yes No RECEIVED FEB 1 2 2010 Addilling rig: Yes No RECEIVED FEB 1 2 2010 FEB 1 2 2010 Addilling rig: Yes No FEB 1 2 2010 FEB 1 2 2010 Addilling rig: Yes No FEB 1 2 2010 FEB 1 2 2010 Addilling rig: Yes No FEB 1 2 2010 FEB 1 2 2010 Addilling rig: Yes No FEB 1 2 2010
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be to	Will Cores be taken? If Yes, proposed zone: DAVIT RECEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the district. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be of the spud date or the well shall be provided to the statements made herein are true and correct to the beside that the statements made herein are true and correct to the besides.	Will Cores be taken? If Yes, proposed zone: PAVIT Iging of this well will comply with K.S.A. 55 et. seq. RECEIVED FEB 1 2 2010 drilling rig; Yes No RECEIVED FEB 1 2 2010 drilling rig; Yes CIPUED FEB 1 2 2010 drilling rig; Yes ON FEB 1 2 2010 drilling rig; Yes No FEB 1 2 2010 FEB 1 2 2010 drilling rig; Yes No FEB 1 2 2010 FEB 1 2 2010 drilling rig; Yes No FEB 1 2 2010 FEB 1 2 2010 HIT HIT HIT HIT HIT HIT HIT HI
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be to	Will Cores be taken? If Yes, proposed zone: DAVIT RECEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the statements made herein are true and correct to the best of the statements.	Will Cores be taken? If Yes, proposed zone: DAVIT RECEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be produced to the standard of the stand	Will Cores be taken? If Yes, proposed zone: DAVIT RECEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be produced to the standard of the stand	Will Cores be taken? If Yes, proposed zone: DAVIT RECEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate district office <i>prior</i> to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugge for the appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be computed or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be to be completed. Signature of Operator or Agent: Por KCC Use ONLY	Will Cores be taken? If Yes, proposed zone: DAVIT RECEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate district office <i>prior</i> to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the district. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be careful of the production of the spud date or the well shall be on the shall be on the spud date or the well shall be on the shall be o	Will Cores be taken? If Yes, proposed zone: DAVIT RECEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate district office <i>prior</i> to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the district. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be computed or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be to be completed within 30 days of the spud date or the well shall be to be completed. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be completed within 30 days of the spud date or the well shall be to be completed within 30 days of the spud date or the well shall be to be completed. 6. If an ALTERNATE II COMPLETION is production pipe shall be completed. 7. Por KCC Use ONLY 8. April # 15 - 1/9 - 2/2 5 1 - 00 - 00 - 00 - 00 - 00 - 00 - 00	Will Cores be taken? If Yes, proposed zone: DAVIT RECEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the district. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: 1. Notify the approved within 30 days of the operator or Agent: 1. Notify the approved of the spud blow shall be posted by the statements of the operator or Agent: 1. Notify the approved of the spud blow shall be posted on each of the set by the statement of the set of	Will Cores be taken? If Yes, proposed zone: DAVIT RECEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: I hereby certify that the statements made herein are true and correct to the bed be determined. For KCC Use ONLY API # 15 - //9 - 2/2 5 1 - OOOO Conductor pipe required	Will Cores be taken? If Yes, proposed zone: Pavit
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate district office <i>prior</i> to spudding of well; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the district. 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be computed or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be to be completed within 30 days of the spud date or the well shall be to be completed. Thereby certify that the statements made herein are true and correct to the best of the production pipe required. For KCC Use ONLY API # 15 - //9 - 2/2 5 1 - OOO Conductor pipe required feet per ALT.	Will Cores be taken? If Yes, proposed zone: Pavit
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the appropriate district office pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cernented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well-shall be of the province of the statements made herein are true and correct to the beater. 6. I hereby certify that the statements made herein are true and correct to the beater. 7. Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well-shall be of the spud date or the shall be of the spud date or the spud date or the sha	Will Cores be taken? If Yes, proposed zone: Part
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each of the approved notice of intent to drill shall be posted on each of the appropriate district office pipe as specified below shall be set by through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well-shall be of the production of the statements made herein are true and correct to the beater. Date: 2/09/2010 Signature of Operator or Agent: For KCC Use ONLY API #15 - 119 - 2/2 51 - 00-00 Conductor pipe required feet per ALT. III III Approved by: IIII IIIIIIIIIIIIIIIIIIIIIIIIIIIIII	Will Cores be taken? If Yes, proposed zone: Pavit

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API NO. 15 - 119-21251-00-00	
Operator: Petrosantander (USA) INC	Location of Well: County: Meade
Lease: HUSH	330 feet from N / S Line of Section
Well Number: 1	660 feet from E / X W Line of Section
Field: STEVENS	Sec. 10 Twp. 33 S. R. 30 E X W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: C - N2 - NW - NW	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

	330'			-			
660							
**********	: :::::::::::::::::::::::::::::::::::::	::: ; ; ;			: :::::::::::::::::::::::::::::::::::::	:	
	·	·					· · · · · · · · · · · · · · · · · · ·
	:						
	:						
			1	^			
	:		','	J			
	:						
	:	· · · · · · · · · · · · · · · · · · ·			: : :	:	
				:			
		·	·		- 		
	:			<u> </u>			
	i	: 			:	:	
	į				:	:	
	:				:		
				·			

RECEIVED
FEB 1 2 2010
KCC WICHITA



NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Petrosantander (USA) Inc			License Number: 32198		
Operator Address: 6363 Woodway dr Suite 350, houston TX 77057					
Contact Person: Liliana Hernandez			Phone Number: 713-784-8700		
Lease Name & Well No.: Hush # 1		•	Pit Location (QQQQ):		
Type of Pit:	Pit is:		C - N2 - NW - NW		
Emergency Pit Burn Pit	Proposed Existing		Sec. 10 Twp. 33 R. 30 East West		
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet fromEast / West Line of Section MeadeCounty		
		(bbls)			
is the pit located in a Sensitive Ground Water	Area? Yes]No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner?		How is the pit lined if a plastic liner is not used? Natural clay and drilling mud		
Distriction (all but weathing with).	25 Length (fe	125	Width (feet) N/A: Steel Pits		
Pit dimensions (all but working pits):	rom ground level to de	•	4 (feet) No Pit		
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.					
		Depth to shalk Source of info	owest fresh water192feet.		
1787 feet Depth of water well 424 feet		measi	ured well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	cover and Haul-Off Pits ONLY:		
Producing Formation: Type of		Type of materi	al utilized in drilling/workover: Drilling Mud		
Number of producing wells on lease: Number			rking pits to be utilized:3		
Barrels of fluid produced daily: Aba		Abandonment	procedure: Backfill and level when sufficiently dry		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must	be closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
FEB 1 2 2010 O 2 00 2010 Date Signature of Applicant or Agent FEB 1 2 2010 KCC WICHITA					
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: 2 - 12 - 10 Permit Number: Permit Date: 2 - 12 - 15 Lease Inspection: Yes X No					