For KCC Use:	2-20-2010
Effective Date:	7,00
District #	
SGA? X Yes	∏No.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed


Address 1: P.O. Box 521 Address 2:	
Sestion Sest	
Address 2: City: Derby State: KS zp. 67037 + 0521 Contact Person. Steve Hutchinson Phone: 316-788-5440 CONTRACTOR: Lionses* 34233 Name: Maverick Drilling, LLC Well Drilled For: Well Class: Type Equipment: Field Name: Sleeper Northwest 1 Well Drilled For: Well Class: Type Equipment: Gable Disposal Disposal Disposal Disposal Storage Disposal Storage Disposal Storage Disposal Prool Ext. Milicat Disposal Prool Ext. Milicat Disposal Prool Ext. Milicat Disposal Prool Ext. Milicat Disposal Dis	E / X W Line of Section
Contract Person: 316-788-5440 CONTRACTOR: License# 34233 Name: Maverick Drilling, ILC Well Drilled For: Well Class: Type Equipment: Is this a Protected (Spaced Field Name: 1820 est. 50 Ground Sturface Elevation: 1820 est. 50 Ground Sturface El	n reverse side)
Name: Maverick Drilling, IIC Well Drilled For: Well Class: Type Equipment: Target Formation(s): LKC/SIMPSON/ARBUCK Sins a Florated Forward (s): Sins a Florated Forward (s	Well #: 21-1 Shephend South
Selsmic Sich	
Length of Surface Pipe Planned to be set: 300¹ Coperator: Well Name: Original Completion Date: Original Completion Date: Original Total Depth: Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: Well Cores be taken? If Yes, proposed zone: It is agreed that the following minimum requirements will be met: Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill is half be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall the coperator and the district office on plug length and placement is necessary prior to 5. The appropriate district office well is either plugged or producino casing is cemented in: If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to 5. The appropriate district office will be noted before well is either plugged or producino casing is cemented in: If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any contents of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any contents of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any contents of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any contents of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any contents of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any contents of the spud date or the we	feet MSL Yes No Yes X No
Original Completion Date: Original Total Depth: Formation at Total Depth: Arbuckle Directional, Deviated or Horizontal wellbore? Yes \noting No If Yes, true vertical depth: Bottom Hole Location: \noting Note: Apply for Permit with DWR \noting Operations: \noting Note: Apply for Permit with DWR \noting Operations: \noting Note: Apply for Permit with DWR \noting No	0' /
Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth: Bottom Hole Location: KCC DKT #: Will Cores be taken? If Yes, proposed zone: If Yes, proposed zone: It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any or hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. For KCC Use ONLY Well Farm Pond Dother: to be dopplied for pond in the plug Apply for Permit with DWR XI/Will Apply for Permit with DWR XI	
Bottom Hole Location: KCC DKT #: Will Cores be taken? Will Cores be taken? If Yes, proposed zone: Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to the appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any complete the statements made herein are true and correct to three best of my knowledge and belief. For KCC Use ONLY Will Cores be taken? If Yes, proposed zone: Will Cores be taken? Wi	e drilled
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig; 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe sha through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any or the post of my knowledge and belief. Date: 2/12/10 Signature of Operator or Agent: Title: Owner/Operator Operator or Agent: Title: Owner/Operator Operator Opera	Yes X No
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq. It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>sha</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to</i> . 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in; 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any of the hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. Date: 2/12/10 Signature of Operator or Agent: For KCC Use ONLY Title: Owner/Operator or Agent:	RECEIVED
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each drilling rig; The minimum amount of surface pipe as specified below <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>sha</i> through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary <i>prior to</i>. The appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within <i>120 DAYS</i> of Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any complete that the statements made herein are true and correct to the best of my knowledge and belief. Pater Deliver Application (for application of the power of	FEB 1 2 2010
 A copy of the approved notice of intent to drill shall be posted on each drilling rig; The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall through all unconsolidated materials plus a minimum of 20 feet into the underlying formation. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to the appropriate district office will be notified before well is either plugged or production casing is cemented in; If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any c I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief. Date: 2/12/10 Signature of Operator or Agent: Remember to: For KCC Use ONLY	
Date: 2/12/10 Signature of Operator or Agent: S.	KCC WICHIT
For KCC Use ONLY	rior to plugging; NS of spud date. ernate II cementing
Conductor pipe required	rior to plugging; IYS of spud date. ernate II cementing any cementing.


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 185-23610-00-00	
Operator: Hutchinson Oil Co.	Location of Well: County:Stafford
Lease: Sleeper	965 feet from X N / S Line of Section
Well Number: #21-1	50 feet from E / X W Line of Section
Field: Sleeper Northwest	Sec. 21 Twp. 22 S. R. 11 E X w
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: SW _ NW _ NW	Is Section: X Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW





NOTE: In all cases locate the spot of the proposed drilling locaton.

Stafford Co., Kansas

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Hutchinson Oil Co.			License Number: 5614	
Operator Address: P.O. Box 521	- Derby, KS	5 67037-052	1	
Contact Person: Steve Hutchinson			Phone Number: (316) 788 - 5440	
Lease Name & Well No.: Sleeper #21-1		Pit Location (QQQQ):		
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	X Proposed	Existing	Sec. 21 Twp. 22S R. 11 East X West	
Settling Pit X Drilling Pit	If Existing, date of	onstructed:	965 Feet from X North / South Line of Sec	tion
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity: 4,000 (bbls)			- 1
Is the pit located in a Sensitive Ground Water Is the bottom below ground level?	Artificial Liner?] No	Chloride concentration: m (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? Pontonito and Solida From Dailling	
X Yes No	Yes X		Bentonite and Solids from Drilling Operations. (Native & Fresh mud)	
Pit dimensions (all but working pits): 75		•	Width (feet) N/A: Steel Pits	
Depth fr	om ground level to de		dures for periodic maintenance and determining	
			•	2
Distance to nearest water well within one-mile of pit		Depth to shallowest fresh water 21 (8 feet. Source of information:		
791 feet Depth of water well 75 feet		measi	redwell ownerelectric logXKDWR	
Emergency, Settling and Burn Pits ONLY:		ļ	over and Haul-Off Pits ONLY:	
Number of producing wells on lease:N		Type of material utilized in drilling/workover: <u>fresh mud</u>		- •
		Number of working pits to be utilized: (3) Abandonment procedure: Pull all free fluids, allow to		
Barrels of fluid produced daily:		Abandonment eyaporate allow.	until dry, then backfilled as cor	to i
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
I hereby certify that the above state	ements are true and	correct to the bes	t of my knowledge and belief.	EIVED
2/12/2010 		Com.	FEB of Signature of Applicant or Agent KCC W	
	ксс	OFFICE USE O	0=	
Data Received: 2-12-10 Permit Num			it Date: 2-15-1 OLease Inspection: Yes N	

Mark Parkinson, Governor Thomas E. Wright, Chairman Joseph F. Harkins, Commissioner

February 15, 2010

Hutchinson Oil Co. PO Box 521 Derby, KS 67037-0521

RE: Drilling Pit Application

Sleeper Lease Well No. 21-1 NW/4 Sec. 21-22S-11W Stafford County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Department of Environmental Protection and Remediation

cc: File