For KCC Use: Effective Date: District # SGA? Yes YNo

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: March 15th, 2010	Spot Description:
month day year	SESW Sec. 22 Twp. 34 S. R. 10 DEXW
32798	(0)(0)(0)
OPERATOR: License#	leet from IN / IX S Line of Section
Name: Hart Energies, L.L.C.	teet from E / X W Line of Section
Address 1: 6903 So. 78th East Avenue	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Tulsa State: OK Zip: 74133 +	County: Barber
Contact Person: William G. Hart	Lease Name: Griffin Well #: 1
Phone: 918 633 4161	Field Name: Wildcat
CONTRACTOR: License# to be announced Must be licened by KCC	Is this a Prorated / Spaced Field?
Name: Advise on ACD-1	Target Formation(s): Mississippian
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 660'
☑Oil ☐ Enh Rec ☐ Infield ☑ Mud Rotary —	Ground Surface Elevation: 1328, surveyed feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 100'
Other:	Depth to bottom of usable water: 180' RECEIVED
WAN AND AND AND AND AND AND AND AND AND A	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 200'
a na	
Operator: n.a.	
Well Name:	Projected Total Depth: 5100'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Simpson CONSERVATION DIVISION
	Water Source for Drilling Operations: WICHITA, KS
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: municipal water supply
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AFF	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plug	gging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	
Notify the appropriate district office <i>prior</i> to spudding of well;	
A copy of the approved notice of intent to drill <i>shall be</i> posted on each	drilling rig:
3. The minimum amount of surface pipe as specified below <i>shall be set</i> by 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by 4. The minimum amount of surface pipe as specified below <i>shall be set</i> by 4. The minimum amount of surface pipe as specified below <i>shall be set</i> by 4. The minimum amount of surface pipe as specified below <i>shall be set</i> by 4. The minimum amount of surface pipe as specified below the surface pipe as specified by 4. The minimum amount of surface pipe as specified by 4. The minimum amount of surface pipe as specified by 4. The minimum amount of surface pipe as specified by 4. The minimum amount of surface pipe as specified by 4. The minimum amount of surface pipe as specified by 4. The minimum amount of surface pipe as specified by 4. The minimum amount of surface pipe as specified by 4. The minimum amount of surface pipe as specified by 4. The minimum amount of surface pipe as specified by 4. The minimum amount of surface pipe as specified by 4. The minimum amount of surface pipe as specified by 4. The minimum amount of surface pipe as specified by 4.	
through all unconsolidated materials plus a minimum of 20 feet into the	underlying formation.
4. If the well is dry hole, an agreement between the operator and the distri	
5. The appropriate district office will be notified before well is either plugge	ed or production casing is cemented in:
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	from below any usable water to surface within 120 DAYS of spud date.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	33,891-C, which applies to the KCC District 3 area, alternate II cementing
must be completed within 30 days of the spud date or the well shall be	
I hereby certify that the statements made herein are true and correct to the be	
_	
Date: February 11th, 2010 Signature of Operator or Agent:	Member, Hart Energies, LLC.
	, v
Fan KOO Haa ONII V	Remember to:
For KCC Use ONLY ADVIS OD 7-23506-00-00	File Drill Pit Application (form CDP-1) with Intent to Drill;
API # 15 - 00 7	- File Completion Form ACO-1 within 120 days of spud date;
Conductor pipe required None feet	- File acreage attribution plat according to field proration orders;
200	Notify appropriate district office 48 hours prior to workover or re-entry;
Minimum surface pipe required feet per ALT	- Submit plugging report (CP-4) after plugging is completed (within 60 days);
Approved by: 2-17-2010	- Obtain written approval before disposing or injecting salt water.
This authorization expires: 2-17-2011	- If this permit has expired (See: authorized expiration date) please
(This authorization void if drilling not started within 12 months of approval date.)	check the box below and return to the address below.
_ · · · · · · · · · · · · · · · · · · ·	Well Not Drilled - Permit Expired Date:
Spud date: Agent:	Signature of Operator or Agent:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 007-23506-00-00					
Operator: Hart Energies, L.L.C.	Location of Well: County: Barber				
Lease: Griffin	660 feet from N / X S Line of Section				
Well Number: 1	1,980 feet from E / X W Line of Section				
Field: Wildcat	Sec. 22 Twp. 34 S. R. 10 E W				
N					
Number of Acres attributable to well: 320 OTR/OTR/OTR/OTR of acreage: SE SW	Is Section: Regular or Irregular				
QTR/QTR/QTR of acreage: SE _ sw					
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW				
(Show location of the well and shade attr	PLAT ributable acreage for prorated or spaced wells.)				
(Show location of the well and shade attr (Show footage to the near	rest lease or unit boundary line.)				
	RECEIVED KANSAS CORPORATION COMMISSIO				
	FEB 16 2010				
	CONSERVATION DIVISION WICHITA, KS				
	······································				
	EXAMPLE				
12	ZY EXAMPLE				
	5				
	0—1980				
	1960				
	10				
	3390'				
£ 1980; >					
(9)	, , , , , , , , , , , , , , , , , , , ,				
0,1					

SEWARD CO.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).




BOX 8604 - PRATT, KS 67124 (620) 672-6491

15-007-23506-000

120102 INVOICE NO.

	MART ENERGIES LLC OPERATOR	}		NO.	Griffin FARM	
I	Barber	22 349	10 ₆₇	C SE SE		
- 	COUNTY	22 34s s T	R	UOUOW	LOCATION	
	•				ELEVATION: 1328	gr
4	HART ENERG					
	Tulsa OK	h 78th East 74133	Ave.			
7						RECEIVED KANSAS CORPORATION COM
l	•					FEB 1 6 2010
AUTI	HORIZED BY:Bill	Hart				
						CONSERVATION DIV WICHITA, IS
			SCALE: 1	" = 1000'		
	Set 5' & 3' wood s	stakes.	 		,	
	Level wheat.		ĺ			
	+ 150' W to draw.		.			
	- TOO, M to draw.		·			
			<u>.l</u>	-		4
			į			
			i			
		_	22			
		ı			I	
			<u> </u>			
			ļ			
			į			
			!			
	1000		+			-
	1980'		<u> </u>	STAKE		
orth to						
on 🛕		•	:	<u> </u>		
	ı		1	660'		
			.	\	· ·	
	Staked 01	/01 /10	~			



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Hart Energies, L.L.C.			License Number: 32798		
Operator Address: 6903 So. 78th E	ast Avenue	Tulsa	OK 74133		
Contact Person: William G. Hart			Phone Number: 918 633 4161		
Lease Name & Well No.: Griffin	Lease Name & Well No.: Griffin 1				
Type of Pit:	Pit is:	Existing		set X West	
Settling Pit X Drilling Pit	If Existing, date constructed:		660 Feet from North / So		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity: 3,000	(bbls)	1,980 Feet from East / We		
Is the pit located in a Sensitive Ground Water Is the bottom below ground level?	Area? Yes X	No	Chloride concentration: (For Emergency Pits and Settling Pither is the pit lined if a plastic liner is not use	its only)	
Yes No	Yes No		native clay lined		
Pit dimensions (all but working pits):	Length (fe	•	4 2/	x: Steel Pits	
If the pit is lined give a brief description of the material, thickness and installation procedure		1	dures for periodic maintenance and determini actuding any special monitoring.	KANSAS CORPORATION COMMIS	
Distance to nearest water well within one-mile	of pit	Depth to shallo Source of infor		FEB 1 6 2010 CONSERVATION DIVIS WICHITA, KE	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation: n.a.		Type of materia	l utilized in drilling/workover: chemical mud		
		Number of working pits to be utilized: 1 Abandonment procedure: vacuum clear liquids, air-dry, backfill.			
Barrels of fluid produced daily:		Abandonment	procedure: <u>vacuum clear liquius, air-</u>	g g g g g g g g g g g g g g g g g g g	
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must t	e closed within 365 days of spud date.	7	
I hereby certify that the above state February 11th, 2010 Date	ments are true and o	w dh	of my knowledge and belief. evaluation of Applicant or Agent	-00-905E	
	ксс	OFFICE USE O	NLY Steel Pit 🗷 RFAC 💌	RFAS	
Date Received: 2-/6-/0Permit Num	per:	Permi	t Date: 2-17-10 Lease Inspection:	Yes No	



February 17, 2010

Hart Energies LLC 6903 So. 78th East Ave Tulsa, OK 74133

RE:

Drilling Pit Application Griffin Lease Well No. 1 SW/4 Sec. 22-34S-10W Barber County, Kansas

Dear Sir or Madam:

District staff has inspected the location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has instructed that no earthen pits are to be used at the location. Steel pits are to be used. Please inform the Commission in writing as to which disposal well you will utilize to dispose of the contents in the steel pits and the amount of fluid that will be disposed. If a hauloff pit is necessary please file, form CDP-1, Application for Surface Pit. This location will have to be inspected prior to approval of the haul-off pit application.

If fluids are taken to an authorized disposal well, please call the District Office at (620) 225-8888. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

Sincerely,

Kathy Haynes

Environmental Protection and Remediation Department

Cc: File

Mark Parkinson, Governor Thomas E. Wright, Chairman Joseph F. Harkins, Commissioner

HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

82-3-607. DISPOSAL OF DIKE AND PIT CONTENTS.

- (a) Each operator shall perform one of the following when disposing of dike or pit contents:
 - (1) Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;
 - (2) dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well; or
 - (3) dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following:
 - (A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f);
 - (B) removal and placement of the contents in an on-site disposal area approved by the commission:
 - (C) removal and placement of the contents in an off-site disposal area on acreage owned by the same landowner or to another producing lease or unit operated by the same operator, if prior written permission from the landowner has been obtained; or
 - (D) removal of the contents to a permitted off-site disposal area approved by the department.
- (b) Each violation of this regulation shall be punishable by the following:
 - (1) A \$1,000 penalty for the first violation;
 - (2) a \$2,500 penalty for the second violation; and
 - (3) a \$5,000 penalty and an operator license review for the third violation.

Complete and return with Haul-Off Pit Application, Form CDP1(2004)

Haul-off pit will be located in an on-site disposal area: Yes 🔲 No 💮
Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner: Yes ☑ No☑ If yes, written permission from the land owner must be obtained. Attach writter permission to haul-off pit application.
Haul-off pit is located in an off-site disposal area on another producing lease or unit operated by the same operator: South one of the same operator: souther sold sold sold sold sold sold sold sold