

15-195-01006-00-00

STATE OF KANSAS
CORPORATION COMMISSION

WELL PLUGGING RECORD

Give All Information Completely
Make Required Affidavit
Mail or Deliver Report to:
Conservation Division
State Corporation Commission
800 Bitting Building
Wichita, Kansas


OR

FORMATION PLUGGING RECORD

Strike out upper line
when reporting plugging
of formations.

Trego County. Sec. 4 Twp. 12S Rge. 22W (E) (W)

Location as "NE $\frac{1}{4}$ NW $\frac{1}{4}$ SW $\frac{1}{4}$ " or footage from lines. SW SW SE
Lease Owner The Texas Company
Lease Name S. I. Roberts Well No. 1
Office Address Box 2420, Tulsa, Okla.
Character of Well (completed as Oil, Gas or Dry Hole) Dry
Date well completed November 13, 19 44
Application for plugging filed November 12, 19 44
Application for plugging approved November 16, 19 44
Plugging commenced November 17, 19 44
Plugging completed November 17, 19 44
Reason for abandonment of well or producing formation Dry



Locate well correctly on above
Section Plat

If a producing well is abandoned, date of last production 19
Was permission obtained from the Conservation Division or its agents before plugging was commenced? Yes

Name of Conservation Agent who supervised plugging of this well H. W. Kerr, Great Bend, Kansas
Producing formation Depth to top Bottom Total Depth of Well 4200 Feet
Show depth and thickness of all water, oil and gas formations.



OIL, GAS OR WATER RECORDS

CASING RECORD

| Formation | Content | From | To | Size | Put In | Pulled Out |
|-----------|---------|------|----|---------|--------|------------|
| | | | | 10-3/4" | 238' | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from feet to feet for each plug set.

Heavy mud from 4200' to 238'
15 Sax Cement 238' to 218'
Heavy Mud from 218' to 15'
10 Sax Cement 15' to 0'



(If additional description is necessary, use BACK of this sheet)

Correspondence regarding this well should be addressed to The Texas Company, Prod. Dept.
Address Box 1801, Wichita, Kansas

STATE OF Kansas, COUNTY OF Sedgwick, ss.
M. C. Harrell (employee of owner) or ~~owner or operator~~ of the above-described well,
being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the above-described well as filed and that the same are true and correct. So help me God.


(Signature) M. C. Harrell

Box 1801, Wichita, Kansas (Address)

SUBSCRIBED AND SWORN to before me this 15th day of December, 19 44

Bertha W. Lester

Notary Public.



LOG OF WELL

Form PO-214 Sheet 1 (2-42) 10M

15-195-01006-00-00


SHEET _____

OWNER The Texas Company DIVISION Oklahoma-Kans DATE MADE December 14, 1944
 DISTRICT Kansas LEASE S. I. Roberts WELL NO. 1
 STATE Kansas COUNTY OR PARISH Trego TWP. 128 RANGE 22W SEC. 4
 LOCATION OF WELL SW SW SE

COMMENCED RIGGING UP 10/25/44 COMMENCED DRILLING 10/26/44 COMPLETED DRILLING 11/13/44
 DAY DRILLER _____ NIGHT DRILLER _____ CONTRACTOR Kiowa Drlg Co.
 CABLE FROM _____ TO _____ ROTARY FROM 0 TO 4200 COMPANY RIG No. _____
 TOTAL DEPTH 4200' MEASURED BY _____ ELEVATION 2381

CASING RECORD

| SIZE | WEIGHT | PUT IN WELL | | PULLED OUT | | LOST IN WELL | | SHOES | | PACKERS | | | |
|----------------|---------------|-------------|------|------------|------|---------------|------------|---------------------|-------------|-----------|--------|--------|-----|
| | | FEET | INS. | FEET | INS. | FEET | INS. | LENGTH | MAKE | KIND | LENGTH | SET AT | |
| <u>10-3/4"</u> | <u>29# SW</u> | <u>238'</u> | | | | <u>W/ 175</u> | <u>sax</u> | <u>cement &</u> | <u>200#</u> | <u>CO</u> | | | FT. |
| | | | | | | | | | | | | | FT. |
| | | | | | | | | | | | | | FT. |
| | | | | | | | | | | | | | FT. |
| | | | | | | | | | | | | | FT. |
| | | | | | | | | | | | | | FT. |
| | | | | | | | | | | | | | FT. |
| | | | | | | | | | | | | | FT. |



WAS CASING CEMENTED? _____ IF SO, HOW MANY SACKS OF CEMENT USED? _____
 LINER: STATE SIZE AND WEIGHT _____ WHERE SET _____ FT. AND INS. BLANK _____ FT. AND INS. PERFORATED _____
 HOW PUT TOGETHER _____ COUPLING _____ FLUSH-JOINT _____ INSERTED _____
 REMARKS: _____

EQUIPMENT RECORD

| TUBING | | SUCKER RODS | | | | PUMPING OUTFIT | |
|--------|--------|-------------|------|------|------|----------------|-------------------------------|
| SIZE | WEIGHT | FEET | INS. | FEET | INS. | SIZE AND KIND | DESCRIPTION, KIND, SIZE, ETC. |
| | | | | | | | |
| | | | | | | | |

PLUGGING

FILE NO. 41-122-22W

BOOK PAGE 142 LINE 51

FLOWING, PUMPING, GASSER OR DRY Dry PRODUCTION FIRST 24 HOURS _____ PRODUCTION SETTLED _____
 IF GAS WELL, OPEN FLOW CAPACITY _____ SHUT IN PRESSURE _____ ROCK PRESSURE _____
 KIND OF SHOT _____ SIZE OF SHOT, QUARTS _____
 NUMBER OF SHELLS _____ SIZE OF SHELLS _____ INCHES, DIAMETER _____
 LENGTH OF SHELLS _____ FEET _____ INCHES _____ TOP OF SHOT _____
 BOTTOM OF SHOT _____ ANCHOR _____ WELL BRIDGED TO _____
 TOTAL DEPTH OF WELL _____ NUMBER OF SHOT _____ PRODUCTION BEFORE SHOT _____ BBLs. PER DAY _____
 PRODUCTION AFTER SHOT _____ BBLs. PER DAY. SHOT FURNISHED BY _____
 NAME OF SHOOTER _____ SHOT INSPECTED _____ BY _____ (COMPANY EMPLOYEE) _____
 COMMENCED DRILLING DEEPER _____ COMPLETED _____ DRILLING DEEPER _____
 TOTAL DEPTH _____ PRODUCTION FIRST 24 HOURS _____ PRODUCTION SETTLED _____
 REMARKS: Top: Anh 1820-70, Lansing 3556', Base K.O. 3898', Arb 4089'

NOTE: IF WELL WAS DRY, STATE UNDER REMARKS, WHEN, HOW, AND BY WHOM PLUGGED. STATE UNDER REMARKS ANYTHING OF INTEREST NOT COVERED IN LOG. IF THE SPACE PROVIDED FOR REMARKS IS NOT SUFFICIENT WRITE ON BOTTOM OF LAST SHEET OF LOG.

15-195-01006-00-00 Form PO-214 Sheet 2 (4-43) 15M

LOG OF WELL

SHEET No. _____

District **Kansas** Owner **The Texas Co.** Farm **S. I. Roberts** Well No. **1**

| FORMATION | AMOUNT | COLOR | HARD OR SOFT | DEPTH CORES TAKEN | REMARKS |
|---------------------|-----------|-------|--------------|-------------------|---------|
| Surface & Shale | 105 | | | | |
| Shale & Shells | 278 | | | | |
| Shale, Shells, Sand | 1540 | | | | |
| Shale & Shells | 2510 | | | | |
| Lime & Shale | 2916 | | | | |
| Dolomite | 2940 | | | | |
| Lime, Brkn Shale | 3018 | | | | |
| Lime | 3356 | | | | |
| Lime & Shale | 3436 | | | | |
| Dolomite | 3446 | | | | |
| Lime & Shale | 3492 | | | | |
| Lime & Chert | 3566 | | | | |
| Lime | 3954 | | | | |
| Lime & Shale | 4012 | | | | |
| Gong | 4024 | | | | |
| Chert | 4034 | | | | |
| Cherty Lime | 4046 | | | | |
| Cherty Shale | 4087 | | | | |
| Chert, Lime, Shoal | 4116 | | | | |
| Gong | 4128 | | | | |
| Lime | 4200 T.D. | | | | |

ENCLOSURE

FILE NO. 4.12.22W

BOOK PAGE 40 LINE 5