STATE OF KANSAS

Required Affidavit

CORPORATION COMMISSION All, Information Completely

15-065-02949-0000 WELL PLUGGING RECORD

FORMATION PLUGGING RECORD Strike out upper line when reporting plugging off formations.

| Mail or Deliver Report to: Conservation Division State Corporation Commission 800 Bitting Building | FORMATION PLUGGING RECORD when reporting plug- | |
|---|--|--------------------------|
| | Graham ——County. Sec. 27 Twp. 10 Rge 22 (E). W | I. (W) |
| Wichita, Kansas NORTH | Location as "NE¼NW¼SW¼" or footage from lines | |
| | Lease Name Faulkner Well No. 1 | ************************ |
| | Office Address Hutchinson, Kansas | |
| | Character of Well (completed as Oil, Gas or Dry Hole) Date well completed July 16, | |
| | Date well completed July 16, | 947 |
| | Application for plugging filed | 9. 47 |
| | Application for plugging approved July 16 | 9. 47 |
| | Plugging commenced Afternoon July 16 | 9. 47 |
| • | Plugging completedJuly 16 | 9 47 |
| | Reason for abandonment of well or producing formation | |
| | If a producing well is abandoned, date of last production | |
| Locate well correctly on above Section Plat | Was permission obtained from the Conservation Division or its agents before plugging was menced? | com- |
| Name of Conservation Agent who sur | pervised plugging of this wellStough | |
| | 7 | |

.19. ts before plugging was com-Producing formation.. Show depth and thickness of all water, oil and gas formations. OIL, GAS OR WATER RECORDS CASING RECORD Formation Content Pulled Out Describe in detail the manner in which the well was plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hold. If cement or other plugs were used, state the character of same and depth placed, from.....feet tofeet for each plug set. Hole was pumped full of heavy mud to bottom of surface pipe, bridged and cemented through drill stem with 15 sacks of cement at bottom and 10 sacks at top. All under supervision of your Mr. Stough. State (varea i un Chanalla AUG - 9 1947 Concention Direction. Agents, Correspondence regarding this well should be addressed to..... Hutchinson, Ks. COUNTY OF Reno Kansas J.H.Child (employee of owner) or (owner or operator) of the above-described well, being first duly sworn on oath, says: That I have knowledge of the facts, statements, and matters herein contained and the log of the abovedescribed well as filed and that the same are true and correct. So help me God

STATE OF..

(Signature)

SUBSCRIBED AND SWORN TO before me this

Notary Public.

My commission expires

15-065-02949-0000

- - - FAULKWER #1

ANTEL LOG - - -

Location - SW/4 of Section 27-10-22W, Graham County, Kansas

Owner - J. A. Davis and J. H. Child, Agents Contractor - Sterling Drilling Company

Commenced - July 5, 1947 Completed - July 15, 1947

Total Depth - 3668! (with rotary)

Gasing Record

2561 8-5/8" Surface Pipe Comented with 175 Sacks Coment

LOG

0- 250 Surface 250-1540 Shale 1540-1790 Lime & Shale 1790-1820 Anhydrite Shale & Lime Shale & Shells Shale & Lime 1820-2175 2175-2375 2375-2650 2650-2790 Lime 2790-5435 Shale & Line Lime Lime & Shale 3435-3500 3500-3555 3555-3595 Shale & Shells 3595-3668 Lime

PRE DRIVE THE TANK TO

ATTO CHANGE

Total Depth - 3668

Production

None. Dry

(Abandoned)

PLUGGING
FILE SEC 27 T/O R 22W
BOOK PAGE /20 LINE 39

in at the colonial

CANDED COM

HILLIAN SELVIN

Shirt

guest species - De la restate de la restate

Control of

Tibus 1777

or sometimes deposit of some deposit of some

3,498 DO

rongetur e total og specieller er i blir en blir en blir er betyde betyde betyde betyde betyde betyde betyde b

12-002 collaboration