

ORIGINAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

Form ACO-1
October 2008
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 6509
Name: Cla-Mar Oil Company
Address 1: P.O. Box 1197
Address 2: _____
City: Hays State: KS Zip: 67601 + _____
Contact Person: Jim Clark
Phone: (785) ~~625-3863~~ 623-1700 *mc*
CONTRACTOR: License # 33905
Name: Royal Drilling, Inc.
Wellsite Geologist: _____
Purchaser: _____
Designate Type of Completion:
____ New Well Re-Entry _____ Workover
 Oil _____ SWD _____ SIOW
____ Gas _____ ENHR _____ SIGW
____ CM (Coal Bed Methane) _____ Temp. Abd.
____ Dry _____ Other _____
(Core, WSW, Expl., Cathodic, etc.)

If Workover/Re-entry: Old Well Info as follows:
Operator: CLARK STAN D. dba
Cla-Mar Oil Company
Well Name: Inslay/Price #3
Original Comp. Date: 9/9/08 Original Total Depth: 3810
____ Deepening _____ Re-perf. _____ Conv. to Enhr. _____ Conv. to SWD
____ Plug Back: _____ Plug Back Total Depth
____ Commingled _____ Docket No.: _____
____ Dual Completion _____ Docket No.: _____
____ Other (SWD or Enhr.?) _____ Docket No.: _____
8/10/2009 8/11/09 9/29/09
Spud Date or Date Reached TD Completion Date or
Recompletion Date (Recompletion Date)

API No. 15 - 051-25822-00-01
Spot Description: _____
SW SE NE SW Sec. 11 Twp. 13 S. R. 19 East West
1350 Feet from North / South Line of Section
2050 Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: Ellis
Lease Name: Inslay/Price Well #: 3
Field Name: I-70
Producing Formation: _____
Elevation: Ground: 2120' Kelly Bushing: 2125'
Total Depth: 3820' Plug Back Total Depth: _____
Amount of Surface Pipe Set and Cemented at: 235 Previously set Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: _____ Feet
If Alternate II completion, cement circulated from: _____
feet depth to: _____ w/ _____ sx cmt.


Drilling Fluid Management Plan AIT II NR 1-26-10
(Data must be collected from the Reserve Pit)
Chloride content: _____ ppm Fluid volume: _____ bbls
Dewatering method used: _____
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

Vertical well completion

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Jim Clark
Title: Owner Date: 01/04/10
Subscribed and sworn to before me this 4th day of January,
2010.
Notary Public: Olivia Becker
Date Commission Expires: 04-04-2011
OB
2011



KCC Office Use ONLY
 Letter of Confidentiality Received
If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED
JAN 11 2010
KCC WICHITA

Operator Name: Cla-Mar Oil Company Lease Name: Insley/Price Well #: 3
 Sec. 11 Twp. 13 S. R. 19 East West County: Ellis

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: See Original ACO-1	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum
--	--

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Production		5 1/2"	14#	3811'	common	155sx	10% salt

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input checked="" type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing	1417'	60/40 poz	450 sx	6% gel
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone	perf 540'	common	175 sx	3%cc circulated

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	3450-3453	250 gal mud acid	
		retreat 750 gal 15% NE	

TUBING RECORD: Size: <u>2 3/8"</u> Set At: <u>3730'</u>		Packer At:	Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumed Production, SWD or Enhr. <u>10-10-09</u>		Producing Method: <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)	
Estimated Production Per 24 Hours	Oil Bbls. <u>20 bopd</u>	Gas Mcf	Water Bbls. <u>none</u> Gas-Oil Ratio Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input checked="" type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: <u>3450-3453</u>
---	---	--

ALLIED CEMENTING CO., LLC. 038421

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Russell

DATE <u>4-24-05</u>	SEC. <u>11</u>	TWP. <u>13</u>	RANGE <u>19</u>	CALLED OUT	ON LOCATION	JOB START <u>2:30pm</u>	JOB FINISH <u>3:30pm</u>
LEASE <u>Price</u>	WELL# <u>3</u>	LOCATION <u>X Cement - 1/4 SE</u>			COUNTY <u>Cherokee</u>	STATE <u>Ky</u>	
OLD OR (NEW) (Circle one)							

CONTRACTOR Express OWNER _____
TYPE OF JOB DE.

HOLE SIZE _____	T.D. _____
CASING SIZE <u>5 1/2</u>	DEPTH _____
TUBING SIZE <u>2 3/8</u>	DEPTH _____
DRILL PIPE _____	DEPTH _____
TOOL _____	DEPTH _____
PRES. MAX _____	MINIMUM _____
MEAS. LINE _____	SHOE JOINT _____
CEMENT LEFT IN CSG. _____	
PERFS. _____	
DISPLACEMENT _____	

CEMENT AMOUNT ORDERED
Use per 6400 bulk to # F10501

EQUIPMENT

PUMP TRUCK CEMENTER <u>Bill</u>	_____
# <u>417</u> HELPER <u>Shane</u>	_____
BULK TRUCK _____	_____
# <u>478</u> DRIVER <u>Brent</u>	_____
BULK TRUCK _____	_____
# _____ DRIVER _____	_____

COMMON _____	@ _____	_____
POZMIX _____	@ _____	_____
GEL _____	@ _____	_____
CHLORIDE _____	@ _____	_____
ASC _____	@ _____	_____
<u>Lite 45</u>	@ <u>11.85</u>	<u>5332.50</u>
<u>Flo Seal 112</u>	@ <u>2.45</u>	<u>274.40</u>
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
HANDLING <u>225</u>	@ <u>2.25</u>	<u>506.25</u>
MILEAGE <u>1056/mile</u>	_____	<u>300.00</u>
TOTAL		<u>6413.15</u>

REMARKS:

Tool e 14
press CSS 1000H
open tool
cont w 4500 lb cement
had intermediate blow
no circ. close tool
press to 800# wash clean

CHARGE TO: Clemon
STREET _____
CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB _____	_____	
PUMP TRUCK CHARGE _____	<u>991.00</u>	
EXTRA FOOTAGE _____	@ _____	
MILEAGE <u>7</u>	@ <u>7.00</u> <u>49.00</u>	
MANIFOLD _____	@ _____	
_____	@ _____	
_____	@ _____	
TOTAL		<u>1040.00</u>

PLUG & FLOAT EQUIPMENT

_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
_____	@ _____	_____
TOTAL		_____

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME _____
SIGNATURE Terry W. Pearson

SALES TAX (If Any) _____
TOTAL CHARGES 1040.00
DISCOUNT 0.00 IF PAID IN 30 DAYS

RECEIVED
JAN 11 2010
KCC WICHITA

ALLIED CEMENTING CO., LLC. 038423

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Russell

DATE <u>9-25-09</u>	SEC. <u>11</u>	TWP. <u>13</u>	RANGE <u>19</u>	CALLED OUT	ON LOCATION	JOB START <u>11:00 AM</u>	JOB FINISH <u>12:00 PM</u>
LEASE <u>price</u>	WELL # <u>3</u>	LOCATION <u>40 cement - 5N 1E</u>			COUNTY <u>Ellis</u>	STATE <u>Ks</u>	
OLD OR NEW (Circle one)							

CONTRACTOR Express OWNER _____
 TYPE OF JOB Circ Cement Top Stage
 HOLE SIZE _____ T.D. _____
 CASING SIZE _____ DEPTH _____
 TUBING SIZE _____ DEPTH _____
 DRILL PIPE _____ DEPTH _____
 TOOL _____ DEPTH _____
 PRES. MAX _____ MINIMUM _____
 MEAS. LINE _____ SHOE JOINT _____
 CEMENT LEFT IN CSG. _____
 PERFS. _____
 DISPLACEMENT _____

EQUIPMENT

PUMP TRUCK CEMENTER B:K
 # 417 HELPER SHANE
 BULK TRUCK
 # 410 DRIVER CHRIS
 BULK TRUCK
 # _____ DRIVER _____

REMARKS:

Lease S40
ECT CIRC
Cement w/ 175 lb Com 3% CC
Circ Cement TO SURFACE
Displ. 126 bbls Shut In

CHARGE TO: Clg MGR
 STREET _____
 CITY _____ STATE _____ ZIP _____

Bert Fel
Ch. Mould E. WIS.
 To Allied Cementing Co., LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME _____
 SIGNATURE Terry W. Reisher

CEMENT AMOUNT ORDERED
175 lb Com 3% CC

COMMON	<u>175</u>	@	<u>13.50</u>	<u>2362.50</u>
POZMIX		@		
GEL		@		
CHLORIDE	<u>6</u>	@	<u>51.50</u>	<u>309.00</u>
ASC		@		
		@		
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>175</u>	@	<u>2.25</u>	<u>393.75</u>
MILEAGE	<u>110 5/16/mile</u>			<u>300.00</u>
TOTAL				<u>3365.25</u>

SERVICE

DEPTH OF JOB				
PUMP TRUCK CHARGE				<u>991.00</u>
EXTRA FOOTAGE		@		
MILEAGE	<u>7</u>	@	<u>7.00</u>	<u>49.00</u>
MANIFOLD		@		
		@		
		@		
TOTAL				<u>1040.00</u>

PLUG & FLOAT EQUIPMENT

	@			
	@			
	@			
	@			
	@			
TOTAL				_____
SALES TAX (If Any)	_____			
TOTAL CHARGES	<u>1040.00</u>			
DISCOUNT	<u>_____</u> IF PAID IN 30 DAYS			

RECEIVED
 JAN 11 2010
 KCC WICHITA

ALLIED CEMENTING CO., LLC. 038398

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Russell

DATE <i>8-11-09</i>	SEC <i>11</i>	TWP <i>13</i>	RANGE <i>19</i>	CALLED OUT	ON LOCATION	JOB START <i>8:00pm</i>	JOB FINISH <i>2:00pm</i>
LEASE <i>price</i>	WELL# <i>3</i>	LOCATION <i>1/2 cement 0.1 N 1/2 E</i>			COUNTY <i>Ellis</i>	STATE <i>Ks</i>	
<input checked="" type="radio"/> OLD OR NEW (Circle one)							

CONTRACTOR *Royal Dals*

TYPE OF JOB *Long string*

HOLE SIZE *7 7/8* T.D. *3820*

CASING SIZE *5 1/2* DEPTH

TUBING SIZE DEPTH

DRILL PIPE DEPTH

TOOL DEPTH

PRES. MAX MINIMUM

MEAS. LINE SHOE JOINT

CEMENT LEFT IN CSG. *42.76*

PERFS.

DISPLACEMENT *92.20 bbls*

OWNER

CEMENT

AMOUNT ORDERED

1.75 lbs Com 10% Salt

2% gel 500 Gal WFR 2

COMMON	<i>175</i>	@	<i>13.50</i>	<i>2362.50</i>
POZMIX		@		
GEL	<i>3</i>	@	<i>20.25</i>	<i>60.75</i>
CHLORIDE		@		
ASC		@		
<i>Salt</i>	<i>7</i>	@	<i>21.25</i>	<i>148.75</i>
<i>WFR-2 500</i>		@	<i>1.10</i>	<i>550.00</i>
		@		
		@		
		@		
		@		
HANDLING	<i>175</i>	@	<i>2.25</i>	<i>393.75</i>
MILEAGE	<i>110/16/mile</i>			<i>300.00</i>
TOTAL				<i>3815.75</i>

EQUIPMENT

PUMP TRUCK CEMENTER *Bill*

409 HELPER *Shane*

BULK TRUCK

410 DRIVER *Chris H.*

BULK TRUCK

DRIVER

REMARKS:

Serial No
090565 P.C.

P.C. 1423

Pipe cost 3821.52

Insert shoe 42.76

Insert e 3778.76

pump 500 gal flush cement w/ 145 lbs cement

Pump plug w/ 92 bbls of water land plug e 1200th

3000 RH float did hold

SERVICE

DEPTH OF JOB

PUMP TRUCK CHARGE *1957.00*

EXTRA FOOTAGE @

MILEAGE *5* @ *7.00* *35.00*

MANIFOLD @

@

@

RECEIVED

JAN 11 2010

TOTAL *1192.00*

KCC WICHITA

PLUG & FLOAT EQUIPMENT

<i>Rubber Plug Blue</i>				
<i>Guide shoe Blue</i>	@		<i>100.00</i>	
<i>Insert Blue</i>	@		<i>112.00</i>	
<i>1-BASKET Blue</i>	@		<i>161.00</i>	
<i>Root collar Blue</i>	@		<i>1750.00</i>	
<i>6-Centralizer Blue</i>	@	<i>32.20</i>	<i>193.20</i>	

To Allied Cementing Co., LLC.
You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as indicated. The above work was