

CONFIDENTIAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

1-11-10

Operator: License # 33344
Name: Quest Cherokee, LLC
Address: 211 W. 14th Street
City/State/Zip: Chanute, KS 66720
Purchaser: Bluestem Pipeline, LLC
Operator Contact Person: Jennifer R. Ammann
Phone: (620) 431-9500
Contractor: Name: TXD
License: 33837

CONFIDENTIAL
JAN 11 2008
KCC

Wellsite Geologist: Ken Recoy
Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back _____ Plug Back Total Depth _____
 Commingled _____ Docket No. _____
 Dual Completion _____ Docket No. _____
 Other (SWD or Enhr.?) _____ Docket No. _____

9/20/07 9/22/07 9/24/07
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 133-27158-0000

County: Neosho
SW 46 Sec. 1 Twp. 28 S. R. 19 East West
660 feet from (S) N (circle one) Line of Section
1980 feet from (E) W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:
(circle one) NE (SE) NW SW
Lease Name: Daniels Rev. Trust Well #: 1-6
Field Name: Cherokee Basin CBM

Producing Formation: multiple
Elevation: Ground: 952 Kelly Bushing: n/a
Total Depth: 974 Plug Back Total Depth: 963
Amount of Surface Pipe Set and Cemented at 20 Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set _____ Feet
If Alternate II completion, cement circulated from 963
feet depth to surface w/ 140 sx cmt.

Drilling Fluid Management Plan AHINS 4-29-09
(Data must be collected from the Reserve Pit)

Chloride content _____ ppm Fluid volume _____ bbls
Dewatering method used _____
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Jennifer R. Ammann
Title: New Well Development Coordinator Date: 1/11/08
Subscribed and sworn to before me this 11th day of January,
20 08.
Notary Public: Serva Klauaman
Date Commission Expires: 8-4-2010

KCC Office Use ONLY
 Letter of Confidentiality Received
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution
RECEIVED
KANSAS CORPORATION COMMISSION
JAN 14 2008
CONSERVATION DIVISION
WICHITA, KS

TERRA KLAUMAN
Notary Public - State of Kansas
My Appt. Expires 8-4-2010

Operator Name: Quest Cherokee, LLC Lease Name: Daniels Rev. Trust Well #: 1-6
 Sec. 1 Twp. 28 S. R. 19 East West County: Neosho

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: Compensated Density Neutron Log Dual Induction Log	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name <u>See attached:</u> Top Datum See attached: <u>WAI</u>
---	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	12-1/4	8-5/8"	22	20	"A"	5	
Production	6-3/4	4-1/2	10.5	963	"A"	140	


ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
4	858-860/806-808/800-802	500gal 15%HCLw/ 41 bbls 2%kcl water, 646bbls water w/ 2% KCL, Biocide, 6700# 20/40 sand	858-860/806-808
			800-802
4	595-597/563-566	300gal 15%HCLw/ 44 bbls 2%kcl water, 496bbls water w/ 2% KCL, Biocide, 1500# 20/40 sand	595-597/563-566
4	455-459/444-448	300gal 15%HCLw/ 48 bbls 2%kcl water, 646bbls water w/ 2% KCL, Biocide, 6300# 20/40 sand	455-459/444-448

TUBING RECORD		Size <u>2-3/8"</u>	Set At <u>910</u>	Packer At <u>n/a</u>	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumerd Production, SWD or Enhr. <u>11/18/07</u>		Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls. <u>n/a</u>	Gas Mcf <u>7mcf</u>	Water Bbls. <u>32.2bbls</u>	Gas-Oil Ratio	Gravity


Disposition of Gas: Vented Sold Used on Lease *(If vented, Submit ACO-18.)*

METHOD OF COMPLETION: Open Hole Perf. Dually Comp. Commingled Other (Specify) _____



QUEST

Resource Corporation



211 W. 14TH STREET,
CHANUTE, KS 66720
620-431-9500

CONFIDENTIAL

JAN 11 2008

KCC

TICKET NUMBER 2487

FIELD TICKET REF #

FOREMAN Joe

623860

TREATMENT REPORT & FIELD TICKET CEMENT

DATE	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
9-24-07	Daniels Rev. trust 1-6	1	28	19	NO

FOREMAN / OPERATOR	TIME IN	TIME OUT	LESS LUNCH	TRUCK #	TRAILER #	TRUCK HOURS	EMPLOYEE SIGNATURE
Joe	10:30	3:00		903427		4.5	<i>[Signature]</i>
MAURICK	↓	↓		903197		↓	<i>[Signature]</i>
Tyler	↓	↓		903600		↓	<i>[Signature]</i>
Tim	↓	↓		931385	931387	↓	<i>[Signature]</i>
Daniel	↓	↓		931415		↓	<i>[Signature]</i>

JOB TYPE Logging HOLE SIZE 6 3/4 HOLE DEPTH 974 CASING SIZE & WEIGHT 4 1/2 10.5
 CASING DEPTH 962.82 DRILL PIPE _____ TUBING _____ OTHER _____
 SLURRY WEIGHT 14.5 SLURRY VOL _____ WATER gal/sk _____ CEMENT LEFT in CASING 0
 DISPLACEMENT 15.35 DISPLACEMENT PSI _____ MIX PSI _____ RATE 4bpm

REMARKS:

Installed cement head Ball 1SK gel & 3651 dye & 140 SKS of cement to get dye to surface. Flush pump. Pump in place plug to bottom & set flatshoe.

2 hr wait on Cement Pump to ARRIVE FROM COURTESY OTTAWA Shop
 our Pump 903197 Broke down

962.82	ft 4 1/2 Casing
5	Centralizers
1	4 1/2 Flatshoe

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION OF SERVICES OR PRODUCT	TOTAL AMOUNT
903427	4.5 hr	Foreman Pickup	
903197	↓ hr	Cement Pump Truck	
903600	↓ hr	Bulk Truck	
1104	130 SK	Portland Cement	
1124	2	50/50 PGZ Blend Cement - Baffles 3 1/2 #3	
1126	1	OWC Blend Cement - 4 1/2 wipe plug	
1110	14 SK	Gilsonite	
1107	1.5 SK	Flo-Seal	
1118	1 SK	Premium Gel	
1215A	load	KCL	
1111B	3 SK	Sodium Silicate - Calchloride	
1123	7000 gal	City Water	
931385	4.5 hr	Transport Truck	
931387	↓ hr	Transport Trailer	
931415	↓ hr	80 Vac	

RECEIVED
KANSAS CORPORATION COMMISSION

JAN 14 2008

CONSERVATION DIVISION
WICHITA, KS