CONFIDENTIAL

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1 September 1999 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

1/22/10

Operator: License # 33344	API No. 15 - 133-27177-0000
Name: Quest Cherokee, LLC	County: Neosho
Address: 211 W. 14th Street	neneSec. 29 Twp. 27 S. R. 19
City/State/Zip: Chanute, KS 66720	500 feet from S /(N) circle one) Line of Section
Purchaser: Bluestem Pipeline, LLC	500 feet from E.) W (circle one) Line of Section
Operator Contact Person: Jennifer R. Ammann	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 431-9500 CONFIDENTIAL	(circle one) (NE) SE NW SW
Contractor: Name: TXD IAN 2 2 2008	Lease Name: Greve, Richard N. Well #: 29-1
License: 33837	Field Name: Cherokee Basin CBM
Wellsite Geologist: Ken Recoy	Producing Formation: not yet complete
Designate Type of Completion:	Elevation: Ground: 920 Kelly Bushing: n/a
✓ New Well Re-Entry Workover	Total Depth: 995 Plug Back Total Depth: 985
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 21 Feet
✓ Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ✓ No
Dry Other (Core, WSW, Expl., Cathodic, etc)	If yes, show depth setFeet
If Workover/Re-entry: Old Well Info as follows:	If Alternate II completion, cement circulated from 985
•	feet depth to_surface
Operator:	·
Well Name:	Drilling Fluid Management Plan AH #W147779
Original Comp. Date:Original Total Depth:	(Data must be collected from the Heserve Pit)
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug BackPlug Back Total Depth	Dewatering method used
Commingled Docket No	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	Operator Name:
Other (SWD or Enhr.?) Docket No.	Lease Name: License No.:
9/25/07 9/30/07 10/1/07	Quarter Sec TwpS. R East West
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	County: Docket No.:
	Sound,
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workove Information of side two of this form will be held confidential for a period of 1: 107 for confidentiality in excess of 12 months). One copy of all wireline logs TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells.	r or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 2 months if requested in writing and submitted with the form (see rule 82-3- and geologist well report shall be attached with this form. ALL CEMENTING
All requirements of the statutes, rules and regulations promulgated to regula herein are complete and correct to the best of my knowledge.	te the oil and gas industry have been fully complied with and the statements
Signature: Junifu R. amman	KCC Office Use ONLY
Title: New Well Development Coordinator Date: 1/22/08	Letter of Confidentiality Received
Subscribed and sworn to before me this 22 day of Double	If Denied, Yes Date: RECEIVED Wireline Log Received KANSAS CORPORATION COMMISSION
20	
Notary Public: Device Klauman	Geologist Report Received JAN 2 3 2008 UIC Distribution
Date Commission Expires: 8-4-2010 TER	RA KLAUMAN CONSERVATION DIVISION WICHITA, KS
My Appt. Expires	3 8-4-2010

Linusini

Operator Name: Que Sec. 29 Twp. 27	st Cherokee, L	LC East			Name:_ /:_Neosh		d N.	Well #:	rejeri -
INSTRUCTIONS: Sh tested, time tool open temperature, fluid rec Electric Wireline Logs	and closed, flowing and closed, and flow rate	ng and shut-ir es if gas to su	n pressures, urface test, a	whether shalong with f	nut-in pre	essure reache	d static level, hyd	rostatic pressur	es, bottom hole
Drill Stem Tests Taken Yes No					✓ Log Formation (Top), Dep				Sample
Samples Sent to Geo	logical Survey	Yes	□No		Nam	attached		Тор	Datum
Cores Taken			□No		IMIT	MHUHMU UNITH	1		
Electric Log Run (Submit Copy)		Yes	☐ No			S S NAE	-		
List All E. Logs Run:									
Compensated Dual Induction		tron Log			:				
		Report a		RECORD conductor, su		ew Used ermediate, produ	ction, etc.		
Purpose of String	Size Hole Drilled		Casing n O.D.)	Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and Perc Additives
Surface	12-1/4	8-5/8"		22		21	"A"	5	
Production	6-3/4	4-1/2		10.5		985	"A"	140	
			•				and the second	_	~
			ADDITIONAL	CEMENTIN	NG / SQL	JEEZE RECOR	D		
Purpose: Perforate	Depth Top Bottom	Type of	#Sacks	cks Used Type and Percent Additives					
Protect Casing , Plug Back TD Plug Off Zone			<u></u>				· · · · · · · · · · · · · · · · · · ·		
Shots Per Foot	PERFORAT	ION RECORD	- Bridge Plug	s Set/Type			acture, Shot, Cerne		
Specify Footage of Each Int waiting on pipeline				rforated (Amount and Kind of Material Used)					Dep
				· · · · · · · · · · · · · · · · · · ·		· .			
TUBING RECORD	Size	Set At		Daeles M		Line			
Date of First, Resumerd			roducing Met	Packer At	•	Liner Run	Yes N	0	
			adomig meti		Flowing	Pump	ing Gas L	ift Othe	r (Explain)
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er :	Bbls.	Gas-Oil Ratio	Gravit
Disposition of Gas	METHOD OF	COMPLETION				Production Inte	rval		
Vented Sold	Used on Lease mit ACO-18.)		Open Hole Other (Speci	Perf.		Jually Comp.	Commingled -		
etic (Fluid Nacións) (Fluid 1940)		-	A. 111	- 6. 1.	TEI Nelay of Lxor	A			



211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9500

CONFIDENTIAL

JAN 2 2 2008

KCC

FIELD	TICKET	REF 7	#
-------	--------	-------	---

TICKET NUMBER 2510

FOREMAN Jao

624190

TREATMENT REPORT & FIELD TICKET CEMENT

DATE	1	WELL	WELL NAME & NUMBER			SECTION	TOWNSHIP	RANGE	COUNTY	
10-1-07	Greve		1ard 29-1					19	1 NO	
FOREMAN / OPERATOR	TIME	TIME	LESS LUNCH	TRUCK #	TRAILER #		TRUCK HOURS		EMPLOYEE SIGNATURE	
500	12:30	5:30		9031127		-	5		Car Bern	
MALIERIKK	12.55	5:00		903197			4.5		120	
		5:15	90360		-	,	21. 7	万 .	7	
Tyler		5:15		903140	93	2452	4. 7	75	In au	
Tim		5:15		93420	1-1-	0 1 700	4. 75		12 18	
DANIEL	1 4	<u> </u>	<u> </u>		<u></u>				10 KM 4 2. 8	
JOB TYPE Laus	Striks HOLES	SIZE 6	<i>314</i> H	OLE DEPTH9	95	CAS	ING SIZE & W	/EIGHT	4/2 10.5	
CASING DEPTH 9	184.72 DRILL I	PIPE		UBING		ОТН	ER			
SILIBBY WEIGHT	14.5 SLUBB	Y VOL	v	VATER gal/sk		CEM	MENT LEFT in	CASING_	O	
DISPLACEMENT)	5.70 DISPLA	CEMENT P	SI M	IIX PSI		RAT	E_4bao	Λ		
DEL 4 4 DIVO										
Timanks.	Comput h	ecd R	ALL 15K	sel 4 10 61 s, to bettom	hldi	is of	140 585	of cel	NENT TO SE	
INSTANCE	() ()	a P		- 1- 1- 14-16	d =	+ 1100	15/110			
10 SUMACE.	AUSH PUN	10 . 10mg	wips fiv	S TO DATTOM	4 3	V 7100	- F			
							,			
										
	•				·					
	985	.72	F+ 41/2	Casina						
		5	Contrali	Centralizer						
		1	H/a Ficatshus							
ACCOUNT CODE	QUANTITY or I	UNITS	DESCRIPTION OF SERVICES OR PRODUCT						TOTAL AMOUNT	
903427	5	k.,	Foreman Pickup							
903197	4.5	hr	Cement Pump Truck	<						
903600	4.75	hr	Bulk Truck							
1104	/30	5K	Portland Cement							
1124		<u>a</u> .	50/50 POZ Blend C	ement Botho	<u>'5 3</u>	3'12 A	-3			
1126		1	OWC Blend Come	ent 41/2 wips	ہے کا	<u> </u>				
1110) •		Gilsonite		V					
1107	105	5 SK	Flo-Seal			 ,		REC	EIVED	
1118		1 SK	Premium Gel				KANSA	S CORPOR	ATION COMMISSION	
1215A	. 19	crl	KCL	<u> </u>	κ			1		
1111B		33K	Sodium Silicate	Calchieria	de_			JAN 2	3 2008	
1123		1 0000	City Water				 	ONSERVAT	ONION	
903140	4.75		Transport Truck					WICHI	ON DIVISION TA, KS	
932452	11. 75	hr	Transport Trailer							
931420	4.75	hr	80 Vac				•			