

**CONFIDENTIAL**

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

**ORIGINAL**

Form ACO-1  
September 1999  
Form Must Be Typed

**WELL COMPLETION FORM**  
**WELL HISTORY - DESCRIPTION OF WELL & LEASE**

Operator: License # 33074  
Name: Dart Cherokee Basin Operating Co., LLC  
Address: P O Box 177  
City/State/Zip: Mason MI 48854-0177  
Purchaser: Oneok  
Operator Contact Person: Beth Oswald  
Phone: (517) 244-8716  
Contractor: Name: McPherson  
License: 5675  
Wellsite Geologist: Bill Barks

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SLOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: Dart Cherokee Basin Operating Co., LLC

Well Name: C Smith C1-34  
Original Comp. Date: 11-11-03 Original Total Depth: 1307'  
 Deepening  Re-perf.  Conv. to Enhr./SWD  
 Plug Back CIBP @ 1084' Plug Back Total Depth  
 Commingled Docket No. \_\_\_\_\_  
 Dual Completion Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?) Docket No. \_\_\_\_\_

<u>11-13-07</u>	<u>11-4-03</u>	<u>11-13-07</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 205-25678-00-0001  
County: Wilson  
   NW    SW Sec. 34 Twp. 30 S. R. 15  East  West  
2100' FSL feet from S / N (circle one) Line of Section  
4900' FEL feet from E / W (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE NW SW  
Lease Name: C Smith Well #: C1-34  
Field Name: Cherokee Basin Coal Gas Area  
Producing Formation: Penn Coals  
Elevation: Ground: 904' Kelly Bushing: \_\_\_\_\_  
Total Depth: 1307' Plug Back Total Depth: 1304'  
Amount of Surface Pipe Set and Cemented at 21' Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.


Drilling Fluid Management Plan WONU 33105  
(Data must be collected from the Reserve Pit)  
Chloride content NA ppm Fluid volume 530 bbls  
Dewatering method used empty w/ vac trk and air dry  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: Dart Cherokee Basin Operating Co LLC  
Lease Name: Adee B1-8 SWD License No.: 33074  
Quarter NW Sec. 8 Twp. 31 S. R. 16  East  West  
County: Montgomery Docket No.: D-28237

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]  
Title: Engr Clerk (Date: 1-21-08)  
Subscribed and sworn to before me this 21 day of January  
19 08  
Notary Public: Brandi R. Allcock  
Acting Ingham  
Date Commission Expires: 3-5-2011

**KCC Office Use ONLY**  
 Letter of Confidentiality Attached  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution



BRANDI R. ALLCOCK  
Notary Public - Michigan  
Jackson County  
Commission Expires  
03/05/2011

RECEIVED  
KANSAS CORPORATION COMMISSION

JAN 25 2008

CONSERVATION DIVISION  
WICHITA, KS

Operator Name: Dart Cherokee Basin Operating Co., LLC Lease Name: C Smith Well #: C1-34  
 Sec. 34 Twp. 30 S. R. 15 ✓ East West County: Wilson

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No (Attach Additional Sheets)  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken Yes <input checked="" type="checkbox"/> No  Electric Log Run <input checked="" type="checkbox"/> Yes No (Submit Copy)  List All E. Logs Run:  High Resolution Compensated Density Neutron & Dual Induction	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:30%;">Log Name</td> <td style="width:40%;">Formation (Top), Depth and Datum</td> <td style="width:30%;">✓ Sample Datum</td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </table> <div style="text-align: right; font-weight: bold; font-size: 1.2em;">                 CONFIDENTIAL                  JAN 21 2008                  KCC             </div>	Log Name	Formation (Top), Depth and Datum	✓ Sample Datum			
Log Name	Formation (Top), Depth and Datum	✓ Sample Datum					

CASING RECORD							
				New	Used		
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surf	11"	8 5/8"		21'	Class A	4	
Prod	6 3/4"	4 1/2"	10.5	1304'	50/50 Poz	160	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
	See Attached		

TUBING RECORD		Size	Set At	Packer At	Liner Run	Yes	✓ No
		2 3/8"	1071'	NA			
Date of First, Resumed Production, SWD or Enhr.			Producing Method				
11-14-07			Flowing	✓ Pumping	Gas Lift	Other (Explain)	
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity		
	NA	15	32	NA	NA		

Disposition of Gas      **METHOD OF COMPLETION**      Production Interval

Vented     Sold     Used on Lease     
  Open Hole    Perf.    Dually Comp.     Commingled  
 (If vented, Sumit ACO-18.)       Other (Specify) \_\_\_\_\_

**RECEIVED**  
 KANSAS CORPORATION COMMISSION  
**JAN 25 2008**  
 CONSERVATION DIVISION  
 WICHITA, KS

Dart Cherokee Basin Operating Co LLC #33074  
C Smith C1-34 API #15-205-25678-00-00  
NW NW SW Sec 34 T30S-R15E  
Attachment to ACO-1 Well Completion Form

Shots Per Foot	Perforation Record	Acid, Fracture, Shot, Cement Squeeze Record	Depth
6 existing	1236.5'-1237.5'		
6 existing	1217'-1218'		
6 existing	1104.5'-1106.5' CIBP set @ 1084'		
6 existing	1104.5'-1106.5'		
6 existing	1104.5'-1106.5'		
6 existing	1104.5'-1106.5'		
6 existing	1104.5'-1106.5'		
6 existing	1104.5'-1106.5'		

**CONFIDENTIAL**

**JAN 21 2008**

**KCC**

**RECEIVED  
KANSAS CORPORATION COMMISSION**

**JAN 25 2008**

**CONSERVATION DIVISION  
WICHITA, KS**