

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
October 2008
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 31280
Name: Birk Petroleum
Address 1: 874 12th Rd SW
Address 2: _____
City: Burlington State: Ks Zip: 66839 + _____
Contact Person: Brian L. Birk
Phone: (620) 364-1311 - office
CONTRACTOR: License # 31280
Name: Birk Petroleum
Wellsite Geologist: None
Purchaser: Coffeyville Resources
Designate Type of Completion:
 New Well _____ Re-Entry _____ Workover
 Oil _____ SWD _____ SIOW
_____ Gas _____ ENHR _____ SIGW
_____ CM (Coal Bed Methane) _____ Temp. Abd.
_____ Dry _____ Other _____
(Core, WSW, Expl., Cathodic, etc.)

If Workover/Re-entry: Old Well Info as follows:
Operator: _____
Well Name: _____
Original Comp. Date: _____ Original Total Depth: _____
_____ Deepening _____ Re-perf. _____ Conv. to Enhr. _____ Conv. to SWD
_____ Plug Back: _____ Plug Back Total Depth
_____ Commingled _____ Docket No.: _____
_____ Dual Completion _____ Docket No.: _____
_____ Other (SWD or Enhr.?) _____ Docket No.: _____
11/11/2009 11/12/2009 11/13/2009
Spud Date or Date Reached TD Completion Date or
Recompletion Date Recompletion Date

API No. 15 - 031-22495-00-00
Spot Description: _____
SW _____ SE _____ Sec. 15 Twp. 22 S. R. 16 East West
165 Feet from North / South Line of Section
1155 Feet from East / West Line of Section
Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
County: Coffey
Lease Name: Klaus Well #: 53
Field Name: Neosho Falls-LeRoy
Producing Formation: Squirrel
Elevation: Ground: 1038 Kelly Bushing: _____
Total Depth: 1028' Plug Back Total Depth: 1028'
Amount of Surface Pipe Set and Cemented at: 40' Feet
Multiple Stage Cementing Collar Used? Yes No
If yes, show depth set: _____ Feet
If Alternate II completion, cement circulated from: 1015
feet depth to: surface w/ 130 sx cmt.

Drilling Fluid Management Plan AH II MR 1-25-10
(Data must be collected from the Reserve Pit)
Chloride content: _____ ppm Fluid volume: _____ bbls
Dewatering method used: _____
Location of fluid disposal if hauled offsite: _____
Operator Name: _____
Lease Name: _____ License No.: _____
Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Laura C. Birk
Title: Agent Date: 1/8/2010
Subscribed and sworn to before me this 8th day of January,
2010.
Notary Public: Laura C. Birk
Date Commission Expires: January 22, 2012

KCC Office Use ONLY

N Letter of Confidentiality Received
If Denied, Yes Date: _____
_____ Wireline Log Received
_____ Geologist Report Received
_____ UIC Distribution

RECEIVED
JAN 11 2010

LAURA C. BIRK
Notary Public - State of Kansas
My Appt. Expires 01/22/2012

KCC WICHITA

Operator Name: Birk Petroleum Lease Name: Klaus Well #: 53
 Sec. 15 Twp. 22 S. R. 16 East West County: Coffey

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input checked="" type="checkbox"/> Sample Name Top Datum See attached drill log
--	--

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	9 7/8"	7"		40'	Portland	16	Calcium
Long String	6"	2 7/8"		1015'	Portland	130	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
None	Open hole completion 1015-1028'	Frac w/40 sx sand	1015-1028

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____ Liner Run: Yes No

Date of First, Resumed Production, SWD or Enhr. 12/12/2009 Producing Method: Flowing Pumping Gas Lift Other (Explain)

Estimated Production Per 24 Hours	Oil Bbls. <u>5</u>	Gas Mcf	Water Bbls. <u>5</u>	Gas-Oil Ratio	Gravity
-----------------------------------	--------------------	---------	----------------------	---------------	---------

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
---	--	--

RECEIVED
 JAN 11 2010
 KCC WICHITA

**BIRK PETROLEUM
900 SOUTH 4TH ST
BURLINGTON, KS 66839
OP: #31280**

DATE: 11/12/2009	LEASE: KLAUS
Birk Petroleum	WELL: 53
874 12 TH Rd SW	Description: 165' FSL; 1155' FEL; 15-22-16E
Burlington, Ks 66839	County: Coffey
Spud: 11/11/09 T.D.: 11/12/09 Complete: 11/13/09	API: 15-031-22495-0000

FORMATIONS	FROM	TO	FORMATIONS	FROM	TO
Top Soil	0	3	Shale	951	1014
Clay	3	30	Cap	1014	1016.5
Clay/River Gravel	30	41	Lower Squirrel, Good Oil Sand	1016.5	1028
Shale	41	60	T.D. 1028'		
Lime	60	60.5			
Shale	60.5	223			
Lime	223	232			
Shale	232	234			
Lime	234	248			
Shale	248	252			
Lime	252	281			
Shale	281	291			
Broken Lime	291	293			
Shale	293	377			
Lime	377	392			
Shale	392	412			
Lime	412	483			
Shale	483	494			
Lime	494	499			
Red Shale/Shale	499	523			
Lime	523	654			
Shale	654	780			
Lime	780	790			
Shale	790	807			
Lime	807	813			
Shale	813	814			
Shale/Lime	814	830			
Lime	830	858			
Shale/Sandy Shale	858	897			
Lime	897	910			
Shale	910	925			
Lime	925	929			
Shale	929	945			
Lime	945	951			

RECEIVED

JAN 11 2010

KCC WICHITA

Surface bit: 9 7/8"	Surface Casing Length: 40'	Size: 7"	Cement: 16 sx Portland
Drill bit: 6"	T.D.: 1028'	Long String: 1015'	Size: 2 7/8"



Meier's Ready Mix, Inc.

Plant (785) 233-9900

P.O. Box 8477 • 1105 N.W. Lower Silver Lk. Rd. • Topeka, Kansas 66608
FAX # 233-9947

Office (785) 233-2423

PLANT	TIME	DATE 11/13/09	ACCOUNT	TRUCK	DRIVER	TICKET
CUSTOMER NAME Benk Oil				DELIVERY ADDRESS Klaus #53 Pickup at Plant		
PURCHASE ORDER		ORDER #	TAX			SLUMP

LOAD QTY	PRODUCT	DESCRIPTION	ORDERED	DELIVERED	UNIT PRICE	AMOUNT
130	Bag		3466 3		Concrete	12220 ^{lb}
					water	1010

LEAVE PLANT	ARRIVE JOB SITE	START DISCHARGE	FINISH DISCHARGE	ARRIVE PLANT
-------------	-----------------	-----------------	------------------	--------------

DRIVER Note here if water has been added and how much.

NOTE

We are not responsible for concrete freezing after placement.

IMPORTANT

We cannot be held responsible for damage caused by our trucks when delivering material beyond the curb-line. Not responsible for quality of concrete if water is added by purchaser.

277145

Caution:
FRESH CONCRETE
Body or eye contact with fresh (moist) concrete should be avoided because it contains alkali and is caustic.

SUBTOTAL
TAX
TOTAL
PREVIOUS TOTAL
GRAND TOTAL

977.60
51.81
1028.41

Received By _____

Handwritten note: Checked out by [unclear] 4/18/10 4/100

RECEIVED
JAN 11 2010
KCC WICHITA