

ORIGINAL

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

Form ACO-1  
October 2008  
Form Must Be Typed

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 32710  
Name: Laymon Oil II, LLC  
Address 1: 1998 Squirrel Rd  
Address 2: \_\_\_\_\_  
City: Neosho Falls State: KS Zip: 66758 + \_\_\_\_\_  
Contact Person: Michael Laymon  
Phone: (620) 963-2495  
CONTRACTOR: License # company tools  
Name: \_\_\_\_\_  
Wellsite Geologist: none  
Purchaser: Coffeyville Resources  
Designate Type of Completion:  
 New Well \_\_\_\_\_ Re-Entry \_\_\_\_\_ Workover  
 Oil \_\_\_\_\_ SWD \_\_\_\_\_ SLOW  
\_\_\_\_\_ Gas \_\_\_\_\_ ENHR \_\_\_\_\_ SIGW  
\_\_\_\_\_ CM (Coal Bed Methane) \_\_\_\_\_ Temp. Abd.  
\_\_\_\_\_ Dry \_\_\_\_\_ Other \_\_\_\_\_  
*(Core, WSW, Expl., Cathodic, etc.)*

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
\_\_\_\_\_ Deepening \_\_\_\_\_ Re-perf. \_\_\_\_\_ Conv. to Enhr. \_\_\_\_\_ Conv. to SWD  
\_\_\_\_\_ Plug Back: \_\_\_\_\_ Plug Back Total Depth  
\_\_\_\_\_ Commingled \_\_\_\_\_ Docket No.: \_\_\_\_\_  
\_\_\_\_\_ Dual Completion \_\_\_\_\_ Docket No.: \_\_\_\_\_  
\_\_\_\_\_ Other (SWD or Enhr.?) \_\_\_\_\_ Docket No.: \_\_\_\_\_  
10-07-2009      10-10-2009      10-12-2009  
Spud Date or      Date Reached TD      Completion Date or  
Recompletion Date                Recompletion Date

API No. 15 - 207-27493-00-00  
Spot Description: \_\_\_\_\_  
NE NW SE Sec. 29 Twp. 23 S. R. 16  East  West  
2575 Feet from  North /  South Line of Section  
2110 Feet from  East /  West Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
 NE  NW  SE  SW  
County: Woodson  
Lease Name: Robison Well #: 29-09  
Field Name: Vernon  
Producing Formation: Squirrel  
Elevation: Ground: 1113 est Kelly Bushing: \_\_\_\_\_  
Total Depth: 1160 Plug Back Total Depth: 1155  
Amount of Surface Pipe Set and Cemented at: 40' Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set: \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from: 40  
feet depth to: surface w/ 10 <sup>sx cmt.</sup>

**Drilling Fluid Management Plan**  
*(Data must be collected from the Reserve Pit)*  
Chloride content: \_\_\_\_\_ ppm Fluid volume: \_\_\_\_\_ bbls  
Dewatering method used: \_\_\_\_\_  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

Alt 2 - Dig - 2/1/10

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Michael Laymon  
Title: Owner Date: 1-18-2010  
Subscribed and sworn to before me this 18 day of January,  
20 10.  
Notary Public: Rachelle Laymon  
Date Commission Expires: 7/11/2012

**KCC Office Use ONLY**  
 Letter of Confidentiality Received  
 If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
\_\_\_\_\_ Geologist Report Received  
\_\_\_\_\_ UIC Distribution  
**RECEIVED**  
KANSAS CORPORATION COMMISSION  
**JAN 25 2010**

NOTARY PUBLIC - State of Kansas  
RACHELLE LAYMON  
My Appt. Expires 7/11/12

CONSERVATION DIVISION  
WICHITA, KS

Operator Name: Laymon Oil II, LLC Lease Name: Robison Well #: 29-09  
 Sec. 29 Twp. 23 S. R. 16  East  West County: Woodson

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run: <b>Gamma Ray Neutron</b>	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  Name Top Datum <b>SEE ATTACHED LOG</b>
--	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	10 1/4"	8 5/8"	24#	40'	portland	10	
Production	6 1/4"	2 7/8"	6.7#	1155'	common	160	
Tubing		1"	1.9#	1090'			

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	
		Amount and Kind of Material Used	Depth
2	1096 to 1110	200 gal HCL acid: frac w/70 sacks sand	1096-1110
2	1114-1124		1114-1124

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____		Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No	
Date of First, Resumed Production, SWD or Enhr. 12-9-2009		Producing Method: <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)	
Estimated Production Per 24 Hours	Oil Bbls. 2	Gas Mcf	Water Bbls. Gas-Oil Ratio Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL:  <div style="text-align: right; border: 1px solid black; padding: 5px;">                     RECEIVED                      KANSAS CORPORATION COMMISSION                 </div>
---	--	--

Laymon Oil II LLC  
1998 Squirrel Rd  
Neosho Falls, KS 66758

620-963-2495

fax 620-496-2921

Robison #29-09  
API: 15-207-27493-00-00  
Spud date: 10-07-2009  
Completion date: 10-11-2009  
29/23/16 WO CO

Formation	From	To
Soil & Clay	0	12
Shale	12	100
Lime	100	140
Shale	140	307
Lime	307	400
Lime & Shale	400	410
Lime	410	515
Lime & Shale	515	530
Sandy Lime	530	540
Lime	540	550
Sandy Lime	550	560
Lime	560	575
Black Shale	575	580
Shale & Lime	580	645
Lime	645	695
Shale	695	705
Lime	705	730
Black Shale	730	735
Lime	735	760
Big Shale	760	780
Lime	780	893
Black Shale	893	895
Lime	895	948
Black Shale	948	950
Lime & Shale	950	1082
Black Shale	1082	1084
5' Lime	1084	1088
Black Shale	1088	1090
Shale	1090	1092
Upper Sand	1092	1104
Shale	1104	1136

RECEIVED  
KANSAS CORPORATION COMMISSION  
JAN 25 2010  
CONSERVATION DIVISION  
WICHITA, KS

Cap Rock	1136	1137
Lower Sand	1137	1145
Shale	1145	1160
Total Depth		1160

Set 40' of 8 5/8" surface, cemented w/ 10 sacks  
Ran 1155' of 2 7/8" pipe  
Seating nipple @ 1090'

RECEIVED  
KANSAS CORPORATION COMMISSION

JAN 25 2010

CONSERVATION DIVISION  
WICHITA, KS

Iola, Kansas, OCT 5, 19 09

Received of

**THE NEW KLEIN LUMBER CO., INC.**  
**BUILDING MATERIALS**

365-2201

200 Sack P Cement	1798.00
	<u>131.25</u>
	1929.25

*Paul*

Robison 29-09 10 Sacks

RECEIVED  
KANSAS CORPORATION COMMISSION  
JAN 25 2010  
CONSERVATION DIVISION  
WICHITA, KS

862 N. Industrial Rd.  
P.O. Box 664  
Iola, Kansas 66749  
Phone: (620) 365-5588

# Payless Concrete Products, Inc.



**CONDITIONS**  
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

**NOTICE TO OWNER**  
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LA005  
LAYMON OIL, L.L.C.  
1998 SQUIRREL RD.

LA10/12  
LAYMON OIL  
200TH & QUAIL 1/2 MI N  
DOUBLE GATE W 5D

NEOSHO FALLS KS  
66758

YATES CENTER, KS 66783

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% CAL	DRIVER/TRUCK	% AIR	PLANT/TRANSACTION #
11:22:33	WELL	8.00 yd	16.00 yd	0.00	BT 34	6.00	
DATE	LOAD #	YARDS DEL	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER	
10-12-09	1	8.00 yd	11453		4.00 in	25426	

**WARNING**  
**IRRITATING TO THE SKIN AND EYES**  
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

**PROPERTY DAMAGE RELEASE**  
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility for any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

SIGNED \_\_\_\_\_

X \_\_\_\_\_

**Excessive Water is Detrimental to Concrete Performance**  
H<sub>2</sub>O Added By Request/Authorized By \_\_\_\_\_

GAL X \_\_\_\_\_

WEIGHMASTER  
*Robert 29-09*

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY  
*Mark Jones*

X \_\_\_\_\_

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
8.00	WELL	WELL (10 BAGS PER UNIT)	8.00	608.00
2.00	TRUCKING	TRUCKING CHARGE	2.00	100.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION	CYLINDER TEST TAKEN	TIME ALLOWED
			1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER	
	LEFT PLANT	ARRIVED JOB			TIME DUE
11:50	12:20	12:30			
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME			DELAY TIME

SubTotal \$ 708.00  
Tax % 6.300 44.60  
Total \$ 752.60  
Order \$ 752.60

ADDITIONAL CHARGE 1 \_\_\_\_\_  
ADDITIONAL CHARGE 2 \_\_\_\_\_  
**GRAND TOTAL** ▶ \_\_\_\_\_

RECEIVED  
KANSAS CORPORATION COMMISSION  
JAN 25 2010  
CONSERVATION DIVISION  
WICHITA, KS

802 N. Industrial Rd.  
P.O. Box 664  
Iola, Kansas 66749  
Phone: (620) 365-5588

**Payless Concrete Products, Inc.**



**CONDITIONS**

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LA005  
LAYMON OIL, L.L.C.  
1998 SQUIRREL RD.

LA10/12  
LAYMON OIL  
200TH & QUAIL 1/2 MI N  
DOUBLE GATE W SD

NEEDS FALLS KS  
66758

YATES CENTER, KS 66783

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	% CAL	DRIVER/TRUCK	% AIR	PLANT/TRANSACTION #
11:30:52a	WELL	8.00 yd	16.00 yd	0.00	BT 34	6.00	
DATE	To Date	LOAD #	YARDS DEL	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
10 12 09	Today	2	16.00 yd	11454		4.00 in	25427

**WARNING**  
**IRRITATING TO THE SKIN AND EYES**  
Contains Portland Cement. Wear Rubber Boots and Gloves. Avoid Skin Contact. MAY CAUSE BURNS. Avoid Contact With Eyes and Nose. Wash Skin with Soap. In Case of Contact With Skin, Eyes, Nose or Mouth, Wash Immediately with Water. If Irritation Persists, Get Medical Attention.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.

Excess Delay Time Charged @ \$50/HR.

**PROPERTY DAMAGE RELEASE**  
(To BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of this truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire.

I, the driver, hereby releasing the driver of this truck from any responsibility for any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

SIGNED: \_\_\_\_\_

**Excessive Water is Detrimental to Concrete Performance**  
H<sub>2</sub>O Added By Request/Authorized By \_\_\_\_\_

GAL X \_\_\_\_\_

WEIGHMASTER \_\_\_\_\_

*Roberson 29-09-09*

**NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.**

LOAD RECEIVED BY: \_\_\_\_\_

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
8.00	WELL	WELL (10 SACKS PER UNIT)	76.00	608.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	SubTotal \$
			1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER		608.00
			6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER		Tax % 6.300 38.30
					Total \$ 646.30
					Order \$ 1398.90
					ADDITIONAL CHARGE 1 _____
					ADDITIONAL CHARGE 2 _____
					<b>GRAND TOTAL</b> ▶ _____

RECEIVED  
KANSAS CORPORATION COMMISSION  
JAN 25 2010  
CONSERVATION DIVISION  
WICHITA, KS