FORM MUST BE TYPED FORM C-1 12/88

State of Kansas NOTICE OF INTENTION TO DRILL

FORM MUST BE SIGNED ALL BLANKS MUST BE FILLED

Must be approved by the K.C.C. five (5) days prior to commencing well

		• •		
Expected Spud Date	e 07/1	B/89		SE SW SE sec Twp S, Rg West
	month	day	year	WW
	7007			330 feet from South line of Section
OPERATOR: License Name: WESTE	#3007			1650 feet from East line of Section
Name:WED!	TOV 1	H.Ə F. A. F. L. L!	KHITON	(Note: Locate well on Section Plat Below)
Address:P.	h	4.0		CRAHAM
City/State/Zip:	HHYS		KS 67601	County: GRAHAM
Contact Person:	H! E	y Yuundei	R	Lease Name: ACHESON Well #: #1
Phone:! 71.	\$.) 0 .287.2.	475		Field Name: CPPLER CooPER
			•	Is this a Prorated Field? yes XX no Target Formation(s): ARBUCKLE Nearest lease or unit boundary: 330
CONTRACTOR: Licer	nse #:40	#\$		Target Formation(s): ARBUCKLE
Name: Wたら	FRN.KAN56	Jà DKILL	INĢ	
				Ground Surface Elevation: APX 2200 feet MSL
Well Drilled For:	u	Hell Class:	Type Equipment:	Domestic well within 330 feet: yes no
WW			****	Municipal well within one mile: yes .XX no
	•		X.X Mud Rotary	Depth to bottom of fresh water: 180
			Air Rotary	Depth to bottom of usable water: 1200
	•	Wildcat	Cable	Surface Pipe by Alternate: 1 .XX 2
Seismic; #	# of Holes			Length of Surface Pipe Planned to be set: .200
				Length of Conductor pipe required: . ***********************************
If OWNO: old well				Projected Total Depth:3900
•			• • • • • • • • • • • • • • • • • • • •	remotion de rocat pepeir
				between the printing operations.
Comp. Date:	• • • • • • • • • • • • • • • • • • • •	Old Total Dep	oth	well farm pond .XX other
Dinastinal Dut				DWR Permit #:
			- 222	
If was total don't	ted or Horizo	ntal wellbore	? yesXXno	Will Cores Be Taken?: yes .X.X no
If yes, total dept	ated or Horizo th location: .	ntal wellbore	? yesXXno	
If yes, total dept	ated or Horizo h location: .	ntal wellbore		Will Cores Be Taken?: yes .X.X no If yes, proposed zone:
If yes, total dept	ated or Horizo th location: .	ntal wellbore		Will Cores Be Taken?: yes .X.X no
If yes, total dept . The undersigned he	h location: .		AFFI	Will Cores Be Taken?: yes .X.X no If yes, proposed zone:
If yes, total dept The undersigned he et. seq.	h location: .	that the drill	AFFII	Will Cores Be Taken?: yes .X.X no If yes, proposed zone: DAVIT d eventual plugging of this well will comply with K.S.A. 55-10:
If yes, total dept The undersigned he et. seq. It is agreed that	h location: . reby affirms t	that the drill	AFFIII ing, completion and	Will Cores Be Taken?: yes .X.X no If yes, proposed zone: DAVIT d eventual plugging of this well will comply with K.S.A. 55-10:
If yes, total dept The undersigned he et. seq. It is agreed that i. The approp	reby affirms the following	that the drill minimum requ t office shall	ing, completion and irements will be made to be notified before	Will Cores Be Taken?: yes .X.X no If yes, proposed zone: DAVIT d eventual plugging of this well will comply with K.S.A. 55-10: et: re setting surface pipe:
The undersigned he et. seq. It is agreed that i. The approp 2. The minimu pipe shall	reby affirms the following priate districe m amount of su	that the drill minimum requ t office shali orface pipe as gh all unconse	ing, completion and irements will be my left be notified before specified above should be above the collidated materials.	Will Cores Be Taken?: yes .X.X no If yes, proposed zone: DAVIT d eventual plugging of this well will comply with K.S.A. 55-10: et: re setting surface pipe; all be set by circulating cement to the top; in all cases surface plus a minimum of 20 feet into the underlying formation:
The undersigned he et. seq. It is agreed that i. The approp 2. The minimu pipe shall 3. If the wel	reby affirms the following priate districe mamount of sube set throw listory, a p	that the drill minimum requ t office shall orface pipe as gh all unconso lugging propos	ing, completion and irements will be made to be notified before specified above shouldated materials sal shall be submit	Will Cores Be Taken?: yes .X.X no If yes, proposed zone: DAVIT d eventual plugging of this well will comply with K.S.A. 55-10: et: re setting surface pipe; all be set by circulating cement to the top; in all cases surface plus a minimum of 20 feet into the underlying formation; tted to the district office. An agreement between the operator.
The undersigned he et. seq. It is agreed that i. The approp 2. The minimu pipe shall 3. If the wel and the di	reby affirms the following priate district amount of sube set through is dry, a particly office	that the drill minimum requit office shall unface pipe as gh all unconsolugging proposo	ing, completion and irements will be moderated before specified above should attend to the submitth and placement is	Will Cores Be Taken?: yes .X.X no If yes, proposed zone: DAVIT deventual plugging of this well will comply with K.S.A. 55-10: et: re setting surface pipe; all be set by circulating cement to the top; in all cases surface plus a minimum of 20 feet into the underlying formation; tted to the district office. An agreement between the operator is necessary prior to plugging:
The undersigned he et. seq. It is agreed that i. The approp 2. The minimu pipe shall 3. If the wel and the di 4. The approp	reby affirms the following priate district amount of sube set through is dry, a particly office priate districtions.	minimum requit office shall unconso gh all unconso on plug lengt toffice will	ing, completion and irements will be motified before specified above should attend to the submitth and placement is the notified before the submitted the submitted before the su	Will Cores Be Taken?: yes .X.X no If yes, proposed zone: DAVIT deventual plugging of this well will comply with K.S.A. 55-10: et: re setting surface pipe; all be set by circulating cement to the top; in all cases surface plus a minimum of 20 feet into the underlying formation; tited to the district office. An agreement between the operator is necessary prior to plugging; e well is either plugged or production casing is computed in:
The undersigned he et. seq. It is agreed that i. The approp 2. The minimu pipe shall 3. If the wel and the di 4. The approp 5. If an Alte	reby affirms to the following oriate distric om amount of su be set throu l is dry, a p strict office oriate distric rnate II compl	that the drill minimum requit office shall unface pipe as gh all unconsolugging propos on plug lengt t office will etion, produc	ing, completion and irements will be motified before specified above shouldated materials sal shall be submit the and placement is be notified before tion pipe shall be	Will Cores Be Taken?: yes .X.X no If yes, proposed zone: DAVIT d eventual plugging of this well will comply with K.S.A. 55-10: et: re setting surface pipe; all be set by circulating cement to the top; in all cases surface plus a minimum of 20 feet into the underlying formation; tted to the district office. An agreement between the operator is necessary prior to plugging; e well is either plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days.
The undersigned he et. seq. It is agreed that i. The approp 2. The minimu pipe shall 3. If the wel and the di 4. The approp 5. If an Alte	reby affirms to the following oriate distric om amount of su be set throu l is dry, a p strict office oriate distric rnate II compl	that the drill minimum requit office shall unface pipe as gh all unconsolugging propos on plug lengt t office will etion, produc	ing, completion and irements will be motified before specified above shouldated materials sal shall be submit the and placement is be notified before tion pipe shall be	Will Cores Be Taken?: yes .X.X no If yes, proposed zone: DAVIT d eventual plugging of this well will comply with K.S.A. 55-10: et: re setting surface pipe; all be set by circulating cement to the top; in all cases surface plus a minimum of 20 feet into the underlying formation; tted to the district office. An agreement between the operator is necessary prior to plugging; e well is either plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days.
The undersigned he et. seq. It is agreed that i. The approp 2. The minimu pipe shall 3. If the wel and the di 4. The approp 5. If an Alte of spud da I hereby certify t O7/17	the following or iate district of fice priate district of fice priate district rnate II complite. In all chat the states	minimum requit office shall unconsolugging proposon plug length toffice will etion, production, ments made her	ing, completion and irements will be made to be notified before specified above should at the submitted of the specified be submitted by the specified before the specified are true and the specified before the specified	Will Cores Be Taken?: yes .X.X no If yes, proposed zone: DAVIT deventual plugging of this well will comply with K.S.A. 55-10: et: re setting surface pipe; all be set by circulating cement to the top; in all cases surface plus a minimum of 20 feet into the underlying formation; ted to the district office. An agreement between the operator is necessary prior to plugging; well is either plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days for to any cementing. To the best of my knowledge and belief AS AGENT
The undersigned he et. seq. It is agreed that i. The approp 2. The minimu pipe shall 3. If the wel and the di 4. The approp 5. If an Alte of spud da I hereby certify t O7/17	the following or iate district of fice priate district of fice priate district rnate II complite. In all chat the states	minimum requit office shall unconsolugging proposon plug length toffice will etion, production, ments made her	ing, completion and irements will be motified before specified above shouldated materials sal shall be submit the and placement is be notified before tion pipe shall be district office prime are true and por or Agent:	Will Cores Be Taken?: yes .X.X no If yes, proposed zone: DAVIT deventual plugging of this well will comply with K.S.A. 55-10: et: re setting surface pipe; all be set by circulating cement to the top; in all cases surface plus a minimum of 20 feet into the underlying formation; ted to the district office. An agreement between the operator is necessary prior to plugging; as well is either plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days for to any cementing. To the set of my knowledge and belief AS AGENT Title.
The undersigned he et. seq. It is agreed that i. The approp 2. The minimu pipe shall 3. If the wel and the di 4. The approp 5. If an Alte of spud da I hereby certify t O7/17	the following or iate district of fice priate district of fice priate district rnate II complite. In all chat the states	minimum requit office shall reface pipe as gh all unconsolugging proposon plug length office will etion, product ases, notify comments made her	ing, completion and irements will be motified before specified above shouldated materials sal shall be submit the and placement is be notified before tion pipe shall be district office prime are true and por or Agent:	Will Cores Be Taken?: yes .XX no If yes, proposed zone: DAVIT deventual plugging of this well will comply with K.S.A. 55-10: et: re setting surface pipe; all be set by circulating cement to the top; in all cases surface plus a minimum of 20 feet into the underlying formation; ted to the district office. An agreement between the operator is necessary prior to plugging; well is either plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days for to any cementing. The best of my knowledge and belief
The undersigned he et. seq. It is agreed that i. The approp 2. The minimu pipe shall 3. If the wel and the di 4. The approp 5. If an Alte of spud da I hereby certify t O7/17	the following or iate district of fice priate district of fice priate district rnate II complite. In all chat the states	minimum requit office shall unconsolugging proposon plug length toffice will etion, production, ments made her	ing, completion and irements will be motified before specified above shouldated materials sal shall be submit the and placement is be notified before tion pipe shall be district office prime are true and por or Agent:	Will Cores Be Taken?: yes .X.X no If yes, proposed zone: DAVIT deventual plugging of this well will comply with K.S.A. 55-10: et: re setting surface pipe; all be set by circulating cement to the top; in all cases surface plus a minimum of 20 feet into the underlying formation; ted to the district office. An agreement between the operator is necessary prior to plugging; well is either plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days for to any cementing. To the lest of my knowledge and belief AS AGENT Title. FOR KCC USE:
The undersigned he et. seq. It is agreed that i. The approp 2. The minimu pipe shall 3. If the wel and the di 4. The approp 5. If an Alte of spud da I hereby certify t O7/17	the following or iate district of fice priate district of fice priate district rnate II complite. In all chat the states	minimum requit office shall inface pipe as gh all unconsicution proposion plug length office will etion, production, productio	ing, completion and irements will be modified before specified above should attend to the specified above should attend to the specified be submitted be notified before attending the specification of the specification of the specification are true and specified before are true and specified before the specification of the specified are true and specified before the specified before th	Will Cores Be Taken?: yes .X.X no If yes, proposed zone: DAVIT deventual plugging of this well will comply with K.S.A. 55-10: et: re setting surface pipe; all be set by circulating cement to the top; in all cases surface plus a minimum of 20 feet into the underlying formation; ted to the district office. An agreement between the operators necessary prior to plugging; a well is either plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days for to any cementing. To the set of my knowledge and belief AS AGENT API # 15- O65-22.529
The undersigned he et. seq. It is agreed that i. The approp 2. The minimu pipe shall 3. If the wel and the di 4. The approp 5. If an Alte of spud da I hereby certify t O7/17	the following or iate district of fice priate district of fice priate district rnate II complite. In all chat the states	minimum requit office shall unconse ungging propose on plug length toffice will etion, product ases, notify coments made here ure of Operators 4950	ing, completion and irements will be modified before specified above should attend to the specified above should attend to the specified be submitted be notified before attending the specification of the specification of the specification are true and specified before are true and specified before the specification of the specified are true and specified before the specified before th	Will Cores Be Taken?: yes .X.X no If yes, proposed zone: DAVIT deventual plugging of this well will comply with K.S.A. 55-10: et: re setting surface pipe; all be set by circulating cement to the top; in all cases surface plus a minimum of 20 feet into the underlying formation; ted to the district office. An agreement between the operators necessary prior to plugging; a well is either plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days for to any cementing. To the set of my knowledge and belief AS AGENT API # 15- O65-22.529
The undersigned he et. seq. It is agreed that i. The approp 2. The minimu pipe shall 3. If the wel and the di 4. The approp 5. If an Alte of spud da I hereby certify t O7/17	the following or iate district of fice priate district of fice priate district rnate II complite. In all chat the states	minimum requit office shall inface pipe as gh all unconselugging propose on plug length office will etion, product ases, notify coments made her ture of Operators with the conservation of the conservation o	ing, completion and irements will be motified before specified above should attend to the materials sall shall be submit the and placement is be notified before the stion pipe shall be district office primare true and corror Agent:	Will Cores Be Taken?: yes .X.X no If yes, proposed zone: DAVIT deventual plugging of this well will comply with K.S.A. 55-10: et: re setting surface pipe; all be set by circulating cement to the top; in all cases surface plus a minimum of 20 feet into the underlying formation; ted to the district office. An agreement between the operators necessary prior to plugging; a well is either plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days for to any cementing. To the set of my knowledge and belief AS AGENT API # 15- O65-22.529
The undersigned he et. seq. It is agreed that i. The approp 2. The minimu pipe shall 3. If the wel and the di 4. The approp 5. If an Alte of spud da I hereby certify t O7/17	the following or iate district of fice priate district of fice priate district rnate II complite. In all chat the states	minimum requit office shall inface pipe as gh all unconsolugging propose on plug length office will etion, product ases, notify office ments made here ture of Operators as a specific state of Operators and office will etion, product as a specific state of Operators and office will etion, product as a specific state of Operators and office will etion, product as a specific state of Operators and office will be specific state of Operators and office will be specific state of Operators and office will be specific state of Operators and operators and operators are specific state of Operators and operators are specific state of Operators and operators are specific state of Operators and Operators and Operators and Operators and Operators are specific state of Operators and Operato	ing, completion and irements will be motified before specified above sholidated materials sal shall be submit the and placement is be notified before tion pipe shall be district office prime in are true and sor or Agent:	Will Cores Be Taken?: yes .XX no If yes, proposed zone: DAVIT deventual plugging of this well will comply with K.S.A. 55-10: et: re setting surface pipe; all be set by circulating cement to the top; in all cases surface plus a minimum of 20 feet into the underlying formation; ted to the district office. An agreement between the operator is necessary prior to plugging; well is either plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days for to any cementing. To the test of my knowledge and belief AS AGENT API # 15-065-22.529 Conductor pipe required Powe feet Minimum surface pipe required feet per Alt. ** Sapproved by:
The undersigned he et. seq. It is agreed that i. The approp 2. The minimu pipe shall 3. If the wel and the di 4. The approp 5. If an Alte of spud da I hereby certify t O7/17	the following or iate district of fice priate district of fice priate district rnate II complite. In all chat the states	minimum requit office shall inface pipe as gh all unconsolugging propose on plug length office will etion, product ases, notify office ments made here ture of Operators as a specific state of Operators and office will etion, product as a specific state of Operators and office will etion, product as a specific state of Operators and office will etion, product as a specific state of Operators and office will be specific state of Operators and office will be specific state of Operators and office will be specific state of Operators and operators and operators are specific state of Operators and operators are specific state of Operators and operators are specific state of Operators and Operators and Operators and Operators and Operators are specific state of Operators and Operato	ing, completion and irements will be motified before specified above sholidated materials sal shall be submit the and placement is be notified before tion pipe shall be district office prime in are true and sor or Agent:	Will Cores Be Taken?: yes .X.X no If yes, proposed zone: DAVIT deventual plugging of this well will comply with K.S.A. 55-10: et: re setting surface pipe; all be set by circulating cement to the top; in all cases surface plus a minimum of 20 feet into the underlying formation; teted to the district office. An agreement between the operator is necessary prior to plugging; e well is either plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days in to any cementing. The test of my knowledge and belief AS AGENT API # 15- OGS-22, 529 Conductor pipe required PONE feet Minimum surface pipe required PONE feet
The undersigned he et. seq. It is agreed that i. The approp 2. The minimu pipe shall 3. If the wel and the di 4. The approp 5. If an Alte of spud da I hereby certify t O7/17	the following or iate district of fice priate district of fice priate district rnate II complite. In all chat the states	minimum requit office shall inface pipe as gh all unconsolugging propose on plug length office will etion, product ases, notify office ments made here ture of Operators as a specific state of Operators and office will etion, product as a specific state of Operators and office will etion, product as a specific state of Operators and office will etion, product as a specific state of Operators and office will be specific state of Operators and office will be specific state of Operators and office will be specific state of Operators and operators and operators are specific state of Operators and operators are specific state of Operators and operators are specific state of Operators and Operators and Operators and Operators and Operators are specific state of Operators and Operato	ing, completion and irements will be motified before specified above sholidated materials sal shall be submit the and placement is be notified before tion pipe shall be district office prime in are true and sor or Agent:	DAVIT deventual plugging of this well will comply with K.S.A. 55-10: et: re setting surface pipe; all be set by circulating cement to the top; in all cases surface plus a minimum of 20 feet into the underlying formation; teed to the district office. An agreement between the operator is necessary prior to plugging; well is either plugged or production casing is cemented in; cemented from below any usable water to surface within 120 day; ior to any cementing. To the test of my knowledge and belief AS AGENT API # 15-065-22.529 Conductor pipe required
The undersigned he et. seq. It is agreed that i. The approp 2. The minimu pipe shall 3. If the wel and the di 4. The approp 5. If an Alte of spud da I hereby certify t O7/17	the following or iate district of fice priate district of fice priate district rnate II complite. In all chat the states	minimum requit office shall inface pipe as gh all unconsitudging proposion plug length office will etion, product ases, notify coments made here are of Operators and the company of the c	ing, completion and irements will be modified before specified above should attend to the specified above should attend to the specified be submitted be notified before attending the specification of the specification of the specification are true and specified before are true and specified before the specification of the specified are true and specified before the specified before th	DAVIT deventual plugging of this well will comply with K.S.A. 55-10: et: re setting surface pipe; all be set by circulating cement to the top; in all cases surface plus a minimum of 20 feet into the underlying formation; teed to the district office. An agreement between the operator is necessary prior to plugging; well is either plugged or production casing is cemented in; cemented from below any usable water to surface within 120 day; ior to any cementing. To the test of my knowledge and belief AS AGENT API # 15-065-22.529 Conductor pipe required
The undersigned he et. seq. It is agreed that i. The approp 2. The minimu pipe shall 3. If the wel and the di 4. The approp 5. If an Alte of spud da I hereby certify t O7/17	the following or iate district of fice priate district of fice priate district rnate II complite. In all chat the states	minimum requit office shall inface pipe as gh all unconsolugging propose on plug length office will etion, product ases, notify office ments made here ture of Operators as a specific state of Operators and office will etion, product as a specific state of Operators and office will etion, product as a specific state of Operators and office will etion, product as a specific state of Operators and office will be specific state of Operators and office will be specific state of Operators and office will be specific state of Operators and operators and operators are specific state of Operators and operators are specific state of Operators and operators are specific state of Operators and Operators and Operators and Operators and Operators are specific state of Operators and Operato	ing, completion and irements will be motified before specified above sholidated materials sal shall be submit the and placement is be notified before tion pipe shall be district office prime in are true and sor or Agent:	DAVIT deventual plugging of this well will comply with K.S.A. 55-10: et: re setting surface pipe; all be set by circulating cement to the top; in all cases surface plus a minimum of 20 feet into the underlying formation; teed to the district office. An agreement between the operator is necessary prior to plugging; a well is either plugged or production casing is cemented in; cemented from below any usable water to surface within 120 days ior to any cementing. The less of my knowledge and belief AS AGENT API # 15-065-22,529 Conductor pipe required Look feet per Alt. X2 Approved by: This authorization expires: This authorization void if drilling not started within 6 months of effective date.)
The undersigned he et. seq. It is agreed that i. The approp 2. The minimu pipe shall 3. If the wel and the di 4. The approp 5. If an Alte of spud da I hereby certify t O7/17	the following or iate district of fice priate district of fice priate district rnate II complite. In all chat the states	minimum requit office shall inface pipe as gh all unconsicular unconsicular products on plug length office will etion, products, notify coments made here are of Operator 15280 14950 14620 14990 13960 13300 1495	ing, completion and irements will be motified before specified above sholidated materials sal shall be submit the and placement is be notified before tion pipe shall be district office prime in are true and sor or Agent:	DAVIT deventual plugging of this well will comply with K.S.A. 55-10: et: re setting surface pipe; all be set by circulating cement to the top; in all cases surface plus a minimum of 20 feet into the underlying formation; teed to the district office. An agreement between the operator is necessary prior to plugging; well is either plugged or production casing is cemented in; cemented from below any usable water to surface within 120 day; ior to any cementing. To the test of my knowledge and belief AS AGENT API # 15-065-22.529 Conductor pipe required

- File Completion Form ACO-1 within 120 days of spud date;

Submit plugging report (CP-4) after plugging is completed;
Obtain written approval before disposing or injecting salt water.

File acreage attribution plat according to field proration orders;
 Notify appropriate district office 48 hours prior to workover or re-entry;