For KCC Use: 3-3-2010 Effective Date: _ District # SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

madi za upplotad zy Kod IIIo	
Expected Spud Date: March 1 2010	Spot Description:
month day year	<u>sw</u> - <u>sw</u> Sec. 21 Twp. 34 S. R. 27
OPERATOR: License# 34269	(QIO/QIQ) 660 feet from N / S Line of Section
Name: Apache Corporation	feet from E / X W Line of Section
Address 1: 6120 S Yale Ave #1500	Is SECTION: Regular irregular?
Address 2:	
City: Tulsa State: OK Zip: 74136 +	(Note: Locate well on the Section Plat on reverse side)
Contact Person: Randy Poeling	County: Meade
Phone: 580-225-9490	Lease Name: Barby Well #: 2-21
	Field Name: Wildcat
CONTRACTOR: License# 34000 CONTRACTOR: License*	Is this a Prorated / Spaced Field?
Name: Kenai Mid-Continent Inc.	Target Formation(s): Cherokee
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 600
	Ground Surface Elevation: 2226 feet MSL
	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Seismic : # of Holes Other	Depth to bottom of fresh water: 100
Other:	Depth to bottom of usable water:
Otto:	Surface Pine by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 1600'
0	Length of Conductor Pipe (if any): 80'
Operator:	Projected Total Depth: _5850'
Weil Name:Original Total Depth:	Formation at Total Depth: Cherokee
Original Completion Date Original total Depth	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: Creek
If Yes, true vertical depth:	_ _
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR (V)
KÇÇ DKT #:	
KCC DKT #:	Will Cores be taken?
NOO DINI W.	Will College be taken:
	Will Cores be taken? Yes No If Yes, proposed zone:
	If Yes, proposed zone:
AFFI	If Yes, proposed zone: RECEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug	DAVIT ging of this well will comply with K.S.A. 55 et. seq.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	If Yes, proposed zone: RECEIVED
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	DAVIT ging of this well will comply with K.S.A. 55 et, seq. FEB 2 3 2010
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	DAVIT ging of this well will comply with K.S.A. 55 et, seq. FEB 2 3 2010
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	DAVIT ging of this well will comply with K.S.A. 55 et. seq. FEB 2 3 2010 drilling rig; y circulating cement to the top; in all cases surface pipe KCC WICHITA
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the state of the shall be set by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district.	DAVIT ging of this well will comply with K.S.A. 55 et. seq. FEB 2 3 2010 drilling rig; y circulating cement to the top; in all cases surface pipe KCC WICHITA underlying formation. ct office on plug length and placement is necessary prior to plugging;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri- 5. The appropriate district office will be notified before well is either plugge	DAVIT ging of this well will comply with K.S.A. 55 et. seq. FEB 2 3 2010 drilling rig; y circulating cement to the top; in all cases surface pipe KCC WICHITA underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in;
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri- 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	DAVIT ging of this well will comply with K.S.A. 55 et. seq. FEB 2 3 2010 drilling rig; y circulating cement to the top; in all cases surface pipe KCC WICHITA underlying formation. ct office on plug length and placement is necessary prior to pluggling; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri- 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	DAVIT ging of this well will comply with K.S.A. 55 et. seq. FEB 2 3 2010 drilling rig; y circulating cement to the top; in all cases surface pipe KCC WICHITA underlying formation. ct office on plug length and placement is necessary prior to pluggling; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the seco	DAVIT ging of this well will comply with K.S.A. 55 et. seq. FEB 2 3 2010 drilling rig; y circulating cement to the top; in all cases surface pipe KCC WICHITA underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second o	DAVIT ging of this well will comply with K.S.A. 55 et. seq. FEB 2 3 2010 drilling rig; y circulating cement to the top; in all cases surface pipe KCC WICHITA underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the approved notice of intent to drill <i>shall be</i> posted on each of the second of	DAVIT ging of this well will comply with K.S.A. 55 et. seq. FEB 2 3 2010 drilling rig; y circulating cement to the top; in all cases surface pipe KCC WICHITA underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the s	DAVIT ging of this well will comply with K.S.A. 55 et. seq. FEB 2 3 2010 drilling rig; y circulating cement to the top; in all cases surface pipe KCC WICHITA underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Consulting Engineer & Agent
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of th	DAVIT ging of this well will comply with K.S.A. 55 et. seq. FEB 2 3 2010 drilling rig; y circulating cement to the top; in all cases surface pipe KCC WICHITA underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Consulting Engineer & Agent Title:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough and the distribution of 20 feet into the strough and the distribution of 20 feet into the strough and the distribution of 20 feet into the strough and the set of the specific distribution of 20 feet into the strough and the set of 20 feet into 20 feet into	DAVIT ging of this well will comply with K.S.A. 55 et. seq. FEB 2 3 2010 drilling rig; y circulating cement to the top; in all cases surface pipe KCC WICHITA underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Consulting Engineer & Agent Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the	DAVIT ging of this well will comply with K.S.A. 55 et. seq. FEB 2 3 2010 drilling rig; v circulating cement to the top; in all cases surface pipe KCC WICHITA underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Consulting Engineer & Agent Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date:
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved in the set of the	DAVIT ging of this well will comply with K.S.A. 55 et. seq. FEB 2 3 2010 drilling rig; y circulating cement to the top; in all cases surface pipe KCC WICHITA underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Consulting Engineer & Agent Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough all unconsolidated materials plus a minimum of 20 feet into the strough strong that the district office will be notified before well is either plugge for pursuant to Appendix "B". Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by t	DAVIT ging of this well will comply with K.S.A. 55 et. seq. FEB 2 3 2010 drilling rig; y circulating cement to the top; in all cases surface pipe KCC WICHITA underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Consulting Engineer & Agent Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-A) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the prior of the posted on each of the second of the	DAVIT ging of this well will comply with K.S.A. 55 et. seq. FEB 2 3 2010 drilling rig; y circulating cement to the top; in all cases surface pipe KCC WICHITA underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Consulting Engineer & Agent Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the price of intent to drill <i>shall be</i> posted on each of the second of the secon	DAVIT ging of this well will comply with K.S.A. 55 et. seq. FEB 2 3 2010 drilling rig; y circulating cement to the top; in all cases surface pipe KCC WICHITA underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Consulting Engineer & Agent Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the	DAVIT ging of this well will comply with K.S.A. 55 et. seq. FEB 2 3 2010 drilling rig; y circulating cement to the top; in all cases surface pipe KCC WICHITA underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Consulting Engineer & Agent Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approvai before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the second of the price of intent to drill <i>shall be</i> posted on each of the second of the secon	DAVIT ging of this well will comply with K.S.A. 55 et. seq. FEB 2 3 2010 drilling rig; y circulating cement to the top; in all cases surface pipe KCC WICHITA underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. st of my knowledge and belief. Consulting Engineer & Agent Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the	DAVIT ging of this well will comply with K.S.A. 55 et, seq. FEB 2 3 2010 drilling rig; y circulating cement to the top; in all cases surface pipe Carculating cement to the top; in all cases surface pipe Carculating cement to or office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It of my knowledge and belief. Consulting Engineer & Agent Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field


If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 119-21253-00-00	
Operator: Apache Corporation	Location of Well: County: Meade
Lease: Barby	660 feet from N / X S Line of Section
Well Number: 2-21	600 feet from E / X W Line of Section
Field: Wildcat	Sec. <u>21 Twp. <u>34</u> S. R. <u>27</u> E 🔀 W</u>
Number of Acres attributable to well: 480 acre lease QTR/QTR/QTR/QTR of acreage: sw sw	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)

RECEIVED
FEB 2 3 2010
KCC WICHITA





In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed


APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Apache Corporation		License Number: 34269	
Operator Address: 6120 S Yale Ave #1500		Tulsa OK 74136	
Contact Person: Randy Poeling			Phone Number: 580-225-9490
Lease Name & Well No.: Barby	2-2	21	Pit Location (QQQQ):
Type of Pit:	Pit is:		swsw
Emergency Pit Burn Pit	Proposed	Existing	Sec. 21 Twp. 34 R. 27 East West
Settling Pit Drilling Pit	If Existing, date co	onstructed:	Feet fromNorth / South Line of Section
Workover Pit Haul-Off Pit	Pit capacity:	<u> </u>	600 Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)	18,000	(bbls)	Meade County
Is the pit located in a Sensitive Ground Water	Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration:mg/l
Is the bottom below ground level?	Artificial Liner?		(For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used?
Yes No	Yes X	No	Native muds & clay
Pit dimensions (all but working pits): 150 Length (feet) 150 Width (feet) N/A: Steel Pits			
Depth from ground level to deepest point: 6 (feet) No Pit			
material, thickness and installation procedure		ilner integrity, il	ncluding any special monitoring.
Distance to nearest water well within one-mile 4224 feet Depth of water well	of pit v 85 feet	Depth to shallo Source of infor measu	
Emergency, Settling and Burn Pits ONLY: Drilling, Works		over and Haul-Off Pits ONLY:	
Producing Formation: Type of materi		al utilized in drilling/workover: Gel	
Number of producing wells on lease: Number of wor		king pits to be utilized: 3	
Barrels of fluid produced daily: Abandonment		procedure: Evaporation/dewater and backfilling of reserve pit	
Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Drill pits must l	be closed within 365 days of spud date.
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.			
2/22/2010		X lu.	Sow (FEB 2 3 2010
Date		S	Signature of Applicant or Agent KCC WICHITA
KCC OFFICE USE ONLY Steel Pit RFAC RFAS X			
Date Received: 2/23/10 Permit Num	ber:	Perm	it Date: 2-25-10 Lease Inspection: Yes No

RECEIVED

FEB 2 3 2010





February 25, 2010

Apache Corporation 6120 S Yale Ave #1500 Tulsa, OK 74136

RE: Drilling Pit Application

Barby Lease Well No. 2-21 SW/4 Sec. 21-34S-27W Meade County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and lined with native clay or bentonite. Please call the district office at (620) 225-8888 after the pits have been dug. District staff has determined that the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.

If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

Department of Environmental Protection and Remediation

cc: File