For KCC Use: 3-13-2010 Effective Date: 4

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: April 12, 2010	Spot Description:	
month day year	NE NE SE Sec. 36 Twp. 6 S. R.	_18
34351	(0:0/0/0) 2,310 feet from N / X	
OPFRATOR: License#	330 feet from E /	
Name: Maralex Resources, Inc.	Is SECTION: Regular Irregular?	_
Address 1: 775 Goddard Avenue, Address 2: P.O. Box 338	_	: 1->
Address 2: F.O. Box 338 City: Ignacio	(Note: Locate well on the Section Plat on reverse	e side)
Contact Person: A. M. O'Hare	County:	1-36
Phone: 970-563-4000	Lease Name: Frances Stout V	Vell #:
	Field Name: Widcat	
CONTRACTOR: License# 33493	Is this a Prorated / Spaced Field?	Yes No
Name: American Eagle Drilling, LLC	Target Formation(s): Arbuckle	
Well Drilled For: Well Class: / Type Equipment: /	Nearest Lease or unit boundary line (in footage): 330	
	Ground Surface Elevation: 1923.0	feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	Yes No
Disposal Wildcat Cable	Public water supply well within one mile:	Yes X No
Seismic; # of Holes Other	Depth to bottom of fresh water: 180'	
Other:	Depth to bottom of usable water:	
	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 250'	
Operator:	Length of Conductor Pipe (if any): N/A	
Well Name:	Projected Total Depth: 3500'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Arbuckle	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: Trucked in	
If Yes, true vertical depth:	DWR Permit #:	_
Bottom Hole Location:	(Note: Apply for Permit with DWR	
KCC DKT #:	Will Cores be taken?	Yes No
	If Yes, proposed zone:	
		RECEIVED
AFF	IDAVIT KANS/	AS CORPORATION COMMISSIC
The undersigned hereby affirms that the drilling, completion and eventual plug	ging of this well will comply with K.S.A. 55 et. seq.	1140 0 0 0010
It is agreed that the following minimum requirements will be met:		MAR 0 8 2010
"		
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each 	drilling rig:	ONSERVATION DIVISIO
3. The minimum amount of surface pipe as specified below shall be set by (Sold be set by the se	y circulating cement to the top; in all cases surface pipe sha	ill be set HITA, KS
through all unconsolidated materials plus a minimum of 20 feet into the	underlying formation.	
4. If the well is dry hole, an agreement between the operator and the distri	ct office on plug length and placement is necessary prior to	plugging;
5. The appropriate district office will be notified before well is either plugge	ed or production casing is cemented in;	could dote
 If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 	Trom below any usable water to surface within 120 DATS of	Spou date. Il cementina
must be completed within 30 days of the spud date or the well shall be	plugged. In all cases, NOTIFY district office prior to any c	ementing.
I hereby certify that the statements made herein are true and correct to the be		· ·
I hereby certify that the statements made herein are true and correct to the se	President	
Date: 3/5/2010 Signature of Operator or Agent:	Title: President	
Date.		i ω
F. WOOLIG ONLY	Remember to:	36
For KCC Use ONLY API # 15 - 163 - 23858-00-00	 File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date 	a.
	File Completion Form ACC-1 within 120 days of spud date File acreage attribution plat according to field proration ore	· · · · · · · · · · · · · · · · · · ·
Conductor pipe required	 Notify appropriate district office 48 hours prior to workove 	
200/	. tomy appropriate district diffee to floate prior to workers.	
Minimum surface nine required AVV feet per ALLE II I MILE	- Submit plugging report (CP-4) after plugging is completed	i (within 60 days);
Minimum surface pipe required 200 feet per ALT. I	 Submit plugging report (CP-4) after plugging is completed Obtain written approval before disposing or injecting salt v 	_
Approved by: 4 3-8-2010	, 55 5	water.
Approved by: 143-8-2010 This authorization expires: 3-8-2011	- Obtain written approval before disposing or injecting salt v	water.
Approved by: 4 3-8-2010	 Obtain written approval before disposing or injecting salt v If this permit has expired (See: authorized expiration date, 	water. $\overline{f \varpi}$
Approved by: 143-8-2010 This authorization expires: 3-8-2011	 Obtain written approval before disposing or injecting salt w If this permit has expired (See: authorized expiration date, check the box below and return to the address below. 	water.

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.


API No. 15 - 163-23858-000 Operator: Maralex Resources, Inc.	Location of Well: County:	Rooks			
Lease: Frances Stout	2,310	feet from N / N S Line of Section			
Well Number: 1-36	330	feet from X E / W Line of Section			
Field: Wildcat	Sec. 36 Twp. 6	S. R. 18 E W			
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: NE - NE - SE -	Is Section: Regular of	or Irregular			
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW				

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)

36	,							
ρ <u>230</u> '	1	•				:		. !
ρ <u>230</u> '	:							; i
ρ <u>230</u> '								:
ρ <u>330</u>	;							:
ρ <u>330</u>	,							
ρ <u>330</u>			*******			* * * * * * * * *		
ρ <u>230</u> '						:	•	: 1
ρ <u>230</u> '	:					:		: !
ρ <u>230</u> '	:	;						:
ρ <u>230</u> '								
ρ <u>230</u> '			'	•				
ρ <u>230</u> '					4			
ρ <u>230</u> '						:	•	:
ρ <u>230</u> '	:		:					•
ρ <u>230</u> '			:	:		-		:
ρ <u>330</u>	:		;	:		•		:
ρ <u>330</u>			:	:		:	:	:
ρ <u>230</u> '				,,			******	
ρ <u>230</u> '								
ρ <u>230</u> '	1		:	:		;	:	-
ρ <u>230</u> '	;		:	;		:	:	•
ρ <u>230</u> '			:	;		:	•	:
ρ <u>230</u> '	:		:	: ^		;	:	:
ρ <u>230</u> '	,			·	<i>(</i>		•	,
		•		. •	_	•	•	·
	:		:	:		:	:	: \$30
43.0'	:		:	:		:	;	• •
4310'	;		;	;		:		; r
43.0'	•		•	•		•	•	·
3370'								
4310'								: i
35.00	;		:	:		:	:	: !
9310'	· :		;	;		;	;	;
43.0'			:	:	1	:	:	
33.00			•	•		•	•	'
43.0'				* * * * * * * * * * * * * * * * * * * *		*****		
\$3.0'	١.				İ			: 1
9310'	1 :	:	:	:		:	:	: [
83.0	1 :		:	:	İ	:	;	
88	;		:	:		:	;	
88			:	;		:	:	: 21
, and the second				********	.,			NO.
8								. '01
	1		;	;			:	: ૧૦
			:	:		:	:	
			:	:		-	:	:
	: :	:	:	:			:	: I
		•	•	•	1	•	,	

NOTE: In all cases locate the spot of the proposed drilling locaton.



RECEIVED KANSAS CORPORATION COMMISSIO

In plotting the proposed location of the well, you must show:

WICHITA, KS

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections. CONSERVATION DIVISION 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).


MAR 0 8 2010

PENCO ENGINEERING, P.A. P.O. BOX 392 PLAINVILLE, KS 67663 (785) 434-4611

15-163-23858-00-00

BILL TO:

NE 1/4, NE 1/4, SE 1/4 Section 36, T65, R18W	DATE 26, 2010
Francis Staut #1-36 LEASE LOCATION NO.	ROOKS COUNTY



Elevations based on a Quad Map Elevation at the E $\frac{1}{4}$ of Sec. 36, 16S, R18W. Elev. 1923.0

RECEIVED KANSAS CORPORATION COMMISSION

Scale: 1"= 1000"

MAR 0 8 2010

X:\uc2\50\5010006- Marales Well\Sec.36 & 18.0mg

CONSERVATION DIVISION WICHITA, KS

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Maralex Resources, Inc.		License Number: 34351			
Operator Address: 775 Goddard A	venue,	P.O	. Box 338 Ignacio CO 81137		
Contact Person: A. M. O'Hare			Phone Number: 970-563-4000		
Lease Name & Well No.: Frances Sto	out 1-3	66	Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>NE _ NE _ SE</u>		
Emergency Pit Burn Pit	Proposed [Existing	Sec. 36 Twp. 6 R. 18 East West		
Settling Pit Drilling Pit	If Existing, date co	onstructed:	2,310 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		365 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	1,000	(bbls)	Rooks County		
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration:mg/l		
			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? Clay Type Soil		
Pit dimensions (all but working pits): 70 Length (feet) 70 Width (feet) N/A: Steel Pits					
Depth from ground level to deepest point: 6 (feet) No Pit					
material, thickness and installation procedure.		including any special monitoring. RECEIVED KANSAS CORPORATION COMMIS MAR 0 8 2010 CONSERVATION DIVIS WICHTA, RS			
Source		Source of info	ormation:		
N/A feet Depth of water wellfeet		meas			
zineigeney, earning and zineigeney		<u>-</u> -	Norkover and Haul-Off Pits ONLY: aterial utilized in drilling/workover: Fresh Water Mud		
		er of working pits to be utilized:5			
			Abandonment procedure: Truck fluids and evaporation		
Does the slope from the tank battery allow all spilled fluids to		st be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
3/5/2010 Date Signature of Applicant or Agent					
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: 3 - 8 - 10 Permit Nur	mber:	Perr	mit Date: 3 - 8 ~ 0 Lease Inspection: Yes 🔀 No		