For KCC Use:	3292010
Effective Date: _	7/2010
District #	<u> </u>
CCA2 DVac	. 17 No.

KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

Form C-1
October 2007
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC III	e (5) days prior to commencing well
Expected Spud Date: April 15 2010	Spot Description: 160' N & 76' W of
month day year	SW - SE - NW Sec. 1 Twp. 14 S. R. 32 TE XW
5046 V	(arazara) 2,150 feet from N / S Line of Section
OPERATOR: License# Name: Raymond Oil Company, Inc.	1,574 feet from E / X W Line of Section
Address 1: PO BOX 48788	Is SECTION: Regular X Irregular?
Address 2:	_ - _ -
City: Wichita State: Ks Zip: 67202 +	(Note: Locate well on the Section Plat on reverse side) County: Logan
Contact Person: Ted McHenry	Lease Name: Steckel/Darney Well #: 1
Phone: 316-267-4214	Field Name: WC
CONTRACTOR: License# 6039	Is this a Prorated / Spaced Field?
Name: LD Drilling	Target Formation(s): LKC, Cher, MIss
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 490'
	Ground Surface Elevation: 2875' feet MSL
Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: Approx 60'
Other:	Depth to bottom of usable water: Approx 1450'
	Surface Pipe by Alternate: I I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 225'
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 4650'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Miss
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? If Yes, true vertical depth:	Well Farm Pond Other: Hauled
Bottom Hole Location:	DWR Permit #:
KCC DKT #:	(Note: Apply for Permit with DWR
	Will Cores be taken?Yes ☑ No
Al-	FIDAVIT
5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the	h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ictrict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. The best of my knowledge and belief.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be sei</i> through all unconsolidated materials plus a minimum of 20 feet into the strong of the well is dry hole, an agreement between the operator and the disense of the suppropriate district office will be notified before well is either plug for an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be the shall be the statements made herein are true and correct to the shall be the statements made herein are true and correct to the shall be the statements made herein are true and correct to the shall be the statements made herein are true and correct to the shall be the statements made herein are true and correct to the shall be the statements made herein are true and correct to the shall be the statements made herein are true and correct to the shall be the statements made herein are true and correct to the shall be the statements made herein are true and correct to the shall be the statements made herein are true and correct to the shall be the statements made herein are true and correct to the shall be the	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ictrict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. best of my knowledge and belief. Geologist
 It is agreed that the following minimum requirements will be met: Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on eac The minimum amount of surface pipe as specified below <i>shall be sei</i> through all unconsolidated materials plus a minimum of 20 feet into the fitten well is dry hole, an agreement between the operator and the district office will be notified before well is either plug If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the 	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It in the control of t
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the dise. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the statements. Signature of Operator or Agent: Signature of Operator or Agent:	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It interior office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Geologist Remember to:
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the dise. 5. The appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the statements. Signature of Operator or Agent: Signature of Operator or Agent:	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It in the underlying formation of the underlying formation of the underlying formation. It is in the underlying formation of the underlying formation casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing. It is the underlying formation. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the first and the first appropriate district office will be notified before well is either plug of the spursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the Date: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 109 - 20 901 - 00-00	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is in the underlying formation and placement is necessary prior to plugging; tiged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Geologist Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the district office will be notified before well is either plug of the appropriate of the plug of the spud date or the well shall be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the signature of Operator or Agent: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 109 - 2090 - 00-00-00-00-00-00-00-00-00-00-00-00-	h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is underlying formati
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a thereby certify that the statements made herein are true and correct to the statements made herein are true and correct to the conductor pipe required Signature of Operator or Agent: For KCC Use ONLY	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Geologist File Drill Pit Application (form CDP-1) with intent to Drill; File completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CPA) after plugging is completed (within 60 days):
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a thereby certify that the statements made herein are true and correct to the statements made herein are true and correct to the conductor pipe required Signature of Operator or Agent: For KCC Use ONLY	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It interior office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Geologist Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate of the district office will be notified before well is either plug of the appropriate of the plug of the spud date or the well shall be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the signature of Operator or Agent: Signature of Operator or Agent: For KCC Use ONLY API # 15 - 109 - 2090 - 00-00-00-00-00-00-00-00-00-00-00-00-	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Intrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Geologist Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water If this permit has expired (See: authorized expiration date) please
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a thereby certify that the statements made herein are true and correct to the signature of Operator or Agent: Signature of Operator or Agent: Signature of Operator o	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Geologist Title: Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water. - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac. 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the signature of Operator or Agent: Signature of Operator or Agent: Signature of	h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It intrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Title: Geologist

MAR 2 3 2010 Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 109-20901-00-00	
Operator: Raymond Oil Company, Inc.	Location of Well: County: Logan
Lease: Steckel/Darney	2,150 feet from N / S Line of Section
Well Number: 1	1,574 feet from E / X W Line of Section
Field: WC	Sec. 1 Twp. 14 S. R. 32 E X W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or X Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

MAR 2 3 2010

In plotting the proposed location of the well, you must show:

KCC WICHITA

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Raymond Oil Company, Inc.			License Number: 5046		
Operator Address: PO BOX 48788			Wichita Ks 67202		
Contact Person: Ted McHenry			Phone Number: 316-267-4214		
Lease Name & Well No.: Steckel/Darney 1			Pit Location (QQQQ):		
Type of Pit:	Pit is:		<u>SW . SE . SE</u>		
Emergency Pit Burn Pit	Proposed Existing		Sec. 1 Twp. 14 R. 32 East West		
Settling Pit Drilling Pit	If Existing, date constructed:		2,150 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		1,574 Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)			Logan		
is the pit located in a Sensitive Ground Water	Area? Yes >		Chloride concentration:mg/l		
			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner? Yes No		How is the pit lined if a plastic liner is not used? Bentonite Mud		
Pit dimensions (all but working pits):	O Length (f	eet) 80	Width (feet) N/A: Steel Pits		
Depth from	om ground level to d		4 (feet) No Pit		
material, thickness and installation procedure.		Describe proce liner integrity, in Daily Inspe	edures for periodic maintenance and determining ncluding any special monitoring.		
			22		
Distance to nearest water well within one-mile of pit		Depth to shallowest fresh water32feet. Source of information:			
NA feet Depth of water well NA feet		measured well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation: Type o			ype of material utilized in drilling/workover: fresh mud		
Number of producing wells on lease: Number of		Number of worl	umber of working pits to be utilized:3 pandonment procedure: Evaporate & Backfill		
		procedure: LVaporate & Backilli			
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
3-22-10		Sell	MAR 2 4 2010		
Date Signature of Applicant or Agent KCC WICHITA					
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: 3-24-10 Permit Numb	per:	Permit	t Date: 3 - 24-70 Lease Inspection: Yes 🗷 No		