

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 5150  
Name: COLT ENERGY, INC  
Address 1: PO BOX 388  
Address 2: 1112 RHODE ISLAND RD  
City: IOLA State: KS Zip: 66749 + 0388  
Contact Person: DENNIS KERSHNER  
Phone: ( 620 ) 365-3111  
CONTRACTOR: License # 5989  
Name: FINNEY DRILLING COMPANY  
Wellsite Geologist: JIM STEGEMAN  
Purchaser: COFFEYVILLE RESOURCES, LLC

Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SLOW  
 Gas  ENHR  SIGW  
 CM (Coal Bed Methane)  Temp. Abd.  
 Dry  Other \_\_\_\_\_  
(Core, WSW, Expl., Cathodic, etc.)

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening  Re-perf.  Conv. to Enhr.  Conv. to SWD  
 Plug Back: \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
 Commingled Docket No.: \_\_\_\_\_  
 Dual Completion Docket No.: \_\_\_\_\_  
 Other (SWD or Enhr.?) Docket No.: \_\_\_\_\_  
8/25/09 8/28/09 NOT COMPLETED  
Spud Date or Date Reached TD Completion Date or Recompletion Date

API No. 15 - 031-22,384-0000  
Spot Description: \_\_\_\_\_  
NE SE NE NE Sec. 11 Twp. 23 S. R. 16  East  West  
715 Feet from  North /  South Line of Section  
185 Feet from  East /  West Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
 NE  NW  SE  SW  
County: COFFEY  
Lease Name: BEARD/SKELTON "1" Well #: 7  
Field Name: NEOSHO FALLS-LEROY  
Producing Formation: SQUIRREL  
Elevation: Ground: 985 Kelly Bushing: ----  
Total Depth: 991 Plug Back Total Depth: 983.80  
Amount of Surface Pipe Set and Cemented at: 40 Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set: \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from: 991  
feet depth to: SURFACE w/ 148


**Drilling Fluid Management Plan**  
(Data must be collected from the Reserve Pit)  
Chloride content: \_\_\_\_\_ ppm Fluid volume: \_\_\_\_\_ bbls  
Dewatering method used: PIT HAS NOT BEEN FILLED  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

ATZ-DG 2/5/10 <sup>sx cmv</sup>

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Dennis Kershner  
Title: OFFICE MANAGER Date: 1-20-2012  
Subscribed and sworn to before me this 26<sup>th</sup> day of January  
20 10  
Notary Public: Shirley A. Stotler  
Date Commission Expires: 1-20-2012



**KCC Office Use ONLY**  
 Letter of Confidentiality Received  
 If Denied, Yes  No Date: \_\_\_\_\_  
 Wireline Log Received **FEB 01 2010**  
 Geologist Report Received  
 UIC Distribution  
**RECEIVED**  
**KANSAS CORPORATION COMMISSION**  
**CONSERVATION DIVISION**  
**WICHITA, KS**

Operator Name: COLT ENERGY, INC Lease Name: BEARD/SKELTON "1" Well #: 7  
 Sec. 11 Twp. 23 S. R. 16  East  West County: COFFEY

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run: <b>GAMMA RAY/NEUTRON/CCL</b>	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum <b>DRILLERS LOG ENCLOSED</b>
--	--

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
SURFACE	12 1/4	7	19	40	50/50	38	
PRODUCTION	5 5/8	2 7/8	6.5	983.80	50/50	148	

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)	Depth
	NOT COMPLETED		
		<b>RECEIVED</b> <b>KANSAS CORPORATION COMMISSION</b>  <b>FEB 01 2010</b>	
		<b>CONSERVATION DIVISION</b> <b>WICHITA, KS</b>	

TUBING RECORD:		Size:	Set At:	Packer At:	Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No
Date of First, Resumed Production, SWD or Enhr. NOT COMPLETED		Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
---	--	--



**CONSOLIDATED**  
Oil Well Services, LLC

TICKET NUMBER 20169  
LOCATION Ottawa KS  
FOREMAN Fred Mader

PO Box 884, Chanute, KS 66720  
620-431-9210 or 800-467-8676

**FIELD TICKET & TREATMENT REPORT**  
**CEMENT**

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
8/28/09	1838	Beard/Skilton #7	NE 11	23	16	CF
CUSTOMER			TRUCK #			
Colt Energy Inc			DRIVER			
MAILING ADDRESS			TRUCK #			
1112 Rhode Island Rd			DRIVER			
CITY			TRUCK #			
Tola			DRIVER			
STATE			TRUCK #			
KS			DRIVER			
ZIP CODE			TRUCK #			
66749			DRIVER			

JOB TYPE long string HOLE SIZE 5 7/8 HOLE DEPTH 996' CASING SIZE & WEIGHT 2 7/8" EUE  
 CASING DEPTH 986' DRILL PIPE \_\_\_\_\_ TUBING \_\_\_\_\_ OTHER \_\_\_\_\_  
 SLURRY WEIGHT \_\_\_\_\_ SLURRY VOL \_\_\_\_\_ WATER gal/sk \_\_\_\_\_ CEMENT LEFT in CASING 2 1/2" Plug  
 DISPLACEMENT 5.738 DISPLACEMENT PSI \_\_\_\_\_ MIX PSI \_\_\_\_\_ RATE 4BPM

REMARKS: Establish circulation. Mix + Pump 100# Premium Coal  
Flush. Mix + Pump 151 SKS 50/50 Por Mix Cement  
220 Gal 1/4" Phenoseal per sack. Cement to surface.  
Flush pump + lines clean. Displace 2 1/2" Rubber  
plug to casing TD w/ BBLs Fresh water.  
Pressure to 750# PSI. Release pressure to set float  
value. Shut in casing.

*Fred Mader*

Kurt Finney Div.  
Customer Supplied H<sub>2</sub>O.

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401	1	PUMP CHARGE <u>Cement Pump</u>		870 <sup>00</sup>
5406	50 mi	MILEAGE <u>Pump Truck</u>		172 <sup>50</sup>
5402	986	<u>Casing Footage</u>		N/C
5407A	317.1	<u>Ten Miles</u>		367 <sup>89</sup>
1124	148 SKS	<u>50/50 Por Mix Cement</u>		1369 <sup>00</sup>
1118B	354 #	<u>Premium Coal</u>		266 <sup>49</sup>
1107A	38 #	<u>Pheno Seal</u>		41 <sup>04</sup>
4402	1	<u>2 1/2" Rubber Plug</u>		22 <sup>00</sup>
RECEIVED KANSAS CORPORATION COMMISSION				
FEB 01 2010				
CONSERVATION DIVISION WICHITA, KS				
WD 231 0944				
RECEIVED KANSAS CORPORATION COMMISSION				
FEB 01 2010				
CONSERVATION DIVISION WICHITA, KS				
			5.3%	SALES TAX
				7891
				ESTIMATED
				TOTAL
				2977 <sup>93</sup>

Ravin 3737

AUTHORIZATION *Harry Decker*

TITLE \_\_\_\_\_

DATE \_\_\_\_\_

