


Company-SKELLY OIL CO.
 Farm-Phy Stewart No. 6

SEC. 16 T. 10 R.23W
 NE SE SW
 330' fr EL, 990' fr SL, SW/4

County Graham
 KANSAS

Total Depth. 3910 PBD 3857
 Comm. 6-23-55 Comp. 7-5-55
 Shot or Treated Acid.: 1250 gal. 3824-28, 1250 gal. 3808-14, 4500
 Contractor. Claude Wentworth Drilling Co., Inc. gal. 3808-14. &
 Issued. 9-10-55 3824-28



CASING:

8 5/8 @ 278' w/ 200 sx cmt.
 5 1/2 @ 3889' w/ 200 sx cmt.

Elevation. 2377 DF

Production. 433 BOPD

Figures indicate Bottom of Formations

surface soil, sand, rock & shale	150
sand & rock	278
rock & shale	791
shale & shells	850
sandy lime & shale	1150
shale & lime	1480
shale & shells	1680
shale	1695
red bed & shale	1920
anhydrite	1960
lime & shale	2340
shale	2365
shale & lime	2660
lime	2720
lime & shale	3292
lime	3649
cherty lime	3659
lime	3744
chalky lime	3758
lime	3910
Total Depth	

TOPS:	
Top Anhydrite	1919
Base Anhydrite	1955
Wellington	2254
Base Wellington	2450
Neva	2937
Near Topeka	3400
Heebner	3618
Toronto	3640
Lansing	3652

DST #1: 3727-39, open 30 min. strong blow thruout, rec. 90' VHO&GCM, 540' SW, IFP 30#, FFP 240#, BHP 1120#.

Producing formations: Lansing lime 3808-14 & 3824-28.

RECEIVED
 STATE CORPORATION COMMISSION

MAR 15 1976

CONSERVATION DIVISION
 Wichita, Kansas