

CONFIDENTIAL  
FEB 06 2008  
CONFIDENTIAL  
FEB 06 2008  
KCC

CONFIDENTIAL

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1  
September 1999  
Form Must Be Typed

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

Operator: License # 5447  
Name: OXY USA Inc.  
Address: P.O. Box 2528  
City/State/Zip: Liberal, KS 67905  
Purchaser: Oneok  
Operator Contact Person: Kenny Andrews  
Phone: (620) 629-4200  
Contractor: Name: Best Well Service  
License: N/A 32564  
Wellsite Geologist: N/A  
Designate Type of Completion:  
 New Well  Re-Entry  Workover  
 Oil  SWD  SIOW  Temp. Abd.  
 Gas  ENHR  SIGW  
 Dry  Other (Core, WSW, Expl, Cathodic, etc)  
If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_

Original Comp. Date: 05/06/1991 Original Total Depth: 3045  
 Deepening  Re-perf.  Conv. To Enhr./SWD  
 Plug Back  Plug Back Total Depth  
 Commingled  Docket No. \_\_\_\_\_  
 Dual Completion  Docket No. \_\_\_\_\_  
 Other (SWD or Enhr.?)  Docket No. \_\_\_\_\_  
10/23/2007 03/21/1991 11/01/2007  
Spud Date or Recompletion Date Date Reached TD Completion Date or Recompletion Date

API No. 15 - 055-20960-0001  
County: Finney  
C - SW Sec 17 Twp. 25 S. R. 33W  
1320 feet from S N (circle one) Line of Section  
1320 feet from E W (circle one) Line of Section  
Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE NW SW  
Lease Name: Spratt D Well #: 2  
Field Name: Panoma  
Producing Formation: Chase/Council Grove  
Elevation: Ground: 2936 Kelly Bushing: 2947  
Total Depth: 3045 Plug Back Total Depth: 2988  
Amount of Surface Pipe Set and Cemented at 1080 feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_  
If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan WONH 10-10-08  
(Data must be collected from the Reserve Pit)  
Chloride content \_\_\_\_\_ ppm Fluid volume \_\_\_\_\_ bbls  
Dewatering method used \_\_\_\_\_  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R.  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 6702, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]  
Title: Production Lead Date February 6, 2008  
Subscribed and sworn to before me this 6<sup>th</sup> day of Feb.  
20 08  
Notary Public: Anita Peterson  
Date Commission Expires: Oct 1, 2009

ANITA PETERSON  
Notary Public - State of Kansas  
My Appt. Expires October 1, 2009

KCC Office Use Only  
 Letter of Confidentiality Attached  
If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
\_\_\_\_\_  
Geologist Report Received  
\_\_\_\_\_  
UIC Distribution

RECEIVED  
KANSAS CORPORATION COMMISSION

FEB 07 2008

CONSERVATION DIVISION  
WICHITA, KS

JAN 2000

Side Two

Operator Name: OXY USA Inc. Lease Name: Spratt D Well #: 2

Sec. 17 Twp. 25 S. R. 33W  East  West County: Finney

**Instructions:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Name	Top Datum
Cores Taken	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Electric Log Run <i>(Submit Copy)</i>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
List All E. Logs Run:	Cement Bond Log		

CASING RECORD <input checked="" type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (in. O.D.)	Weight Lbs./ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Conductor					C		
Surface	12 1/4	8 5/8	24	1103	C	300 125	35/65 Poz + Additives Class C w/2% CaCl + Additives
Production	7 7/8	5 1/2	14	3127	C C	350 250	65/35 Cl C POZ + Additives 50/50 Cl C POZ + Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD

Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
2	2523-2530, 2542-2546, 2550-2562, 2570-2584 (new)	Frac: 3505 bbls 75Q X-link gel w/75% N2 foam;	
3	2605-2610, 2616-2626 (new)	301,187# 16/30 sand	
4	2663-2670, 2675-2694 (new)		
2	2829-2841, 2848-2854, 2860-2876 (old)		

TUBING RECORD		Size 2 3/8	Set At 2886	Packer At	Liner Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Date of First, Resumed Production, SWD or Enhr. 11/02/2007		Producing Method <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)			
Estimated Production Per 24 Hours	Oil BBLs 0	Gas Mcf 95	Water Bbls 8	Gas-Oil Ratio	Gravity

Disposition of Gas:  Vented  Sold  Used on Lease *(If vented, Submit ACO-18)*

METHOD OF COMPLETION:  Open Hole  Perf.  Dually Comp.  Commingled

Production Interval:  Other (Specify) \_\_\_\_\_