CONFIDENTIAL

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINAL

September 1999 Form Must Be Typed

WICHITA, KS

2/13/10

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

22244	099 API No. 15 - <u>15-183-24224-0000</u>
Operator: License # 33344	
Name: Quest Cherokee, LLC	County: Neosho
Address: 211 W. 14th Street	
City/State/Zip: Chanute, KS 66720	660 feet from S (circle one) Line of Section
Purchaser: Bluestern Pipeline, LLC	1025 feet from W (circle one) Line of Section
City/State/Zip: Chandle, RS 66720 Purchaser: Bluestem Pipeline, LLC Operator Contact Person: Jennifer R. Ammann CONFIDENTIAL Operator Contact Person: Jennifer R. Ammann CONFIDENTIAL CONFIDENTIAL TXD	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 431-9500	(circle one) NE SE NW SW
Contractor: Name: TXD	Lease Name: Myers, Leroy B. Well #: 12-1
License: 33837	Field Name: Cherokee Basin CBM
Wellsite Geologist: Ken Recoy	Producing Formation: Multiple
Designate Type of Completion:	Elevation: Ground: 910 Kelly Bushing: n/a
New Well Re-Entry Workover	Total Depth: 1009 Plug Back Total Depth: 993
Oil SWD SIOW Temp. Abd.	Amount of Surface Pipe Set and Cemented at 22 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? ☐ Yes ☑ No
	If yes, show depth setFeet
Dry Other (Core, WSW, Expl., Cathodic, etc)	If Alternate II completion, cement circulated from 993
If Workover/Re-entry: Old Well Info as follows:	feet depth to surface w/ 135 sx cmt.
Operator:	
Well Name:	Drilling Fluid Management Plan AH IIV TO 809 (Data must be collected from the Reserve Pt)
Original Comp. Date: Original Total Depth:	·
Deepening Re-perf Conv. to Enhr./SWD	Chloride content ppm Fluid volume bbls
Plug Back Plug Back Total Depth	Dewatering method used
Commingled Docket No.	Location of fluid disposal if hauled offsite:
Dual Completion Docket No	On anyton Marrow
Other (SWD or Enhr.?) Docket No	Operator Name:
10-24-07 10-29-07 10-30-07	Lease Name: License No.:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R
Recompletion Date Recompletion Date	County: Docket No.:
Kansas 67202, within 120 days of the spud date, recompletion, worko	th the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, ver or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. 12 months if requested in writing and submitted with the form (see rule 82-3-13) and geologist well report shall be attached with this form. ALL CEMENTING Is. Submit CP-111 form with all temporarily abandoned wells.
All requirements of the statutes, rules and regulations promulgated to regulaterin are complete and correct to the best of my knowledge.	ulate the oil and gas industry have been fully complied with and the statements
	V00 000 - U 000V
Signature: Gennify & Ammann	KCC Office Use ONLY
Title: New Well Development Coordinator Date: 2/13/08	Letter of Confidentiality Received
10th Aug	If Denied, Yes Date:
Subscribed and sworn to before me this 15 day of	Wireline Log Received
20_06.	Geologist Report Received Fig. (FIVED
Notary Public: Devra Klauman	UIC Distribution TROSS CONTROL CONTROLS
Date Commission Expires: 8-41-2010	FED 15 2008
I R. ICI	RRA KLAUMAN FEB 1 J 2000
My Appt. Expin	Public - State of Kansas es 8-4-300 CONSERVATION DIVISION WICHITA KS

ORIGINAL

	S. C. S. S. S. S. S. S. S.					10.	بست و حج	131 1.4	
Operator Name: Que	est Cherokee, L	TC	Lea	ase Name:	Myers, Lero	y B.	Well #:12-1	1 + + V 1	
Sec. 12 Twp. 3	1 1 "	_		unty: Neosi		·			
INSTRUCTIONS: Shested, time tool oper temperature, fluid rec Electric Wireline Logs	n and closed, flowi covery, and flow ra	ing and shut-in tes if gas to sui	pressures, whethe face test, along wi	r shut-in pr	essure reached	d static level, hydr	ostatic pressur	es, bottom hole	
Drill Stem Tests Take	* .	☐ Yes	□No	Σľ	.og · Forma	tion (Top), Depth	and Datum	Sample	
Samples Sent to Geological Survey			□No		Name Top Dat See attached			Datum	
Cores Taken	i i	Yes	 □ No	366	allacheu				
Electric Log Run (Submit Copy)	1	Yes	□No						
ist All E. Logs Run:	1	•							
Compensated Dual Induction	_	· ·	CASING RECOR		ew Used	oction, etc.			
Purpose of String	Size Hole Drilled	Size C Set (In	asing	Weight bs. / Ft.	Setting	Type of Cement	# Sacks Used	Type and Percent Additives	
Surface	12-1/4	8-5/8"	22	DS. / Pt.	Depth 22	"A"	5	Additives	
Production 🤾 🤇	6-3/4	4-1/2	10.5		993	"A"	135		
	, 7								
		A	DDITIONAL CEMEN	NTING / SQ	UEEZE RECOF	RD.			
Purpose: Depth Type of Cement Perforate Top Bottom			Cement #Sa	nent #Sacks Used Type and Percent Additives				· · · · · · · · · · · · · · · · · · ·	
Protect Casing Plug Back TD Plug Off Zone									
Shots Per Foot			Bridge Plugs Set/Ty Interval Perforated	ype	Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
4	897-899/845-8	47/838-840			500gal 15%HCl.w/ 49bbts 2%krd water, 654bbts water w/ 2% KCl., Blodde, 6800# 20/40 sand 897-899/845-8-				
	<u> </u>	.3						838-840	
4 688-690/630-632/580-582/577-578				· · · · · · · · · · · · · · · · · · ·	400gal 15%HCLw/ 44t	oblis 2%kol water, 486bbls water	r w/ 2% KCL, Blockle, 2200	# 20/40 sand 688-690/630-63	
		· · · · · · · · · · · · · · · · · · ·		· · · · · · · ·			·	580-582/577-57	
	466-470/450-4				300gel 15%:HCLw/ 41bbts 2%kcl water, 671bbts water w/ 2% KCL, Blockle, 6800# 20/40 sand 466-470/450-45				
TUBING RECORD 2-3	Size /8"	Set At 939	Pack n/a	er At	Liner Run	☐ Yes	0		
Date of First, Resumero	l Production, SWD or		roducing Method	Flowin	g 📝 Pum	ping Gas L	.ift 🔲 Oth	er (Explain)	
Estimated Production Per 24 Hours	Oil n/a	Bbls.	Gas Mcf 2.1 mcf	Wat 81.8		Bbls.	Gas-Oil Ratio	Gravity	
Disposition of Gas	METHOD OF	COMPLETION			Production Int	erval			
Vented ✓ Sold (If vented, Su	Used on Lease bmit ACO-18.)	. [Open Hole	Perf.	Dually Comp.	Commingled			
Brow			Je 2 1 1	דבתוט	,A)	-			
TO THE LOCAL PROPERTY AND	н	(C. Endre wiens						



10-30-07

Ravin 4513

211 W. 14TH STREET, CHANUTE, KS 66720 620-431-9500

leray

WELL NAME & NUMBER

12-1

CONFIDENTIAL
FEB 1 3 2008
TREATMENT REPORT

TICKET NUMBER 2551

RANGE

18

COUNTY

en all the t

WICHITA, KS

LB

FIELD TICKET BEF #.

FOREMAN Jac

TOWNSHIP

SECTION

12

619350

Myers

& FIELD TICKET CEMENT

	FOREMAN / OPERATOR	TIME	TIME		TRUCK #	TRAILER #	TRUCK HOURS	EMPLOYEE SIGNATURE		
	Jue	6:45	10:3	Bo .	903427		3.75	Jac Blancho		
	MANERICIC	7:00			903197		3 , 5	120		
	Tyler	7:00			903600		3 · 5	m		
	Tim	6:45			903140	932452	3.75	L. Ma		
			\							
	CASING DEPTH 993 SLURRY WEIGHT 1/2 DISPLACEMENT 1/5. REMARKS: TUST Alkel Con	<u>8・4</u> フ DRILL F 1・2 SLURR <u>84</u> DISPLA	PIPE Y VOL CEMENT	PSI I	TUBING WATER gal/sk MIX PSI	OTHE CEME	R NT LEFT in CASING	<u> </u>		
				<u>'</u>	· \ \ \		·			
19,			, .,		·					
	f									
	1	993	U 7	F+ 41/2 (2000	<u> </u>				
,		112	6				-			
ſ	ACCOUNT	1 Ling Floor + Share								
Ļ	ACCOUNT CODE	QUANTITY or UI	VITS		DESCRIPTION OF SERVICES OR PRODUCT					
	90.3427	3.75	hr	Foreman Pickup						
L	903197	3.5	hr	Cement Pump Truck	<					
L	903600	3.5	hr	Bulk Truck						
	1104	125	SK	Portland Cement						
	1124 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \									
	1126			OWC - Blend Cement						
L	1110	32	SK	Gilsonite						
L	1107		SK	Flo-Seal						
	1118	6	SK	Premium Gel						
L	1215A	Laa	(KCL	·		RECEIVE)		
L	1111B 3 5K Sodium Bilicate Calchiorice									
	1123	700	00	City Water			FFR 15 20	10		
L	903140	3.75	. No	Transport Truck			<u> </u>	10		
_	938452	3.75	hr	Transport Trailer			CONSERVATION DIV	SION		

80 Vac