

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

**ORIGINAL**  
Form ACO-1  
October 2008  
Form Must Be Typed

**WELL COMPLETION FORM**  
**WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License # 6142  
 Name: Town Oil Company Inc.  
 Address 1: 16205 W. 287th Street  
 Address 2: \_\_\_\_\_  
 City: Paola State: KS Zip: 66071 + \_\_\_\_\_  
 Contact Person: Lester Town  
 Phone: ( 913 ) 294-2125  
 CONTRACTOR: License # 33715  
 Name: Town Oilfield Service, Inc.  
 Wellsite Geologist: \_\_\_\_\_  
 Purchaser: Pacer  
 Designate Type of Completion:  
 New Well \_\_\_\_\_ Re-Entry \_\_\_\_\_ Workover \_\_\_\_\_  
 Oil \_\_\_\_\_ SWD \_\_\_\_\_ SLOW \_\_\_\_\_  
 \_\_\_\_\_ Gas \_\_\_\_\_ ENHR \_\_\_\_\_ SIGW \_\_\_\_\_  
 \_\_\_\_\_ CM (Coal Bed Methane) \_\_\_\_\_ Temp. Abd. \_\_\_\_\_  
 \_\_\_\_\_ Dry \_\_\_\_\_ Other \_\_\_\_\_  
 (Core, WSW, Expl., Cathodic, etc.)  
 If Workover/Re-entry: Old Well Info as follows:  
 Operator: \_\_\_\_\_  
 Well Name: \_\_\_\_\_  
 Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 \_\_\_\_\_ Deepening \_\_\_\_\_ Re-perf. \_\_\_\_\_ Conv. to Enhr. \_\_\_\_\_ Conv. to SWD \_\_\_\_\_  
 \_\_\_\_\_ Plug Back: \_\_\_\_\_ Plug Back Total Depth \_\_\_\_\_  
 \_\_\_\_\_ Commingled \_\_\_\_\_ Docket No.: \_\_\_\_\_  
 \_\_\_\_\_ Dual Completion \_\_\_\_\_ Docket No.: \_\_\_\_\_  
 \_\_\_\_\_ Other (SWD or Enhr.?) \_\_\_\_\_ Docket No.: \_\_\_\_\_  

<u>9-14-2009</u>	<u>9-18-09</u>	<u>11-1-09</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 15-001-29928-00-00  
 Spot Description: \_\_\_\_\_  
SE SW SW SW Sec. 4 Twp. 24 S. R. 19  East  West  
165 Feet from  North /  South Line of Section  
4785 Feet from  East /  West Line of Section  
 Footages Calculated from Nearest Outside Section Corner:  
 NE  NW  SE  SW  
 County: Allen  
 Lease Name: North Meiwes Well #: 2  
 Field Name: Iola  
 Producing Formation: Tucker  
 Elevation: Ground: 1068 Kelly Bushing: N/A  
 Total Depth: 1018' Plug Back Total Depth: 21'  
 Amount of Surface Pipe Set and Cemented at: 20' Feet  
 Multiple Stage Cementing Collar Used?  Yes  No  
 If yes, show depth set: \_\_\_\_\_ Feet  
 If Alternate II completion, cement circulated from: 20'  
 feet depth to: surface w/ 3 <sup>sx cmt.</sup>

**Drilling Fluid Management Plan**  
(Data must be collected from the Reserve Pit)  
 Chloride content: 1500-3000 ppm Fluid volume: 80 bbls  
 Dewatering method used: on lease  
 Location of fluid disposal if hauled offsite: \_\_\_\_\_  
 Operator Name: \_\_\_\_\_  
 Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
 Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
 County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

*Alta-Dg-2/10/10*

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Roberta Town  
 Title: Agent Date: 01/07/10  
 Subscribed and sworn to before me this 7th day of January,  
20 10.  
 Notary Public: Jacquelyn Cheek  
 Date Commission Expires: 9-12-13

**KCC Office Use ONLY**  
 Letter of Confidentiality Received  
 If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution  
**RECEIVED**  
**KANSAS CORPORATION COMMISSION**  
**FEB 08 2010**

Operator Name: Town Oil Company Inc. Lease Name: North Meiwes Well #: 2  
 Sec. 4 Twp. 24 S. R. 19  East  West County: Allen

**INSTRUCTIONS:** Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Submit Copy)</i>  List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum
--	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	9	6 1/4		20	Portland	3	
Completion	5 5/8	2 7/8		997	Portland	110	50/50 POZ

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>		Depth

**RECEIVED**  
**KANSAS CORPORATION COMMISSION**  
  
**FEB 08 2010**  
  
**CONSERVATION DIVISION**  
**WICHITA, KS**

TUBING RECORD:	Size: _____ Set At: _____	Packer At: _____	Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No
----------------	---------------------------	------------------	---

Date of First, Resumed Production, SWD or Enhr. _____	Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain) _____
Estimated Production Per 24 Hours	Oil Bbls. _____ Gas Mcf _____ Water Bbls. _____ Gas-Oil Ratio _____ Gravity _____

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: _____ _____
---	--	--

**Lone Jack Oil Company**  
**509 East Walnut**  
**Blue Mound, KS 66010**

**Invoice**

<b>Date</b>	<b>Invoice #</b>
8/8/2009	874

<b>Bill To</b>
Town Oil 16205 West 287th Paola, KS 66071

<b>P.O. No.</b>	<b>Terms</b>	<b>Project</b>

<b>Quantity</b>	<b>Description</b>	<b>Rate</b>	<b>Amount</b>
1	8/4/09, Well #2, circulated 110 sacks of cement to surface pumped 2 gallons of water behind and shut in. Sales Tax	600.00 6.30%	600.00 37.80
<b>Thank you for your business.</b>		<b>Total</b>	<b>\$637.80</b>

RECEIVED  
KANSAS CORPORATION COMMISSION  
FEB 08 2010  
CONSERVATION DIVISION  
WICHITA, KS

41-8  
**Lone Jack Oil Company**  
**509 East Walnut**  
**Blue Mound, KS 66010**

# Invoice

<b>Date</b>	<b>Invoice #</b>
8/8/2009	875

<b>Bill To</b>
Town Oil 16205 West 287th Paola, KS 66071

<b>P.O. No.</b>	<b>Terms</b>	<b>Project</b>

Quantity	Description	Rate	Amount
	<b>Meiwes Lease</b>		
3	8/5/09, Well #2, ran 1 inch with drill bit, drilled cement out of 2 7/8 and washed sand out of open hole to TD.	70.00	210.00T
1	wash pump	200.00	200.00T
	Sales Tax	6.30%	25.83
<b>Thank you for your business.</b>		<b>Total</b>	<b>\$435.83</b>

RECEIVED  
KANSAS CORPORATION COMMISSION  
FEB 08 2010  
CONSERVATION DIVISION  
WICHITA, KS

