
KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1 October 2008 Form Must Be Typed

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 32710	API No. 15 - 207-27528-00-00
Name: Laymon OII II LLC	Spot Description:
Address 1: 1998 Squirrel RD	NW_NE_NW_NE_Sec. 8 Twp. 25_S. R. 16 East West
Address 2:	5115 Feet from North / South Line of Section
City: Neosho Falls State: KS Zip: 66758 +	
Contact Person: Michael Laymon	Footages Calculated from Nearest Outside Section Corner:
Phone: (620) 963-2495	□NE □NW ☑SE □SW
CONTRACTOR: License #_32710	County: Woodson
Name: company tools	Lease Name: Light C Well #: 26-09
Wellsite Geologist; none	Field Name: Owl Creek
Purchaser: Coffeyville Resources	Producing Formation: squirrel
Designate Type of Completion:	Elevation: Ground: 1011 est Kelly Bushing:
New Well Re-Entry Workover	Total Depth: 1220 Plug Back Total Depth: 1200
Oil SIOW	Amount of Surface Pipe Set and Cemented at: 40 Feet
Gas ENHR SIGW	Multiple Stage Cementing Collar Used? Yes A No
CM (Coal Bed Methane) Temp. Abd.	If yes, show depth set: Feet
Dry Other(Core, WSW, Expl., Cathodic, etc.)	If Alternate II completion, cement circulated from: 40
If Workover/Re-entry: Old Well Info as follows:	feet depth to: surface w/ 10 ALF Z - Dig - ALF
Operator:	Drilling Fluid Management Plan
Well Name:	(Data must be collected from the Reserve Pit)
Original Comp. Date: Original Total Depth:	Chloride content:ppm Fluid volume:bbls
Deepening Re-perf Conv. to Enhr Conv. to SWD	Dewatering method used:
Plug Back:Plug Back Total Depth	
Commingled Docket No.:	Location of fluid disposal if hauled offsite:
Dual Completion	Operator Name:
Other (SWD or Enhr.?) Docket No.:	Lease Name: License No.:
11-23-09 11-25-09	Quarter Sec TwpS. R ☐ East ☐ West
Spud Date or Date Reached TD Completion Date or Recompletion Date	County: Docket No.:
INSTRUCTIONS: An original and two copies of this form shall be filed with Kansas 67202, within 120 days of the spud date, recompletion, workover or copside two of this form will be held confidential for a period of 12 months if requiality in excess of 12 months). One copy of all wireline logs and geologist we BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 for	onversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information uested in writing and submitted with the form (see rule 82-3-107 for confidentill report shall be attached with this form. ALL CEMENTING TICKETS MUST
All requirements of the statutes, rules and regulations promulgated to regulate to are complete and correct to the best of my throwledge.	ne oil and gas industry have been fully complied with and the statements herein
Signature: Majle Town	KCC Office Use ONLY
Title: Owner	Letter of Confidentiality Received
Subscribed and sworn to before me this day ofFUON and	, If Denied, Yes Date:
20 10.	Wireline Log Received
Notary Public: Rachell Laumen	RECEIVED Geologist Report Received RANSAS CORPORATION COMMISSION
7/11/10	UIC Distribution
Date Commission Expires:	FEB 0.8 2010



Operator Name: Lay	mon Oll II LLC	,, ₁ ,		Leas	e Name: _	Light C		Well #: _26-0	09
Sec8Twp2		_	: West	Cour	nty: Woo	dson		· -	
time tool open and cl	osed, flowing and sl tes if gas to surface	nut-in press test, along	ures, whether s	shut-in pr	essure rea	ched static level,	hydrostatic	pressures, bottom h	giving interval tested, nole temperature, fluid lectric Wireline Logs
Drill Stem Tests Take (Attach Additional			es ☑ No		 ▼L	og Formatio	n (Top), Dej	oth and Datum	Sample
Samples Sent to Geo	ological Survey	□ Y	es ☑No		Name Top see attached log			Datum	
Cores Taken Electric Log Run (Submit Copy)		☐ Y							
List All E. Logs Run:									
Gamma Ray	Neutron								
·									
	*	Ren		RECORE		ew Used ermediate, producti	ion etc		
Purpose of String	Size Hole Drilled	Siz	re Casing t (In O.D.)	W	eight s. / Ft.	Setting Depth	Туре с		Type and Percent Additives
Surface	10 1/4"	8 5/8"	,	25#		40'	common	10	
Production	6 1/8"	2 7/8"		6.7#		1200'	portland	160	
Tubing		1"		1.8#		950'			
			ADDITIONAL	CEMEN	TING / SQL	EEZE RECORD			
Purpose: Perforate Protect Casing Plug Back TD Plug Off Zone	Depth Top Bottom	Туре	of Cement	#Sad	ks Used		Туре	and Percent Additives	
		1					······································		
Shots Per Foot	PERFORA Specify	ION RECOR	tD - Bridge Plug Each Interval Per	s Set/Type forated	B	Acid, Frac	ture, Shot, Co	ement Squeeze Record of Material Used)	j Depth
2	920-926					300 gal HC	L acid w	ith 25 sack san	d 920-966
3	959-966								
			****	. ,		-			
		-1							
TUBING RECORD:	Size:	Sat At-		D- d-		Africa D			
TOBING RECORD.	Sizę.	Set At:		Packer	At:	Liner Run:] Yes [] No	
Date of First, Resumed 12-08-2009	Production, SWD or E	nhr.	Producing Meth	od:	Flowing	Pumpin	g 🔲 G	as Lift Othe	r (Explain)
Estimated Production Per 24 Hours	Oil 1.5	Bbls.	Gas	Mcf	Wate	r "Bb	ls.	Gas-Oil Ratio	Gravity
DĮSPOSITIO			_	ETHOD O	F COMPLE	- 	mingled	PRODUCTIO	
(If vented, Sub	mit ACO-18.)		ther (Specify)					KANS	RECEIVED AS CORPORATION COM

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

FEB 0 8 2010

Laymon Oil II LLC 1998 Squirrel Rd Neosho Falls, KS 66758

620-963-2495

fax 620-496-2921

Light C 26-09

API: 15-207-27528-00-00 Spud date: 11-23-2009 Completion date: 11-25-2009 8/25/16 Woodson county

Formation	From	То
Soil	0	12
Shale	12	90
Lime	90	155
Shale	155	178
Lime & Shale	178	315
Lime	315	365
Shale	365	460
Lime	460	484
Black Shale	484	486
Lime	486	535
Black Shale	535	537
Lime	553	575
Big Shale	575	740
Lime & Shale	740	770
Shale	770	780
Lime	780	820
Shale	820	860
Lime	860	870
Black Shale	870	872
Lime	872	888
Black Shale	888	890
Lime	890	905
Black Shale	905	907
5' Lime	907	913
Black Shale	913	945
Cap Rock	945	949
Lower Sand	949	965
Shale	965	1220
Total Depth		1220

Set 40' of 8 5/8" surface, cemented w/ 10 sacks Ran 1210' of 2 7/8" pipe
Seating nipple at 9 43"

RECEIVED KANSAS CORPORATION COMMISSION

FEB 08 2010

CONSERVATION DIVISION WICHITA, KS

THE NEW KLEIN LUMBER CO., INC. BUILDING MATERIALS

365-2201	
200 Soul P Cement	1798.00
	13/25
	1929.25
- Hahl	
Robison 29-09	10 Dacks
Robison 28-09	10 ples
Robinson 39-09	ID ARD.
Bobison 40-09	1D Dacks
Grisier 1-09	10 Dacks
Grisier 2-09	
Grisier 3-109	10 ors
Light 26-109	10 Dacks
- NO- D9	10 Sac 15
	-

RECEIVED KANSAS CORPORATION COMMISSION

FEB 08 2010

CONSERVATION DIVISION WICHITA, KS

802 N. Indůstřial Rd. P.O. Box 664 lola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum ellotted time for unloading trucks is 5 minutes per yard. A charge will be made for hoding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO WINEH

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

LA005

QUANTITY

8.00

f. c

Section 1

· LAYMON OIL, L.L.C. 91998 SQUIRREL RD.

200 MI N N N N

NEOSHO FALLS KS

DESCRIPTION

55.750

VOTES CENTER KE GETAX

		Part but 4 Med Sud	\$	1 8 8 800 193	taketa the sea sate and	V telani	• •
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
				% CAL	WK	MIH K	
12:34:34p	JELL	8.00 yd	16.00 yd	0.60	35	6.00	· .
DATE		LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
<i>)</i>	o Date	T.	16.00 yd				
11-25-09	roday.	. 2	16.00 yd	12019		4.00 in	25849
1							

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement: Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid: Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reason any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Réactive Aggregate or Color Quality, No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks Excess Delay Time Charged @ \$50/HR. CODE

MELL

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises andfor adjacent properly if I please the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign his RELEASE reflexing him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove must from the wheels of his vehicle so that he will not littler the public setser. Further, as additional consideration, the undersigned agrees to indemnly and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order, con-

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

76.00

... EXTENDED PRICE

608.00

646.30.

-1270:-00-

LOAD RECEIVED BY

16.00

UNIT PRICE

RETURNED TO PLANT LEFT JOB FINISH UNLOADING **DELAY EXPLANATION/CYLINDER TEST TAKEN** TIME ALLOWED ubTotal \$ 608.00 6: TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION JOB NOT READY SLOW POUR OR PUMP
TRUCK AHEAD ON JOB
CONTRACTOR BROKE DOWN X KET 6.300 38. 30

19 - september of the day

LEFT PLANT START UNLOADING 9. OTHER ARRIVED JOB TIME DUE ADDED WATER TOTAL ROUND TRIP UNLOADING TIME TOTAL AT JOB **DELAY TIME**

WELL (10 SACKS PER UNIT)

s late der 5

ADDITIONAL CHARGE 1

ADDITIONAL CHARGE 2

GRAND TOTAL

RECEIVED KANSAS CORPORATION COMMISSION

FEB 0 8 2010

CONSERVATION DIVISION WICHITA, KS

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying mate complete this contract can result in the filing of a mechanic's like which is the subject of this contract.

LAGOS

4.44.30

LAYMON DIL. L.L.C. 1998 SQUIRREL RD.

LA10/12 LAYMON OIL

ST QUAIL 1 1/4 MI N 54W10

NEOSHO FALLS KS

66758

VATES CENTER KS 66783

				1111 (48) (54)	, V		
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
,				% CAL.	MK	% AIR	
12:19:53p	VEL.L.	8.00 yd	1.6. 00-yd	0.00	35	6.00	
DATE		LOAD#	YARDS DEL:	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
	fo Date	, ,	8.00 yd				
11-25-09	Foday	1.	8.00 yd	12018		4.00 in	25848

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, if Irritation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE Is a PERISHABLE COMMODITY and BECOMES the PROPERTY of this PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum: Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer-The driver, of this truck in presenting this RELEASE to
you for your signature is of the opinion that this gize and weight of his
truck may possibly cause damage to the premises end/or adjacent'
property. If it please the materials in this load where you desire it, it is
our wish to help you in every way that we can, but in order to do this
the driver is requesting that you sign this RELEASE relieving him and
this supplier from any responsibility from any damage that may occur
to the premises and/or adjacent property, buddings, sidewalks,
driveways, curbs, etc., by the delivery of this material, and that you
also agree to help him remove mud from the wheels of his vehicle so
that he will not filter the gubble steer. Further, as additional consideration, the undersigned agrees to indemnity and hoth harmless the direction, the undersigned agrees to indemnity and hoth harmless the direcof this truck and this supplier for any and all damage to the premise
and/or adjacent property which, may be claimed by anyone to have
arish out of delivery of this-order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

: 24

NOTICE: MY SIGNATURE BELOW INI NOTICE AND SUPPLIER WILL NO WHEN DELIVERING INSIDE CURB LIN

QUANTITY CODE DESCRIPTION UNIT-PRICE **EXTENDED PRICE** 8.00 WELL WELL (10 SACKS PER UNIT) 8.00 76.00 600.00 : 00 TRUCKING TRUCKING CHARGE 2.00 50.00

RETURNED TO PLANT	/ NEECTOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	7 670
211	1.20	1.43	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 8. CITATION	1	ax % 6.3004/2.24 4.50
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN OTHER ADDED WATER	TIME DUE	stal 9 732-60
12:51	1:12	1:29		<u> </u>	additional charge 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME	N.I	DELAY TIME	ADDITIONAL CHARGE 2
1,2548				1 - 10-7	GRAND TOTAL > 4 7/2.74

RECEIVED KANSAS CORPORATION COMMISSION

FEB 08 2010

CONSERVATION DIVISION WICHITA, KS