

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

ORIGINAL

Form ACO-1
October 2008
Form Must Be Typed

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # 32710
 Name: Laymon Oil II LLC
 Address 1: 1998 Squirrel RD
 Address 2: _____
 City: Neosho Falls State: KS Zip: 66758 + _____
 Contact Person: Michael Laymon
 Phone: (620) 963-2495
 CONTRACTOR: License # 32710
 Name: Company tools
 Wellsite Geologist: none
 Purchaser: Coffeyville Resources
 Designate Type of Completion:
 New Well _____ Re-Entry _____ Workover
 Oil _____ SWD _____ SLOW
 _____ Gas _____ ENHR _____ SIGW
 _____ CM (Coal Bed Methane) _____ Temp. Abd.
 _____ Dry _____ Other _____
 (Core, WSW, Expl., Cathodic, etc.)
 If Workover/Re-entry: Old Well Info as follows:
 Operator: _____
 Well Name: _____
 Original Comp. Date: _____ Original Total Depth: _____
 _____ Deepening _____ Re-perf. _____ Conv. to Enhr. _____ Conv. to SWD
 _____ Plug Back: _____ Plug Back Total Depth
 _____ Commingled Docket No.: _____
 _____ Dual Completion Docket No.: _____
 _____ Other (SWD or Enhr.?) Docket No.: _____

<u>10-21-2009</u>	<u>10-22-2009</u>	<u>12-07-2009</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

API No. 15 - 207-27491-00-00
 Spot Description: _____
SE NW SW NE Sec. 29 Twp. 23 S. R. 16 East West
3500 Feet from North / South Line of Section
2065 Feet from East / West Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
 County: Woodson
 Lease Name: LE Robison Well #: 40-09
 Field Name: Vernon
 Producing Formation: squirrel
 Elevation: Ground: 1111 est. Kelly Bushing: _____
 Total Depth: 1260 Plug Back Total Depth: 1250
 Amount of Surface Pipe Set and Cemented at: 40 Feet
 Multiple Stage Cementing Collar Used? Yes No
 If yes, show depth set: _____ Feet
 If Alternate II completion, cement circulated from: 40
 feet depth to: surface w/ 10
Drilling Fluid Management Plan
 (Data must be collected from the Reserve Pit)
 Chloride content: _____ ppm Fluid volume: _____ bbls
 Dewatering method used: _____
 Location of fluid disposal if hauled offsite: _____
 Operator Name: _____
 Lease Name: _____ License No.: _____
 Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
 County: _____ Docket No.: _____

Alt 2 - Dg - 2/10/10 ^{sx cnt.}

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: *Michael Laymon*
 Title: Owner Date: 02-04-2010
 Subscribed and sworn to before me this 4 day of February,
 20 10.
 Notary Public: Rachelle Laymon
 Date Commission Expires: 7/11/12

KCC Office Use ONLY
 Letter of Confidentiality Received
 If Denied, Yes Date: _____
 Wireline Log Received
 _____ Geologist Report Received
 _____ UIC Distribution

RECEIVED
KANSAS CORPORATION COMMISSION
FEB 08 2010
CONSERVATION DIVISION
WICHITA, KS

NOTARY PUBLIC - State of Kansas
 RACHELLE LAYMON
 My Appt. Expires 7/11/12

Operator Name: Laymon Oil II LLC Lease Name: LE Robison Well #: 40-09
 Sec. 29 Twp. 23 S. R. 16 East West County: Woodson

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Electric Log Run <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>(Submit Copy)</i> List All E. Logs Run: <p style="text-align: center;">Gamma Ray Neutron</p>	<input checked="" type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum see attached log
---	--

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
Surface	10 1/4"	8 5/8"	24#	40'	common	10	
Production	6 1/8"	2 7/8"	6.7#	1150'	portland	160	
Tubing		1"	1.8#	1170'			

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	#Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth
2	1172 - 1182	200 gal HCL acid frac 70 sacks sand	1172-1206
2	1186 - 1196		
2	1200 - 1206		

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____	Liner Run: <input type="checkbox"/> Yes <input type="checkbox"/> No
---	---

Date of First, Resumed Production, SWD or Enhr. 12-10-2009	Producing Method: <input type="checkbox"/> Flowing <input checked="" type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other (Explain)
Estimated Production Per 24 Hours	Oil Bbls. <u>2</u> Gas Mcf _____ Water Bbls. _____ Gas-Oil Ratio _____ Gravity _____

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <input type="checkbox"/> Other (Specify) _____	PRODUCTION INTERVAL: <p style="text-align: center;">RECEIVED KANSAS CORPORATION COMMISSION</p>
---	--	--

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

FEB 08 2010

CONSERVATION DIVISION
WICHITA, KS

Laymon Oil II LLC
1998 Squirrel Rd
Neosho Falls, KS 66758

620-963-2495

fax 620-496-2921

Robison #40-09
API: 15-207-27491-00-00
Spud date: 10-21-2009
Completion date: 10-22-2009
29/23/16 WO CO

Formation	From	To
Soil	0	19
Shale	19	300
Lime	300	565
Shale	565	620
Lime	620	680
Shale	680	700
Lime	700	755
Shale	755	960
Lime	960	1029
Shale	1029	1044
Lime	1044	1060
Black Shale	1060	1063
Lime	1063	1072
Shale	1072	1080
Lime & Shale	1080	1170
Upper Sand	1170	1200
Shale	1200	1260
Total Depth		1260

Set 40' of 8 5/8" surface, cemented w/ 10 sacks
Ran 1250' of 2 7/8" pipe
Seating nipple at 1165'

RECEIVED
KANSAS CORPORATION COMMISSION

FEB 08 2010

CONSERVATION DIVISION
WICHITA, KS

Iola, Kansas, OCT 5, 19 09

Received of

THE NEW KLEIN LUMBER CO., INC.
BUILDING MATERIALS

365-2201

200 sack P Cement 1798.00
131.25

1929.25

Paul

Robison 29-09 10 sacks
Robison 28-09 10 pks
Robison 39-09 10 scks.
Robison 40-09 10 sacks

RECEIVED
KANSAS CORPORATION COMMISSION

FEB 08 2010

CONSERVATION DIVISION
WICHITA, KS

802 N. Industrial Rd.
P.O. Box 664
Iola, Kansas 66749
Phone: (620) 365-5588

Payless Concrete Products, Inc.



CONDITIONS
Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.
NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

14005
LAWSON OIL, L.L.C.
1490 SQUIRREL RD.

1410/12
LAWSON OIL
200TH & DUNN 1/2 MI W
DUNN GATE # 50

NEEDING FULTS KR
66750

YATES CENTER, KS 66783

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK	PLANT/TRANSACTION #
11:39-41	WELL	8.00 yd	11.00 yd	7.00 0.00	WV 35	3 AIR 6.00
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	TICKET NUMBER
10 05 00	Today	1	40.00 yd 2.00 yd	11300		20520

WARNING
IRRITATING TO THE SKIN AND EYES
Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.
CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.
The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.
All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.
Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.
A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks.
Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE
(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.
SIGNED
X _____

Excessive Water is Detrimental to Concrete Performance
H₂O Added By Request/Authorized By
GAL X _____
WEIGHMASTER
L.E. Redman #40-09
NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.
LOAD RECEIVED BY:
X _____

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
0.00	WELL	WELL (100 BAGS PER YARD)	2.00	0.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	
	1:09	1:16	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION 9. OTHER		Subtotal \$ 608.00 Tax @ 6.300 38.50 Total \$ 646.50 Order \$ 646.50
LEFT PLANT	ARRIVED JOB	START UNLOADING		TIME DUE	
12:06	12:44				ADDITIONAL CHARGE 1 _____ ADDITIONAL CHARGE 2 _____
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	GRAND TOTAL ▶

RECEIVED
KANSAS CORPORATION COMMISSION
FEB 08 2010
CONSERVATION DIVISION
WICHITA, KS

802 N. Industrial Rd.
P.O. Box 664
Iola, Kansas 66749
Phone: (620) 365-5588

Payless Concrete Products, Inc.



CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

18005

LAYMON OIL, E.L.C.
1900 SQUIRREL RD.

1810712

LAYMON OIL
SOUTH 2 1/2 MI. W
DOUBLE GATE W 50

NEESING FALLS KS
68750

GATES CENTER, KS 66783

TIME	FORMULA	LOAD SIZE	YARDS ORDERED	DRIVER/TRUCK	PLANT/TRANSACTION #	
11:54:30a	WELL	4.00 yd	16.00 yd	25	6.00	
DATE	LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
10-23-09	2	16.00 yd	21580		4.00 in	25504

WARNING

IRRITATING TO THE SKIN AND EYES

Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water. If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property. We please the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisen out of delivery of this order.

X

Excessive Water is Detrimental to Concrete Performance
H₂O Added By Request/Authorized By

GAL X

WEIGHMASTER

L.E. Edison #40-09

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

LOAD RECEIVED BY:

X

QUANTITY	CODE	DESCRIPTION	UNIT PRICE	EXTENDED PRICE
4.00	WELL	WELL (10 YARDS PER UNIT)	25.00	100.00
1.00	TRUCKING	TRUCKING CHARGE	100.00	100.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED
	1:09	1:03	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 5. ADDED WATER 6. TRUCK BROKE DOWN 7. ACCIDENT 8. STATION 9. OTHER	Subtotal \$ 700.00 Tax % 6.300 44.60 Total \$ 750.00 Order # 1300.00
LEFT PLANT	ARRIVED JOB	START UNLOADING		TIME DUE
12:06	12:44			
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME
				ADDITIONAL CHARGE 1
				ADDITIONAL CHARGE 2
				GRAND TOTAL

RECEIVED
KANSAS CORPORATION COMMISSION

FEB 08 2010

CONSERVATION DIVISION
WICHITA, KS