STATE CORPORATION COMMISSION OF KANSAS OIL & GAS CONSERVATION DIVISION WELL COMPLETION FORM ACO-1 WELL HISTORY	C - SE-NW - Sec.5 Twp10 Rge. 24W X
Operator: License # 4767 URIGINAL	2030 Feet from Specific one) Line of Section
Name: Ritchie Exploration, Inc.	2030 Feet from Edwicircle one) Line of Section
Address P.O. Box 783188	Footages Calculated from Nearest Outside Section Corner: NE, SE, () (circle one)
City/State/Zip Wichita, KS 67278	Lease Name <u>Derio "P"</u> Well # <u>2</u> Field Name
Purchaser: Texaco	Producing Formation L/KC
Operator Contact Person: Lisa Thimmesch	Elevation: Ground 2497 KB 2502
Phone (316) 691-9500	Total Depth 4100 PBTD
Contractor: Name: Express Well Service	Amount of Surface Pipe Set and Cemented at Fee
License: 6426	Multiple Stage Cementing Collar Used? Yes N
Wellsite Geologist:	If yes, show depth set Fee
Designate Type of Completion New Well Re-EntryX Workover	If Alternate II completion, cement circulated from
X Oil SWD SIOW Temp. Abd.	feet depth to w/ sx cmt
Gas ENHR SIGW Ory Other (Core, WSW, Expl., Cathodic, etc)	Drilling Fluid Management Plan REWORK 97 6-9-97 (Data must be collected from the Reserve Pft)
If Workover:	(Data must be collected from the Reserve PTT)
Operator: Don E. Pratt	Chloride contentppm Fluid volumebbl
Well Name: Denio	Dewatering method used
Comp. Date 11/77 Old Total Depth 4100' Deepening Re-perf Conv. to Inj/SWD	Location of fluid disposal if hauled offsite: RELEASED Operator Name 9-16-1998
XXX Plug Back 3760 PBTD Commingled Docket No. Dual Completion Docket No. Other (SWD or Inj?) Docket No.	Lease Name SEP 16 1998 License No.
Squeeze off casing Holes 3-5-97 Date of START Date Reached ID Completion Date of	County Docket NoE/W
of Workover. Workover	
- Room 2078, Wichita, Kansas 67202, within 120 days of the Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information on 12 months if requested in writing and submitted with the months). One copy of all wireline logs and geologist well r	be filed with the Kansas Corporation Commission, 130 S. Market spud date, recompletion, workover or conversion of a well. side two of this form will be held confidential for a period of form (see rule 82-3-107 for confidentiality in excess of 12 report shall be attached with this form. ALL CEMENTING TICKETS is. Submit CP-111 form with all temporarity abandoned wells.
Il requirements of the statutes, rules and regulations promuls ith and the statements herein are complete and correct to the	gated to regulate the oil and gas industry have been fully complice best of my knowledge.
ignature President Date 5	K.C.C. OFFICE USE ONLY Letter of Confidentiality Attached C Wireline Log Received C Geologist Report Received
ubscribed and sworn to before me this day of May	Distribution KCC SWD/RepNGPA
otary Public ALDA. Immosor	KGS Plug Other (Specify)
ste Commission Expires	
LISA THIMMESCH	

NOTARY PUBLIC STATE OF KANSAS My Appt. Exp. 8-79-9

				SIDE TWO					, ,
perator Name <u>Ri</u>	tchie Exp	loratio	n, Inc	. Lease N	ame <u>Deni</u>	o "P"	Well #	22_	<u> </u>
	ĺ	East			Graham				
ес. <u>5</u> тыр. <u>1</u>	URge. <u>24W</u>	X West						•	
NSTRUCTIONS: Show nterval tested, tim ydrostatic pressures f more space is need	me tool open ar s, bottom hole 1	nd closed, f temperature,	lowing and	d shut-in t	oressures. Whe	ther shut-1	n pressure re	ached Static	tevet,
rill Stem Tests Take (Attach Additiona		☐ _{Yes} 🏻) _{NO}	۵۱	.og Form ati	ion (Top), D	epth and Datus		ple
Samples Sent to Geol	ogical Survey	☐ _{Yes} 🗓	No	Name			Top	Datum	
ores Taken		☐ _{Yes} 🏅] No						
lectric Log Run (Submit Copy.)		☐ _{Yes} 🛚	No						
List All E.Logs Run:									
		CASING	RECORD					-	
	Report a	ll strings se	t-conduct	New Lor, surface	⊔ Used e, intermediat	e, productio	on, etc.		
Purpose of String	Size Hole Drilled	Size Cas Set (In		Weight Lbs./Ft.	Setting Depth	Type Cem	e of # Sack ent Used		
	ADDITIONAL C	EMENTING/SQU	EEZE RECO	RD .					
Purpose:	Depth Top Bottom	Type of Co	ement	#Sacks Use	ed	Type and 1	Percent Additi	ves	
Perforate X Protect Casing	2011'-31			400	2% C	C			
Plug Back TD Plug Off Zone									/1.50
Shots Per Foot	PERFORATION Specify Foots	N RECORD - Bi			Acid	, Fracture,	Shot, Cement Material Used	Squeeze Recor	
alluta PET PUUL	3846'-400								
	J040 -400	, LI/KC				 			
	CIBP 0	3700							
TUBING RECORD	Size 2 3/8'	Set At	6'	Packer At	Liner Ru	n 🗆 Y	es 🖟 No		
Date of First, Resu	med Production	, SWD or Inj	. Produc	ing Method	Flowing 🖸	Pumping 🗆	Gas Lift	Other (Expla	in)
Estimated Production Per 24 Hours	on Oil	Bbls.	Gas		Water 8b	.s. G	as-Oil Ratio		evity
Disposition of Gas:		F COMPLETION	<u> </u>	L		Production	Interval		
Vented Sold			_				Commingled	3846'-	4000
7.1 validad ac			∟ Other	(Specify)					

ALLIED CEMENTING CO., INC.

REMIT TO P.O. B				\cap	I CINIA I		SERVICE	POINT:	
RUSS	ELL, KA	NSAS 670	565	UR	IGINAL			Luss	e11
DATE 3 - 26 - 97	SEC.	TWP.	RANGE		CALLED OUT	ON LOCAT	LION 10	B START	JOB FINISH
\mathbf{O}					6:00Am		Ico	8:30A UNTY	STATE
LEASE LE NO		P-2	LOCATION	WAKEEN	ey-Keo Line	9w_		RAHAM	PANSAS
OLD OR NEW (Cir	cle one)				<u>'</u>	Y2 1	5		
CONTRACTOR E	- XPRes	s Wei	1 Ser	lic e	OWNER			÷	
TYPE OF JOB S				u = <u> </u>	OWNER				
HOLE SIZE	1	T.I)		CEMENT	,	•	GEV	• .
CASING SIZE 5	12		PTH		AMOUNT OR	DERED 2	50 sk	140	·
	3/8		PTH			3	32 cc	om S	ine
DRILL PIPE TOOL Express	SeT .	DE DE	EPTH 20	11 1		<u> </u>		<u>.</u>	
PRES. MAX		OF MI		ш	COMMON	150	~* @	6.10	01000
MEAS. LINE	,		OE JOINT	····································	POZMIX	100	5K @	3 15	315 00
CEMENT LEFT IN	CSG.				GEL		@		
PERFS- HOJES	Con	MUNIC	470 @ 31	105-210	CHLORIDE _	2	SK @	28.00	56.00
DISPLACEMENT							@		<u> </u>
•	EQU	UIPMENT				:	@		
dia di Santa			1		4		@		<u> </u>
	EMENT	7		. FACET			@ @	<u> </u>	<u> </u>
	IELPER	Will	/ HE	LEASED	HANDLING_	250 SK		105	262,50
BULK TRUCK # 413 D	RIVER	$\sqrt{\bigcirc}$	r SEP	1 6 199				(04	550.00
BULK TRUCK	KIVEK	XV on		16-199				•	v. *
	RIVER		_FROM C					TOTAL	2098 5t
									,
	RE	MARKS:				SI	ERVICE		e s
RAN POLKER TO			+ 12/-	<i>.</i>		-	,	^	
Pulled up To				·	DEPTH OF JO	R		<u>, 0, </u>	
CLEAN. SET	Packer	e & Mik	ED ANOTH	ed 1155				-	1030.00
2% CC. STAGE							@	\$	V. v.
4 WASHED ARO			JTS 4	Ressures			@	V	NC.
To 500#,	SHU	T IN.			PLUG	·	@	.,9	
			TII		**************************************		@	<u>~3</u>	-
				X 2			@.		
		<u>.</u> *•							212 9 50
CHARGE TO: K	TOU	i= Fy	dopar	a./	•	15%	Discou	TOTAL	469.27
· · · · · · · · · · · · · · · · · · ·	/ CIII		410~317	<u>0</u> /Y	i.	, ,		7	2659 23
STREET 125			# 700			FLOAT	EQUIPM	ENT	TAX
CITY Walkit	ST	TATE KA	uses ZIP				,		<i>T</i> ////
·		7					@		
•		1					@.		
4			•						
	_	_					@ . @		
To Allied Cementi			.•			•			
You are hereby rec					<i>₹ -</i>			TOTAL	
and furnish cemen contractor to do we								TOTAL	
done to satisfaction						• •	•	ų .	
contractor. I have					TAX			: ,	3. \$
CONDITIONS" I				12 .	TOTAL CHAR	GE		·	·.
	///	7)//	/	•	DISCOUNT	-		_ IF PAT	D IN 30 DAYS
· "		1/	•	. :-		•		· HILM	- III JO'DAIO
SIGNATURE L	#1	\mathcal{I}	•					•	-1
4	wy	$\overline{}$				PR	RINTED N	IAME	· · · · · · · · · · · · · · · · · · ·
•	V							T # Med	•

ALLIED CEMENTING CO., INC. Federal Tax I.D.#

RUSSELL, KANSAS 67665 URIG		SERVIC	+ 2	sse 1/
	ALLED OUT O	8:45 Am	0B START :	
LEASE DO NO WELL# P-2 LOCATION RED LINE	@ WAKEERS S	~ · / · / ·	OUNTY	STATE
OLD OR NEW (Circle one)	C markey	YOR	<u>STATHVENA</u>	MAY SIES
		128	. •	* *
CONTRACTOR EXPRES	OWNER			•
TYPE OF JOB HUNT Holes (Squeeze)				,
HOLE SIZE T.D.	CEMENT	-6		69 16
CASING SIZE 5 /2 DEPTH	AMOUNT ORDE		Osk	40
TUBING SIZE 2 1/8 DEPTH		3%		SiDe
DRILL PIPE DEPTH		Dip	<u>NOT L</u> LT # 8419	ISE
TOOL Express (Set Down) DEPTH PRES. MAX MINIMUM	COMMON	- THAND	mildge :	auf feit "Abeitiffente
MEAS. LINE SHOE JOINT	COMMON POZMIX			1 4. 5 30. 10 10 1
CEMENT LEFT IN CSG.	GEL) <u> </u>	· *
PERFS. Holes@3105-2101 Communicated				
DISPLACEMENT TogeTHER	CHEORIDE			
EQUIPMENT				
Bright No.				,
PUMPTRUCK CEMENTER 2h				
# 197 HELPER WILL)	. 1
BULK TRUCK	HANDLING	@		
# 2/3 DRIVER ()	MILEAGE			
BULK TRUCK	RELEASED			1
# DRIVER	9-16-1998 SEP 161998		TOTAL	
	OEI 1 0 1770			(E)
REMARKS:	OM CONFIDEIN	SERVICE		
0 0	JM COM IDEN	* SERVICE		
Term ling@ 3700 Set Parce 3561 & Test Tool's	DEPTH OF JOB			
TO 1300# (Held). CAME up & FOUND Communicated Hole's From 3105	PUMP TRUCK CH	ADCE		5 F A MO
TO 2101. TOOK TAJECTION RATE OF	EXTRA FOOTAGE		· · · · · · · · · · · · · · · · · · ·	-55Q
2 % BAM @ 1,000#	MILEAGE 55	n:10 6	2.85	151 75
	PLUG	(0)	136.
		<u> </u>		
THANKS)	
gifted the second of the secon			. ,	
\mathcal{N}	The second secon		TOTAL	1706 75
CHARGE TO: KITCHIE EXPLORATION	. •	15%	DISCOUNT	-1106 04
	1		100	(1/000 74
STREET 125 N Market # 1000	F	LOAT EQUIPN	MENT	+ TAX 6
CITY William STATE Vansus ZIP 67202	1. (1)	, L ;		• •
the section of the se	.et i			
		@	,	21 21 2
	ر بر المراجع ا مراجع المراجع		1	
terroren in anti-	- Great	@	* *****	200
To Allied Cementing Co., Inc.	*	@		
You are hereby requested to rent cementing equipment:	and the second second second			
and furnish cementer and helper to assist owner or		,	TOTAL	~
contractor to do work as is listed. The above work was	Marie Company	1		. \(\lambda \)
done to satisfaction and supervision of owner agent or			35° .	
contractor I have read foundable of the "TEDAG AND	TAX	12. 0	1 1 1 1 1 1 1 1 1 1 1	
contractor. I have read & understand the "TERMS AND		12. 3 a 65	is to be	
CONDITIONS listed on the everse side.	TAXTOTAL CHARGE			
CONDITIONS listed on the leverse side.		12. §	_ IF PAID	O IN 30 DAYS
CONDITIONS listed on the everse side.	TOTAL CHARGE	12. 3	— IF PAIC	O IN 30 DAYS
CONDITIONS listed on the everse side.	TOTAL CHARGE DISCOUNT		_ IF PAID	IN 30 DAYS

ALLIED CEMENTING CO., INC. 5435

REMIT TO P.O. BOX 31 RUSSELL, KANSAS 67665	INAL	SER	VICE POINT:	R		
DATES 27/99 SEC. TWP. RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH		
LEASE DENIO WELL# P-2 LOCATION 6/100	2011 11 to	for Ohmio	COUNTY	STATE		
OLD OR NEW (Circle one)	9W	145 4E	Drake			
4 1.40	•	7 9 3 98				
TYPE OF IOR	OWNER	a	<u>~~</u>			
TYPE OF JOB Squeez HOLE SIZE T.D.	•		CEMENT	,		
CASING SIZE DEPTH	AMOUNT OR	DERED 15/	200 2	mas CC		
TUBING SIZE 2" DEPTH		22.002 2.002	70 0			
DRILL PIPE DEPTH						
TOOL Express DEPTH 2042	GOV (1 4 OV)		- 10			
PRES. MAX / MINIMUM MEAS. LINE SHOE JOINT	COMMON POZMIX	90 60	@ 37 2 -@ <u> ⁶ 15</u>	<u> 549°°</u>		
CEMENT LEFT IN CSG.	GEL GEL	80	_ <u>@</u> _			
PERFS. 1960 8 2/28	CHLORIDE_	3	_@28 _ _	84 62		
			@	3 8 4		
EQUIPMENT		· · · · · · · · · · · · · · · · · · ·	_@			
_153 Dave 1			_@			
PUMP TRUCK CEMENTER		•	_@ @			
# HELPER	HANDLING		<u> </u>	15752		
BULK TRUCK # DRIVER	MILEAGE	44/502/	Nile	3 <i>3</i> 6%		
BULK TRUCK	RELEASED	/ 1	,			
# 2/3 DRIVER Down	HELEMOLD		TOTAL	13095		
REMARKS: Injection Rate 2 BB/ & FR 200 fs/, mixed comment stayed y squeezed 2 /100 fs/ Wash around fool pulled 5 Its Shot m & 500 ps/		NTIA B CHARGE AGE				
CHARGE TO: Rifahie Exploration			TOTAL	706 75		
STREET 125 N. Market # 1000 CITY Wielita STATE Kanson ZIP67202	FLOAT EQUIPMENT					
OTATE TOTAL STEP TOTAL			_@			
1			_@			
		· · · · · · · · · · · · · · · · · · ·	_@			
			_@ 			
			TOTAL			
	TAX			1		
To Allied Cementing Co., Inc.			• :			
You are hereby requested to rent cementing equipment	TOTAL CHAR	GE				
and furnish cementer and helper to assist owner or	DISCOUNT -		įrėai	D IN 30 DAYS		
contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.			4 1997	र्ज अ अ		