For KCC Use:	1/2010
Effective Date: _	9-3 2010
District #	<i>3</i> ,
SGA? Yes	s √No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

April 5, 2010 month day year 33365 DPERATOR: License# Name: Layne Energy Operating, LLC Address 1: 1900 Shawnee Mission Parkway Address 2: City: Mission Woods State: KS Zip: 66205 + 2001 Contact Person: Victor H. Dyal Phone: 913-748-3960 CONTRACTOR: License# 34133	Spot Description: 37.3855955 -95.8586619 NE NE NE Sec. 3 Twp. 31 S. R. 14 XE Transport feet from X N / S Line of Section Flat on reverse side) (Note: Locate well on the Section Plat on reverse side) County: Montgomery Lease Name: Zook Well #: 1C-3
Name: Layne Energy Operating, LLC Address 1: 1900 Shawnee Mission Parkway Address 2: City: Mission Woods State: KS Zip: 66205 + 2001 Contact Person: Victor H. Dyal Phone: 913-748-3960 CONTRACTOR: License# 34133	Is SECTION: Regular Irregular? (Note: Locate well on the Section Plat on reverse side) County: Montgomery
Name: Layne Energy Operating, LLC Address 1: 1900 Shawnee Mission Parkway Address 2: City: Mission Woods State: KS Zip: 66205 + 2001 Contact Person: Victor H. Dyal Phone: 913-748-3960 CONTRACTOR: License# 34133	Is SECTION: Regular Irregular? (Note: Locate well on the Section Plat on reverse side) County: Montgomery
Address 1: 1900 Shawnee Mission Parkway Address 2: City: Mission Woods State: KS Zip: 66205 + 2001 Contact Person: Victor H. Dyal Phone: 913-748-3960 CONTRACTOR: License# 34133	Is SECTION: Regular Inregular? (Note: Locate well on the Section Plat on reverse side) County: Montgomery
Address 2: City: Mission Woods State: KS Zip: 66205 + 2001 Contact Person: Victor H. Dyal Phone: 913-748-3960 CONTRACTOR: License# 34133	(Note : Locate well on the Section Plat on reverse side) County: Montgomery
Contact Person: Victor H. Dyal Phone: 913-748-3960 CONTRACTOR: License# 34133	County: Montgomery
Contact Person: Victor H. Dyal Phone: 913-748-3960 CONTRACTOR: License# 34133	
Phone: 913-748-3960 CONTRACTOR: License# 34133	Lease Name: ZOOK Well #: 1C-3
CONTRACTOR: License# 34133 /	
JOINTIAOTON, Licensen	Field Name: Unnamed
Jame. Kurus Erieldy, ELO	Is this a Prorated / Spaced Field?
	Target Formation(s): Cattleman Sands
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 165'
⊠Oil	Ground Surface Elevation: 922' feet MS
Gas Storage X Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water: 150'
Other:	Depth to bottom of usable water: 175
	Surface Pine by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 40'
Operator:	Length of Conductor Pipe (if any): None
Well Name:	Projected Total Depth: 1300'
Original Completion Date: Original Total Depth:	Formation at Total Depth: MISSISSIPPIAN
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond X Other:
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
(CC DKT #;	Will Cores be taken?
	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	drilling rig;
 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction 	e underlying formation. rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in;
5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be	33,891-C, which applies to the KCC District 3 area, alternate II cementing
 If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: 	33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the beautiful to the statements of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the beautiful to the statements of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the beautiful that the statements of the spud date or the well shall be hereby certified the spud date or the well shall be hereby certified the spud date or the well shall be hereby certified the spud date or the well shall be hereby certified the spud date or the well shall be hereby certified the spud date or the well shall be hereby certified the spud date or the well shall be hereby certified the spud date or the well shall be hereby certified the spud date or the well shall be hereby certified the spud date or the well shall be hereby certified the spud date or the well shall be hereby certified the spud date or the well shall be hereby certified the spud date or the well shall be hereby certified the spud date or the well shall be hereby certified the spud date or the well shall be hereby certified the spud date or the well shall be also shall be a	33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. eest of my knowledge and belief. Manager of Engineering
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be	33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. sest of my knowledge and belief. Title: Manager of Engineering
If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the because. March 29, 2010 Signature of Operator or Agent: March 29, 201	33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. eest of my knowledge and belief. Manager of Engineering
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the because. March 29, 2010 Signature of Operator or Agent:	33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. sest of my knowledge and belief. Title: Manager of Engineering Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the boate: March 29, 2010 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 31951-00-00	33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. sest of my knowledge and belief. Title: Manager of Engineering Manager of Engineering
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the because. March 29, 2010 Signature of Operator or Agent:	33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. sest of my knowledge and belief. Title: Manager of Engineering Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the boate: March 29, 2010 Signature of Operator or Agent: March 29, 2010	33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. sest of my knowledge and belief. Manager of Engineering
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the because. March 29, 2010 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 31951-00-00 Conductor pipe required None feet Minimum surface pipe required 20 feet per ALT.	33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. sest of my knowledge and belief. Manager of Engineering
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the boate. March 29, 2010 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 31951 - 00 Conductor pipe required Minimum surface pipe required Approved by: March 29, 2010 Signature of Operator or Agent: Feet Minimum surface pipe required Approved by: March 29, 2010 Signature of Operator or Agent: Feet Feet Feet Feet Feet Feet Feet Feet Approved by: March 29, 2010	33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. sest of my knowledge and belief. Manager of Engineering
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the boate: March 29, 2010 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 25 - 31951-00-00 Conductor pipe required Minimum surface pipe required Approved by: Pur 3-31-2010 This authorization expires: 3-31-2011	33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: Manager of Engineering Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the boate. March 29, 2010 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 125 - 31951 - 00 Conductor pipe required Minimum surface pipe required Approved by: March 29, 2010 Signature of Operator or Agent: Feet Minimum surface pipe required Approved by: March 29, 2010 Signature of Operator or Agent: Feet Feet Feet Feet Feet Feet Feet Feet Approved by: March 29, 2010	33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: Manager of Engineering Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the boate: March 29, 2010 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 25 - 31951-00-00 Conductor pipe required Minimum surface pipe required Approved by: Pur 3-31-2010 This authorization expires: 3-31-2011	33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Manager of Engineering Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
· · · · · · · · · · · · · · · · · · ·	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 125-31951-00-00	
Operator: Layne Energy Operating, LLC	Location of Well: County: Montgomery
Lease: Zook	165 feet from N / S Line of Section
Well Number: 1C-3	825 feet from X E / W Line of Section
Field:	Sec. 3 Twp. 31 S. R. 14 🔀 E 🔲 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: NE - NW - NE - NE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW


PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

:		:				165'j_	
1 :						: <i>0</i> -	
1 :		-					Ø 15
		9					600
		:				:	
*******		******					
-		-					
1		:		;		:	
:		:		;		:	
:		:			:	:	:
		•	•	•	•	•	•
	******	*******		********		*******	
:		:				:	
:		:		i :	:	:	:
:		:	;	:	:	:	:
! :		:				:	
<u>:</u>		•	•		•	•	•
1		;				:	
1 :		;				:	
1 :		:		:		:	
:		:		:		:	
-							
;							
:				. :		:	
;		:				:	
			•				'
		: .					
:	:		:	:			
:		:		:		: :	
:			•			: :	
1							
:	:	:		:		: :	
! :		:	:	:		:	
:							
:							
	-		•				
				*******	*****		
				i .			
:							
1 :			:				
1 :							
1 :							
1		-				-	

NOTE: In all cases locate the spot of the proposed drilling locaton.



RECEIVED

MAR 3 C 2550

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding GGsWICHITA 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Layne Energy Operating, LLC			License Number: 33365		
Operator Address: 1900 Shawnee Mission Parkway			Mission Woods KS 66205		
Contact Person: Victor H. Dyal			Phone Number: 913-748-3960		
Lease Name & Well No.: Zook	1C-3		Pit Location (QQQQ):		
Type of Pit:	Pit is:		NE NW NE NE		
Emergency Pit Burn Pit	Proposed	Existing	Sec. 3 Twp. 31 R. 14 East West		
Settling Pit Drilling Pit	If Existing, date constructed:		165 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		825 Feet from East / West Line of Se		
(If WP Supply API No. or Year Drilled)		(bbls)	Montgomery County		
Is the pit located in a Sensitive Ground Water	Area? Yes X	No	Chloride concentration:mg/l		
			(For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used? made of clay		
		20			
Pit dimensions (all but working pits):		et)	Width (feet) N/A: Steel Pits		
If the pit is lined give a brief description of the	om ground level to de	· ·	(leet) No Pit		
material, thickness and installation procedure			dures for periodic maintenance and determining ncluding any special monitoring.		
Distance to nearest water well within one-mile	of pit	Depth to shallo Source of infor	owest fresh waterfeet.		
mone		measu			
Emergency, Settling and Burn Pits ONLY: Drilling, Work			over and Haul-Off Pits ONLY:		
Producing Formation: Type of materia			l utilized in drilling/workover: fresh water mud		
Number of producing wells on lease: Number of work			king pits to be utilized:2		
Barrels of fluid produced daily: Abandonment			procedure: Let evaporate until dry, then backfill and restore		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.					
// // MAR 3 1 2010					
March 29, 2010					
Date Signature of Applicant or Agent KCC WICHITA					
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: 3-30-10 Permit Numl	ber:	Permi	t Date: 3 - 30 - 70 Lease Inspection: Yes No		