

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Expected Soud Date: April 7, 2010	Snot Description
Expected Spud Date:	Spot Description: NE _ SE _ NW _ SE Sec. 12 Twp. 24 S. R. 24 TE WW
31093	(0000)
OPERATOR: License#	1,800 feet from N / X S Line of Section feet from X E / W Line of Section
Name: Becker Oil Corporation	Is SECTION: Regular Inregular?
Address 1: P.O. Box 1150 Address 2:	
City: Ponca City State: OK Zip: 74602 +	(Note: Locate well on the Section Plat on reverse side) County: Hodgeman
Contact Person: Clyde M. Becker, Jr.	
Phone: 303-816-2013	Lease Name: Well #: 1 Well #: 1
CONTRACTOR: License#33793	The state of the s
Name: H2 Drilling, LLC	Is this a Prorated / Spaced Field? Target Formation(s): Cherokee-Morrow Yes X No
	Nearest Lease or unit boundary line (in footage): 840°
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 2470 est. feet MSL
☑Oil ☐ Enh Rec ☐ Infield ☑ Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	Depth to bottom of fresh water: 310' (water well)
Seismic; # of Holes Other	Depth to bottom of usable water:
Other:	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set: 350
Operator:	Length of Conductor Pipe (if any):
Operator:	Projected Total Depth: 4950'
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian
	Water Source-for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	IDAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plug	IDAVIT aging of this well will comply with K.S.A. 55 et. seq.
	IDAVIT RECEIVED
The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	RECEIVED aging of this well will comply with K.S.A. 55 et. seq. APR 7 2 2010
The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	RECEIVED aging of this well will comply with K.S.A. 55 et. seq. APR 7 2 2010 drilling rig: KCC WICHITA
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to	aging of this well will comply with K.S.A. 55 et. seq. APR 7 2 2010 drilling rig; by circulating cement to the top; in all cases surface pipe shall be set. TA
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	aging of this well will comply with K.S.A. 55 et. seq. APR n 2 2010 drilling rig: y circulating cement to the top; in all cases surface pipe shall be set TA underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to	aging of this well will comply with K.S.A. 55 et. seq. APR n 2 2010 drilling rig; by circulating cement to the top; in all cases surface pipe shall be set. The underlying formation. ict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate distriction of the pluggent of the appropriate distriction of the production of the shall be cemented.	aging of this well will comply with K.S.A. 55 et. seq. APR n 2 2010 AP
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the description of the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	APR n 2 2010 drilling rig: y circulating cement to the top; in all cases surface pipe shall be set TA underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set. APR or 2 2010 Considering formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the distriction of the distriction of the state of the surface casing order #15 or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be it hereby certify that the statements made herein are true and correct to the best of the statements and the distriction of the best of the statements and the distriction of the statements are true and correct to the best of the statements are true and correct to the best of the statements are true and correct to the best of the statements.	ging of this well will comply with K.S.A. 55 et. seq. APR 7 2 2010 drilling rig; by circulating cement to the top; in all cases surface pipe shall be set. Apr. underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the best of the statements.	ging of this well will comply with K.S.A. 55 et. seq. APR 7 2 2010 drilling rig; by circulating cement to the top; in all cases surface pipe shall be set. Apr. underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the brown of the statements made herein are true and correct to the brown of the statements made herein are true and correct to the brown of the statements made herein are true and correct to the brown of the statements made herein are true and correct to the brown of the statements made herein are true and correct to the brown of the statements made herein are true and correct to the brown of the statements made herein are true and correct to the brown of the statements made herein are true and correct to the brown of the statements made herein are true and correct to the statements made herein are true and correct to the statements.	ging of this well will comply with K.S.A. 55 et. seq. APR n 2 2010 drilling rig: Ty circulating cement to the top; in all cases surface pipe shall be set. A underlying formation. In office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Title: Title: Title:
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the states. The appropriate district office will be notified before well is either plugger. The appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be be thereby certify that the statements made herein are true and correct to the bottom. Signature of Operator or Agent: **Description** Signature of Operator or Agent: **Description** Signature of Operator or Agent: **Description** **Description** Signature of Operator or Agent: **Description** **Description** Signature of Operator or Agent: **Description** The appropriate district office will be notified before well is either plugger. The appropriate district office will be notified before well is either plugger. The appropriate district office will be notified before well as either plugger. The appropriate district office will be notified before well as either plugger. The appropriate district office will be notified before well as either plugger. The appropriate district office will be notified before well as either plugger. The appropriate district office will be notified before well as either plugger. The appropriate district office will be notified before well as either plugger. The appropriate district office will be notified before well as either plugger. The appropriate district office will be notified before well as either plugger. The appropriate district office will be notified before wel	APR 1 2 2010 drilling rig: APR 1 2 2010 drilling rig: APR 1 2 2010 CCC WICHITA APR 1 2 2010 CCC WICHITA Condendating cement to the top; in all cases surface pipe shall be set to a underlying formation. In ordication casing is cemented in; in the second or production cases in the second or production ca
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the states. The appropriate district office will be notified before well is either plugger. The appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be be thereby certify that the statements made herein are true and correct to the bottom. Signature of Operator or Agent: **Description** Signature of Operator or Agent: **Description** Signature of Operator or Agent: **Description** **Description** Signature of Operator or Agent: **Description** **Description** Signature of Operator or Agent: **Description** The appropriate district office will be notified before well is either plugger. The appropriate district office will be notified before well is either plugger. The appropriate district office will be notified before well as either plugger. The appropriate district office will be notified before well as either plugger. The appropriate district office will be notified before well as either plugger. The appropriate district office will be notified before well as either plugger. The appropriate district office will be notified before well as either plugger. The appropriate district office will be notified before well as either plugger. The appropriate district office will be notified before well as either plugger. The appropriate district office will be notified before well as either plugger. The appropriate district office will be notified before wel	APR 1 2 2010 drilling rig; by circulating cement to the top; in all cases surface pipe shall be set TA underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the statement between the operator and the distriction of the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. I have a copy of the spud date or the well shall be notified before well is either pluggers. The appropriate district office will be notified before well is either pluggers. I have a copy of the spud date or the well shall be notified before well is either pluggers. I have a copy of the spud date or the well shall be notified before	APR 7 2 2010 drilling rig; by circulating cement to the top; in all cases surface pipe shall be set. Apr of this well will comply with K.S.A. 55 et. seq. APR 7 2 2010 CCC WICHITA Separation of the top of the top of the top of the set of the top of th
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the statement between the operator and the district of the well is dry hole, an agreement between the operator and the district of the statement between the operator and the district of the appropriate district office will be notified before well is either plugger. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be thereby certify that the statements made herein are true and correct to the boundaries. Signature of Operator or Agent: For KCC Use ONLY API # 15 - OR3 - 2 163 7 - OD - OD - Conductor pipe required feet	APR 1 2 2010 drilling rig; by circulating cement to the top; in all cases surface pipe shall be set TA underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the state through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be been been certify that the statements made herein are true and correct to the beautiful statements. For KCC Use ONLY API # 15 - OB3-2 1637-000 Conductor pipe required	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set. APR 1 2 2010 CCC WICHITA and circulating cement to the top; in all cases surface pipe shall be set. A underlying formation. In office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days):
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the state through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #11 must be completed within 30 days of the spud date or the well shall be been been certify that the statements made herein are true and correct to the beautiful statements. For KCC Use ONLY API # 15 - OS3 - 2 1637 - OOO Conductor pipe required	drilling rig: APR 1 2 2010 A
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the statement between the operator and the district office will be notified before well is either plugging. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best of the statements of the spud date or the well shall be conductor pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15 - OB 3 - 2 1637 - OOO Conductor pipe required feet per ALT. I I I I I I I I I I I I I I I I I I I	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set. APR n 2 2010 CCC WICHITA APR n 2 2010 CCC WICHITA APR n 2 2010 CCC WICHITA April of the top; in all cases surface pipe shall be set. And or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. Bay, 891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the state through all unconsolidated materials plus a minimum of 20 feet into the state well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #11 must be completed within 30 days of the spud date or the well shall be been been certify that the statements made herein are true and correct to the beautiful statements. For KCC Use ONLY API # 15 - OS3 - 2 1637 - OOO Conductor pipe required	drilling rig: APR n 2 2010 A
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the statement between the operator and the district office will be notified before well is either plugging. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #11 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best of the statements of the spud date or the well shall be conductor pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15 - OB3-2 1637-00-00 Conductor pipe required Minimum surface pipe required Approved by: MAPI # 4-2-2010 This authorization expires: 1 The district office prior to spudding of well; Signature of Operator or Agent: 1 The provided prior of the pr	drilling rig: APR n 2 2010 A
The undersigned hereby affirms that the drilling, completion and eventual plus it is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the statement between the operator and the district office will be notified before well is either plugging. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #11 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the best of the statements of the spud date or the well shall be conductor pipe required Signature of Operator or Agent: For KCC Use ONLY API # 15 - OB3-2 1637-00-00 Conductor pipe required Minimum surface pipe required Approved by: MAPI # 4-2-2010 This authorization expires: 1 The district office prior to spudding of well; Signature of Operator or Agent: 1 The provided prior of the pr	drilling rig: by circulating cement to the top; in all cases surface pipe shall be set. Apr. 12 2010 Control of this well will comply with K.S.A. 55 et. seq. CC WICHITA CC WICHITA CC WICHITA CONTROL OF 12 2010 CCC WICHITA CCC WIC

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 083-2/637-00-00	
Operator: Becker Oil Corporation	Location of Well: County: Hodgeman
Lease: Shriwise	1,800 feet from N / X S Line of Section
Well Number: 1	1,350 feet from X E / W Line of Section
Field: wildcat	Sec. <u>12</u> Twp. <u>24</u> S. R. <u>24</u> E X W
Number of Acres attributable to well: 160 acre lease	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage: NE - SE - NW - SE	15 Occitors. Triogular or Integralia
	If Section is Irregular, locate well from nearest corner boundary. Section comer used: NE NW SE SW

PLAT


(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

•							
<u> </u>							
:						:	:
					• • • • • • • • • • • • • • • • • • • •		
:	:		;		:	:	:
:			:	:	:		:
:					;	;	
:			;		:		:
:					;		:
:		:			:		:
:		: :	;		;		:
:	:	: :			:	:	

:						;	;
;						:	
:	:		;	,	:		
;			,	_			
	····	·	-	ર — :	'	`	
:		:		^			
:				;			:
:							
:		:		:	اسه		:
					4	Shawi 135	4
********	******						
:	;	:		:	Ø	195	;-/ <u></u>
:		:		:		وسرو	•
:		:			1		
:		:			. j	:	
• • • • • • • • • • • • • • • • • • • •	• • • • • • • •		*******				
				:	: 1:		:
:				1	1		:
:					1	_ :	:
:			:		180	10	:
	•		•	٠ .			•
	•••••				••••••		
			•		. 1		
:	:						
					1		
							:
ł .				1	•		•

NOTE: In all cases locate the spot of the proposed drilling locaton.



APR 0 2 2010

In plotting the proposed location of the well, you must show.

CC WICHITA

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: Becker Oil Corporation		License Number: 31093			
Operator Address: P.O. Box 1150			Ponca City OK 74602		
Contact Person: Clyde M. Becker, Jr.		Phone Number: 303-816-2013			
Lease Name & Well No.: Shriwise	1		Pit Location (QQQQ):		
Type of Pit: Emergency Pit	Pit is: Proposed If Existing, date conditions Pit capacity: Area? Yes Yes Yes Yes Yes O	No No eet) 60 eepest point:	NE SE NW SE Sec. 12 Twp. 24 R. 24 East West 1,800 Feet from North / South Line of Section 1,350 Feet from East / West Line of Section Hodgeman County Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) How is the pit lined if a plastic liner is not used? Native Clays Width (feet) N/A: Steel Pits 3 (feet) No Pit		
Distance to nearest water well within one-mile 1600	134 feet spilled fluids to	Drilling, Work Type of materia Number of wor Abandonment Drill pits must	well owner electric log KDWR cover and Haul-Off Pits ONLY: al utilized in drilling/workover: chem. mud rking pits to be utilized: procedure: Allow to evaporate, backfill, replace top soil be closed within 365 days of spud date. RECEIVED at of my knowledge and belief. APR 0 2 2010		
3/31//o Date	L.	dim la	KCC WICHITA		
KCC OFFICE USE ONLY Steel Pit RFAC RFAS					
Date Received: 4-2-/o Permit Number: Permit Date: 4-2-/o Lease Inspection: Yes 🖈 No					