# For KCC Use: Effective Date: \_

## KANSAS CORPORATION COMMISSION Oil & Gas Conservation Division

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

# NOTICE OF INTENT TO DRILL

Must be approved by KCC five	(5) days prior to commencing well
Expected Spud Date: 04/10/2010	Spot Description:
month day year	Sec. 10 Twp. 17 S. R. 22 XE W  (20000) 825 feet from N / X S. Line of Section
OPERATOR: License#	1,795 feet from E / X W Line of Section
Address 1: Two South Gold St.	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: Paola State: KS Zip: 66071 +	County: Miami
Contact Person: Bill West	Lease Name: Travis Well #: Travis #100
Phone: 913-557-9639	Field Name: Paola/Rantoul
CONTRACTOR: License# 33427 <	is this a Prorated / Spaced Field?
Name: Petroleum Production Corp	Target Formation(s); Squirrel
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 825
	Ground Surface Elevation: 955 feet MSL
XOil ✓ ☐ Enh Rec X Infield ✓ X Mud Rotary ✓	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Disposal Wildcat Cable Seismic ;# of Holes Other	Depth to bottom of fresh water: 20'
Other:	Depth to bottom of usable water: 200
<u> </u>	Surface Pipe by Alternate:
☐ If OWWO: old well information as follows: ✓	Length of Surface Pipe Planned to be set: 21'
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth: 650
Original Completion Date: Original Total Depth:	Formation at Total Depth: Squirrel
<u> </u>	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well X Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR )
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone: Squirrel
	RECEIVE
	IDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plug	drilling rig;  APR 0.5 2010  Control of this well will comply with K.S.A. 55 et. seq.  Control of this well will comply with K.S.A. 55 et. seq.  Control of this well will comply with K.S.A. 55 et. seq.  Control of this well will comply with K.S.A. 55 et. seq.  Control of this well will comply with K.S.A. 55 et. seq.  Control of this well will comply with K.S.A. 55 et. seq.  Control of this well will comply with K.S.A. 55 et. seq.  Control of this well will comply with K.S.A. 55 et. seq.  Control of this well will comply with K.S.A. 55 et. seq.  Control of this well will comply with K.S.A. 55 et. seq.  Control of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	THE COLUMN OF THE PROPERTY OF
Notify the appropriate district office <i>prior</i> to spudding of well;	KCC MIOLINE
<ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set be</li> </ol>	drilling rig;
<ol> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> </ol>	y chocking content to the top, in an edoce sander pipe chair be con
If the well is dry hole, an agreement between the operator and the distr	ict office on plug length and placement is necessary prior to plugging;
5. The appropriate district office will be notified before well is either plugge	ed or production casing is cemented in;
6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	I from below any usable water to surface within 120 DAYS of spud date.
Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be	33,891-C, which applies to the KCC District 3 area, alternate II cementing
	· <del></del>
I hereby certify that the statements made herein are true and correct to the be	78 1/7 194
Date: 03/30/2010 Signature of Operator or Agent:	-// /:/// N/N (≟onoral Manager
	Coneral Manager
	Time:
	Remember to:
For KCC Use ONLY	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
For KCC Use ONLY  API # 15 - 121 - 28748 - 00 - 00	Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of soud date:
For KCC Use ONLY  API # 15 - 121 - 28748 - 00 - 00  Conductor pipe required None feet	Remember to: - File Drill Pit Application (form CDP-1) with Intent to Drill;
For KCC Use ONLY  API # 15 - 121 - 28748 - 00 - 00	Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  Submit alwaying report (CR 4) after plugging is completed (within 50 days):
For KCC Use ONLY  API # 15 - 121 - 28748 - 00 - 00  Conductor pipe required NonC feet  Minimum surface pipe required 20 feet per ALT. I	Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
For KCC Use ONLY  API # 15 - 121 - 28748 - 00 - 00  Conductor pipe required Nonc feet  Minimum surface pipe required 20 feet per ALT. I XIII  Approved by: SB 4-6-10	File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please
For KCC Use ONLY  API # 15 - 121 - 28748 - 00 - 00  Conductor pipe required NonC feet  Minimum surface pipe required 20 feet per ALT. I	Remember to:  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);  - Obtain written approval before disposing or injecting salt water.  - If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
For KCC Use ONLY  API # 15 - 121 - 28748 - 00 - 00  Conductor pipe required None feet  Minimum surface pipe required 20 feet per ALT. I XIII  Approved by: 4-6-10  This authorization expires: 4-6-11	Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
For KCC Use ONLY  API # 15 - 121 - 28748 - 00 - 00  Conductor pipe required None feet  Minimum surface pipe required 20 feet per ALT. I XIII  Approved by: 4-6-10  This authorization expires: 4-6-11	File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;  Submit plugging report (CP-4) after plugging is completed (within 60 days);  Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API NO. 15 - 121 - 28748-00-00	
Operator: Petroleum Production Corp.	Location of Well: County: Miami
Lease: Travis	
Well Number: Travis #100	feet from N / X S Line of Section  1,795 feet from E / X W Line of Section
Field: Paola/Rantoul	Sec. 10 Twp. 17 S. R. 22 E W
Number of Acres attributable to well: 5  QTR/QTR/QTR/QTR of acreage: se _ nw _ se _ sw	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW


#### PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)

(Show footage to the nearest lease or unit boundary line.)

	:				•	•	:
	:				•	:	:
	:	:	:		:		:
	•	•	•		•	•	•
			••••••	********	*******		
	:	:	:		:	:	:
	:	:	:		:	:	:
	:				•	:	:
	-	:			•	:	•
	• • • • • • • • • • • • • • • • • • • •		*******	********	*******		• • • • • • • • •
	•	•	•		•		•
	:	•	•		•	:	:
	:	:			•	:	:
	:	:	:		:	:	:
1	•		•		- 		•
				***********			*********
	•	:	:		:	:	:
	:	:	:		:	:	:
	:			J.	<u> </u>	•	:
	:	:			•	i .	:
<u> </u>		·	<del></del>				
1 :	:				:		:
	:	:		1			
1 3							•
			•		With		•
	:	:		700	4/1/2	•	
}	:			ראין ו	0/1/		
1 :	•		•		6/1/11		:
1					1466		
1 .	_	_			. 1		
					925		•
1	:			:	• -	:	:
1	:				:		:
1		:		·		•	•
				•••••			*******
				:			:
							•
) :		: :		:	:	:	:
1		:					•
1	•	•	•			•	•

RECEIVED
APR 0 5 2010
KCC WICHITA



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- $2. \ \, \text{The distance of the proposed drilling location from the south / north and east / west outside section lines}.$
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: D. C. C. D. C.	_			
Operator Name: Petroleum Production Corp		License Number: 33427		
Operator Address: Two South Gold	d Street			
Contact Person: Bill West			Phone Number: 913-557-9639	
Lease Name & Well No.: Travis	Tra	avis #100	Pit Location (QQQQ):	
Type of Pit:	Pit is:		se nw se sw	
Emergency Pit Burn Pit	Proposed	Existing	Sec. 10 Twp. 17 R. 22 East West	t
Settling Pit Drilling Pit	If Existing, date of	constructed:	825 Feet from North / South Line of Se	1
Workover Pit Haul-Off Pit	Pit consitu		1,795 Feet from East / West Line of Se	ľ
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbis)	miami	ounty
is the pit located in a Sensitive Ground Water	Area? Yes			mg/l
			(For Emergency Pits and Settling Pits only)	
is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?  natural clay	
Pit dimensions (all but working pits):	12 Length (fe	eet) 8	Width (feet) N/A; Steel Pits	
Depth fo	rom ground level to de	eepest point:	5 (feet) No Pit	
if the pit is lined give a brief description of the material, thickness and installation procedure		Describe proce liner integrity, in	edures for periodic maintenance and determining RECE	IVED
n/a		n/a	APR 0	5 2010
n/a		n/a	APR 0 KCC WI	
n/a  Distance to nearest water well within one-mile	e of pit		West fresh water feet.	
	·	Depth to shallo	west fresh water feet.	CHIT
Distance to nearest water well within one-mile	feet	Depth to shallo Source of infor measu	west fresh water feet.	CHIT
Distance to nearest water well within one-mile	feet	Depth to shallo Source of infor measu	west fresh water feet. mation: ired well owner electric log KDWf	CHIT
Distance to nearest water well within one-mile  ### feet	feet	Depth to shallo Source of informeasu Drilling, Work	west fresh water feet. mation: ured well owner electric log KDWf	CHIT
Distance to nearest water well within one-mile  **Producing Formation:	feet	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor	west fresh water feet. mation: lired well owner electric log KDWf  over and Haul-Off Pits ONLY: al utilized in drilling/workover: freshwater mudd	CHITA
Distance to nearest water well within one-mile  ### feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:	feet	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment	west fresh water feet mation:  ired well owner electric log KDWf over and Haul-Off Pits ONLY:  al utilized in drilling/workover: freshwater mudd king pits to be utilized: 2	CHITA
Distance to nearest water well within one-mile  ### feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all	spilled fluids to	Depth to shallo Source of informeasu Drilling, Work Type of materia Number of wor Abandonment  Drill pits must to	west fresh water feet. mation: ired well owner electric log KDWF over and Haul-Off Pits ONLY: al utilized in drilling/workover: freshwater mudd king pits to be utilized: 2 procedure: dry and backfill be closed within 365 days of spud date.	CHITA
Distance to nearest water well within one-mile  ### feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit? Yes No	spilled fluids to	Depth to shallo Source of information measured by Drilling, Work Type of material Number of work Abandonment Drill pits must be correct to the best with the source of the second of the	west fresh water feet. mation: ired well owner electric log KDWF over and Haul-Off Pits ONLY: al utilized in drilling/workover: freshwater mudd king pits to be utilized: 2 procedure: dry and backfill be closed within 365 days of spud date.	CHIT
Distance to nearest water well within one-mile  ### feet Depth of water well  Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all flow into the pit? Yes No  I hereby certify that the above state  03/30/2010	spilled fluids to	Depth to shallo Source of information measured by Drilling, Work Type of material Number of work Abandonment Drill pits must be correct to the best with the source of the second of the	west fresh water feet. mation: lired well owner electric log KDWf  over and Haul-Off Pits ONLY: al utilized in drilling/workover: freshwater mudd  king pits to be utilized: 2  procedure: dry and backfill  oe closed within 365 days of spud date.  It of my knowledge and belief.	CHITA