# For KCC Use: Effective Date: 4-14-2010 District # X No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

#### **NOTICE OF INTENT TO DRILL**

Must be approved by KCC five (5) days prior to commencing well

Expected Spud Date: 4-13-10 month day year		
mom un von	Spot Description: 10' S & 13' E of	31
	NE NW SE Sec. 6 Twp. 13 S. R.:	
OPERATOR: License#	1001 1001	
Name: Lario Oil & Gas Company		W Line or Section
Address 1: 301 S. Market	is SECTION: Regular Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse	side)
City: Wichita State: KS Zip: 67202 +	County: Gove	4.0
Contact Person: Jay Schweikert Phone: 316-265-5611	NACIAL A	ell #: <u>1-6</u>
	Field Name: Wildcat	
CONTRACTOR: License# 5822	Is this a Prorated / Spaced Field?	Yes No
Name: Val Energy	Target Formation(s): Mississipplan	
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 1530'	
◯ Oil ✓ ☐ Enh Rec ☐ Infield ☑ Mud Rotary ✓	Ground Surface Elevation: 2960' Est.	feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	Yes No
Disposal XWildcat Cable	Public water supply well within one mile:	Yes No
Seismic ; # of Holes Other	Depth to bottom of fresh water: 180 /50	
Other:	Depth to bottom of usable water: 1500-7530	
The consistency and small information as follows:	Surface Pipe by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:	
Operator:	Length of Conductor Pipe (if any):	
Well Name:	Projected Total Depth; 4750'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippian	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:	
	Well Farm Pond Other:	
If Yes, true vertical depth:	DWR Permit #:(Note: Apply for Permit with DWR	
Bottom Hole Location:	-	Yes No
NOO DINT #.	Will Cores be taken?	Ties Mino
	If Yes, proposed zone:	
ΔFF	DAVIT	RECEIVED
	DATI	
I be undersigned hereby affirms that the drilling, completion and eventual blud	ging of this well will comply with K.S.A. 55 et. seq.	
	iging of this well will comply with K.S.A. 55 et. seq.	APR 0 7 2010
It is agreed that the following minimum requirements will be met:		
It is agreed that the following minimum requirements will be met:		
It is agreed that the following minimum requirements will be met:		
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> b  through all unconsolidated materials plus a minimum of 20 feet into the	drilling rig; y circulating cement to the top; in all cases surface pipe <b>shall</b> underlying formation.	(CC WICHIT
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the districtions.	drilling rig; y circulating cement to the top; in all cases surface pipe <b>shall</b> underlying formation. ict office on plug length and placement is necessary <b>prior to</b>	(CC WICHIT
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an anomal of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the all the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges if an ALTERNATE II COMPLETION, production pipe shall be comented.	drilling rig; y circulating cement to the top; in all cases surface pipe shall underlying formation. ct office on plug length and placement is necessary prior to all or production casing is cemented in; from below any usable water to surface within 120 DAYS of s	CC WICHIT
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each it.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the intention of the district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	drilling rig; y circulating cement to the top; in all cases surface pipe shall underlying formation. ct office on plug length and placement is necessary prior to all or production casing is cemented in; from below any usable water to surface within 120 DAYS of stags.	CC WICHIT plugging; spud date. I cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an accordance of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	drilling rig; y circulating cement to the top; in all cases surface pipe shall underlying formation. ict office on plug length and placement is necessary prior to ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of standard which applies to the KCC District 3 area, alternate I plugged. In all cases, NOTIFY district office prior to any cere	CC WICHIT plugging; spud date. I cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each it.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the intention of the district office will be notified before well is either plugge.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	drilling rig; y circulating cement to the top; in all cases surface pipe shall underlying formation. ict office on plug length and placement is necessary prior to ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of standard which applies to the KCC District 3 area, alternate I plugged. In all cases, NOTIFY district office prior to any cere	CC WICHIT plugging; spud date. I cementing
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the specific terms.	drilling rig; y circulating cement to the top; in all cases surface pipe shall underlying formation. to office on plug length and placement is necessary prior to to office on plug length and placement is necessary prior to to or production casing is cemented in; from below any usable water to surface within 120 DAYS of stags. 13,891-C, which applies to the KCC District 3 area, alternate I plugged. In all cases, NOTIFY district office prior to any cents of my knowledge and belief.	CC WICHIT, plugging; spud date. I cementing menting.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an accordance of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the an agreement between the operator and the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	drilling rig; y circulating cement to the top; in all cases surface pipe shall underlying formation. ict office on plug length and placement is necessary prior to ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of standard which applies to the KCC District 3 area, alternate I plugged. In all cases, NOTIFY district office prior to any cere	plugging; spud date. I cementing menting. Engineer
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the specific terms.	drilling rig; y circulating cement to the top; in all cases surface pipe shall underlying formation. to office on plug length and placement is necessary prior to to office on plug length and placement is necessary prior to to or production casing is cemented in; from below any usable water to surface within 120 DAYS of stags. 13,891-C, which applies to the KCC District 3 area, alternate I plugged. In all cases, NOTIFY district office prior to any cents of my knowledge and belief.	spud date. I cementing menting.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the Date:  4-5-10  Signature of Operator or Agent:	drilling rig; y circulating cement to the top; in all cases surface pipe shall underlying formation. ct office on plug length and placement is necessary prior to add or production casing is cemented in; from below any usable water to surface within 120 DAYS of states and sall cases, NOTIFY district 3 area, alternate lenguaged. In all cases, NOTIFY district office prior to any celest of my knowledge and better.    Comparison	plugging; spud date. I cementing menting. Engineer
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the bate:  Date:  4-5-10  Signature of Operator or Agent:	drilling rig; y circulating cement to the top; in all cases surface pipe shall underlying formation. ct office on plug length and placement is necessary prior to ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of stag, 891-C, which applies to the KCC District 3 area, alternate I plugged. In all cases, NOTIFY district office prior to any certs of my knowledge and bettef.  Characteristics  Title:  Remember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;	CC WICHIT
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be 1 hereby certify that the statements made herein are true and correct to the Date:    For KCC Use ONLY	drilling rig; y circulating cement to the top; in all cases surface pipe shall underlying formation. ct office on plug length and placement is necessary prior to add or production casing is cemented in; from below any usable water to surface within 120 DAYS of states and sall cases, NOTIFY district 3 area, alternate I plugged. In all cases, NOTIFY district office prior to any celest of my knowledge and better.    Completion Form ACO-1 with Intent to Drill;	plugging; spud date. I cementing menting.  Engineer
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an account of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the strong all unconsolidated materials plus a minimum of 20 feet into the strong and the distriction. The appropriate district office will be notified before well is either plugge for an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the beautiful to the statements of Operator or Agent:    Por KCC Use ONLY	drilling rig; y circulating cement to the top; in all cases surface pipe shall underlying formation. Ict office on plug length and placement is necessary prior to ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of significant surfaces.  In all cases, NOTIFY district office prior to any celest of my knowledge and better.  Permember to:  File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration order.  Notify appropriate district office 48 hours prior to workover of the completion of the co	Plugging; spud date. I cementing menting.  Engineer
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an intention of the approved notice of intent to drill <i>shall be</i> posted on each an intention of the approved notice of intent to drill <i>shall be</i> posted on each an intention of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be notified before well is either plugged. If the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the beautiful and the intention of the post of the spud date or the well shall be beautiful.  5. The appropriate district office will be notified before well is either plugged for the spud date or the well shall be appropriate district office will be notified before well is either plugged. It is either plugged for the spud date or the well shall be appropriate district office will be notified before well is either plugged. It is either plugged for the spud date or the well shall be appropriate district office will be notified before well is either plugged. It is either plugged for the spud date or the well shall be appropriate district office will be notified before well is either plugged. It is either plugged for the spud date or the well shall be appropriate district office will be notified before well is either plugged.  For KCC Use ONLY  API # 15 - O(3 - 2 18 3 7 - 00 - 00 - 00 - 00 - 00 - 00 - 00	drilling rig; y circulating cement to the top; in all cases surface pipe shall underlying formation. Ict office on plug length and placement is necessary prior to ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of significant states and pulping to the KCC District 3 area, alternate I plugged. In all cases, NOTIFY district office prior to any celest of my knowledge and better.    Operations   Title:   Plice Drill Pit Application (form CDP-1) with Intent to Drill;	plugging; spud date. I cementing menting.  Engineer  ers; or re-entry; (within 60 days);
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an intention of the approved notice of intent to drill <i>shall be</i> posted on each an intention of the approved notice of intent to drill <i>shall be</i> posted on each an intention of the approved and intention of surface pipe as specified below <i>shall be set</i> be through all unconsolidated materials plus a minimum of 20 feet into the strong of the spud and the distriction of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be hereby certify that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statements made herein are true and correct to the beautiful that the statement of Operator or Agent:    For KCC Use ONLY	drilling rig; y circulating cement to the top; in all cases surface pipe shall underlying formation. ct office on plug length and placement is necessary prior to ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of standard surface within 120 DAYS of surface within 120 days of spud date; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration order. Notify appropriate district office 48 hours prior to workover of Submit plugging report (CP-4) after plugging is completed (CD-4) after plugging is completed (CD-4) after plugging or injecting salt was	ers; within 60 days); ater.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an intent to drill <i>shall be</i> posted on each an intent to drill <i>shall be</i> posted on each an intent to drill <i>shall be</i> posted on each an intent to drill <i>shall be</i> posted on each an intent to drill <i>shall be</i> posted on each an intent to drill <i>shall be</i> posted on each and the district of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge and the appropriate district office will be notified before well is either plugge of the appropriate of the district office will be notified before well is either plugge of the appropriate of the spud date or the well shall be an intention of the spud date or the well shall be approved by that the statements made herein are true and correct to the post of the spud date or the well shall be approved by:    For KCC Use ONLY	drilling rig; y circulating cement to the top; in all cases surface pipe shall underlying formation. Ict office on plug length and placement is necessary prior to ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of significant states and pulping to the KCC District 3 area, alternate I plugged. In all cases, NOTIFY district office prior to any celest of my knowledge and better.    Operations   Title:   Plice Drill Pit Application (form CDP-1) with Intent to Drill;	ers; within 60 days); ater.
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be comented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the specified signature of Operator or Agent:    For KCC Use ONLY	drilling rig; y circulating cement to the top; in all cases surface pipe shall underlying formation. In the original of the top of top of the t	ers; within 60 days); ater. please
It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an intent to drill <i>shall be</i> posted on each an intent to drill <i>shall be</i> posted on each an intent to drill <i>shall be</i> posted on each an intent to drill <i>shall be</i> posted on each an intent to drill <i>shall be</i> posted on each an intent to drill <i>shall be</i> posted on each and the district of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge and the appropriate district office will be notified before well is either plugge of the appropriate of the district office will be notified before well is either plugge of the appropriate of the spud date or the well shall be an intention of the spud date or the well shall be approved by that the statements made herein are true and correct to the post of the spud date or the well shall be approved by:    For KCC Use ONLY	drilling rig; y circulating cement to the top; in all cases surface pipe shall underlying formation. ct office on plug length and placement is necessary prior to ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of stages. Which applies to the KCC District 3 area, alternate I plugged. In all cases, NOTIFY district office prior to any celest of my knowledge and belief.    Operations	ers; within 60 days); ater.


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 063-21837-00-00	
Operator: Lario Oil & Gas Company	Location of Well: County: Gove
Lease: Ottley	2,300 feet from N / X S Line of Section
Well Number: 1-6	1,637 feet from X E / W Line of Section
Field: Wildcat	Sec. 6 Twp. 13 S. R. 31 E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

PLAT
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

- The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Lario Oil & Gas Company		License Number: 5214		
Operator Address: 301 S. Market			Wichita KS 67202	
Contact Person: Jay Schweikert		Phone Number: 316-265-5611		
Lease Name & Well No.: Ottley	Lease Name & Well No.: Ottley 1-6		Pit Location (QQQQ):	
Type of Pit:	Pit is:		NENWSE	
Emergency Pit Burn Pit	Proposed Existing		Sec. 6 Twp. 13 R. 31 East West	
Settling Pit X Drilling Pit	If Existing, date constructed:		2,300 Feet from North / South Line of Section	
Workover Pit   Haul-Off Pit   Haul-Off Pit   (If WP Supply API No. or Year Drilled)	Pit capacity: 7,100 (bbls)		1,637 Feet from East / West Line of Section Gove County	
Is the pit located in a Sensitive Ground Water	(656)		Chloride concentration: mg/l	
In the battern heless enough level?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?		
Is the bottom below ground level?  Yes No	Artificial Liner?  Yes No		Bentonite	
Pit dimensions (all but working pits):1	00 Length (fe	eet)	Width (feet) N/A: Steel Pits	
Depth fr	rom ground level to de	eepest point:	4 (feet) No Pit	
If the pit is lined give a brief description of the liner  material, thickness and installation procedure.  Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring.			· · · · · · · · · · · · · · · · · · ·	
material, produced and metallican production	•	, mor mogney,	RECEIVED	
			APR 0 7 2010	
Distance to nearest water well within one-mile of pit  Depth to shallo Source of infor		west fresh water		
27.2/ feet Depth of water well 60 feet measu		red well owner electric log KDWR		
		· ·	over and Haul-Off Pits ONLY:	
Producing Formation: Type of material		al utilized in drilling/workover: Bentonite Mud		
i ' -		L.		
Barrels of fluid produced daily: Abandonment		procedure: Allow for evaporation. Fill in and cover pits.		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must I		procedure: Allow for evaporation. Fill in and cover pits.  De closed within 365 days of spud date.		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.  4-5-10  Date  D				
4-5-10 Yay Schweibert				
Date Signature of Applicant or Agent				
KCC OFFICE USE ONLY Steel Pit RFAC X RFAS				
Date Received: 4-7-10 Permit Number: Permit Date: 4-9-10 Lease Inspection: X Yes No				



April 9, 2010

Lario Oil & Gas Company 301 S. Market Wichita, KS 67202

RE: Drilling Pit Application Ottley Lease Well No. 1-6 SE/4 Sec. 06-13S-31W Gove County, Kansas

Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased. **Keep pits away from draw/creek**.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

**Environmental Protection and Remediation Department** 

cc: district