For KCC Use:	4-24 10
Effective Date:	4770
District #	<u> </u>
SGA7 Yes	No

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

	5 . 5 90' 5 & 60' F of	
Expected Spud Date: 4-23-10 month day year	Spot Description: 90' S & 60' E of	
	(00000) - SE - NW Sec. 34 Twp. 14 S. R. 32 EXW	
OPERATOR: License# 5214	feet from X N / S Line of Section	
Name: Lario Oil & Gas Company	ieet from L.E. / W Line of Section	
Address 1: 301 S. Market	Is SECTION: Regular Irregular?	
Address 2:	(Note: Locate well on the Section Plat on reverse side)	
City: Wichita State: KS Zip: 67202 +	County: Logan	. ,
Contact Person: Jay Schweikert Phone 316-265-5611	Lease Name: Krebs A Well #: 1-34	
- 1000	Field Name: Wildcat	
CONTRACTOR: License# WW Drilling, LLC	Is this a Prorated / Spaced Field?	مسا
Name: _33575	Target Formation(s): Lansing, Ft. Scott, Marmaton, Johnson, Cherokee	
/ Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage): 2040	
XOil ☐ Enh Rec ☐ Infield X Mud Rotary	Ground Surface Elevation: 2653 feet MSL	•
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:	
Disposal XWildcat Cable	Public water supply well within one mile:	
Seismic ; # of Holes Other	Depth to bottom of fresh water: 150'	
Other:	Depth to bottom of usable water: 1150'	
	Surface Pipe by Alternate: I I III	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set; 220'	
Operator:	Length of Conductor Pipe (if any): none	
Well Name:	Projected Total Depth: 4700'	
Original Completion Date: Original Total Depth:	Formation at Total Depth: Mississippi	
	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:	(Note: Apply for Permit with DWR )	
NOO DRT #.	Will Cores be taken?	
	If Yes, proposed zone:	
	RECEIVED	
AEE	RECEIVED KANSAS CORPORATION CO	MMISSION
	IDAVIT KANSAS CORPORATION CO	
AFFI The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	IDAVIT KANSAS CORPORATION CO	
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	IDAVIT  aging of this well will comply with K.S.A. 55 et. seq.  APR 16 201	10
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the appropriate district of intent to drill about he posted on each time.	IDAVIT aging of this well will comply with K.S.A. 55 et. seq.  APR 16 201  CONSERVATION DE	10 VISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <b>prior</b> to spudding of well;  2. A copy of the appropriate district of intent to drill about he posted on each time.	IDAVIT aging of this well will comply with K.S.A. 55 et. seq.  APR 16 201  CONSERVATION DE	10 VISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the	IDAVIT  Iging of this well will comply with K.S.A. 55 et. seq.  APR 1 6 20 drilling rig;  In a conservation of the conservation.	10 VISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distri	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set.  CONSERVATION DE SHALL BE SHALL B	10 VISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge	drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in;	10 VISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in;	10 VISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set  CONSERVATION DE  witchitta, KS  underlying formation.  ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, afternate II cementing	10 VISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set  CONSERVATION DE  WICHITA, KS  underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, afternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	10 VISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved and surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugges of if an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided in the statements made herein are true and correct to the best of the statements.	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, afternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	10 VISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district.  5. The appropriate district office will be notified before well is either plugge.  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be greatern.	drilling rig;  y circulating cement to the top; in all cases surface pipe shall be set  CONSERVATION DE  WICHITA, KS  underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, afternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	10 VISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of 3. The minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a hereby certify that the statements made herein are true and correct to the be	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  conservation pipe shall be set underlying formation.  construction casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. Bay, 891-C, which applies to the KCC District 3 area, afternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Operations Engineer	10 Vision
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the state of the drill shall be posted on each of the state of the state of the spudding of the state of the spudding of the spudding order #13 must be completed within 30 days of the spuddate or the well shall be stated or the state of the state of the spudding of the spudding of the state of the state of the state of the spudding of the state of	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ad or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, afternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	10 Vision
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the district. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge of if an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided in the statements made herein are true and correct to the beautiful to the complete of the complete of the spud date or Agent:  Signature of Operator or Agent:  For KCC Use ONLY	drilling rig:  y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, afternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  15 of my knowledge and belief.  16 Title:  17 Operations Engineer	10 Vision
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the state of the specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate appropriate district office will be notified before well is either plugge of the appropriate appro	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  Ist of my knowledge and belief.  Title:    Conservation Discrete and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  Ist of my knowledge and belief.    Conservation Discrete and plugging; and plugged. In all cases, NOTIFY district office prior to any cementing.    Conservation Discrete and plugging; and plugging; and plugged. In all cases, NOTIFY district office prior to any cementing.    Conservation Discrete and plugging; and	VISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the shall be set by through all unconsolidated materials plus a minimum of 20 feet into the operator of the district office will be notified before well is either plugged. If the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be computed or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be produced to the statements made herein are true and correct to the beginning that the statements made herein are true and correct to the beginning that the statements made herein are true and correct to the beginning that the statements of Operator or Agent:    For KCC Use ONLY	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  ct office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, afternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Title:    Operations Engineer	VISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the intention of the approved notice of intent to drill <i>shall be</i> posted on each of the intention amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the string of the well is dry hole, an agreement between the operator and the distriction. The appropriate district office will be notified before well is either plugges. If an ALTERNATE II COMPLETION, production pipe shall be comented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be producted to the spud date or the well shall be producted as a complete of the spud date or the well shall be producted.  I hereby certify that the statements made herein are true and correct to the best of the spud date or the well shall be producted.  Signature of Operator or Agent:  For KCC Use ONLY  API #15	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set  CONSERVATION DE  WICHITA, KS  underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Operations Engineer  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Sulpriit plugging report (CP-4) after plugging is completed (within 60 days):	VISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the district office will be a specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the description of the district office will be notified before well is either plugge for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided by that the statements made herein are true and correct to the best of the description	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  Ist, 83,891-C, which applies to the KCC District 3 area, afternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  In the Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.	VISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> to the strict office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate of the district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate of the district office will be notified before well is either plugge of the appropriate of the district office will be notified before well is either plugge of the appropriate of the district office will be notified before well is either plugge of the appropriate of the district office will be notified before well is either plugge of the appropriate of the district office will be notified before well is either plugge of the appropriate of the district office will be notified before well is either plugge of the district office will be notified before well is either plugge of the district office will be notified before well is either plugge of the district office will be notified before well is either plugge of the district office will be notified before well is either plugge of the district office will be notified before well is either plugge of the specified before well is either plugge of the district office will be notified before well is either plugge of the specified before well is either plugge of the specified before well is either before the district office will be notified before well is	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set  CONSERVATION DE  WICHITA, KS  underlying formation.  ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Operations Engineer  File Drill Pit Application (form CDP-1) with Intent to Drill; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Sulpriit plugging report (CP-4) after plugging is completed (within 60 days):	VISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the approved notice of intent to drill <i>shall be</i> posted on each of the district of the district of the specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the district of the well is dry hole, an agreement between the operator and the district of the well is district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be go in the spud date or the well shall be go in the statements made herein are true and correct to the being determined.  Signature of Operator or Agent:  For KCC Use ONLY  API # 15	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  Ist of my knowledge and belief.  Title:    Particulating cement to the top; in all cases surface pipe shall be set underlying formation.  Ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.  Ist of my knowledge and belief.    Particulation   Pit Application (form CDP-1) with Intent to Drill;	VISION
The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the appropriate district office pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the completed within 30 days of the spud date or the well shall be placed.  I hereby certify that the statements made herein are true and correct to the best of the spud date or the well shall be greatly approved by the spud date or the well shall be greatly approved by the spud date or the well shall be greatly approved by the spud date or the well shall be greatly approved by the spud date or the well shall be greatly approved by the spud date or the well shall be greatly approved by the spud date or the well shall be greatly approved by the spud date or the well shall be greatly approved by the spud date or the well shall be greatly approved by the spud date or the well shall be greatly approved by the spud date or the well shall be greatly approved by the spud date or the well shall be greatly approved by the spud date or the spud date or the well shall be greatly approved by the spud date or the well shall be greatly approved by the spud date or the spud date or the well shall be greatly approved by the spud date or the spud date or the well shall be greatly approved by the spud date or the spud date or the well shall be greatly approved by the spud date or the spud date or the spud date or the spud	drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, afternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Title:  Perfember to:  File Drill Pit Application (form CDP-1) with intent to Drill; File Completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.  If this permit has expired (See: authorized expiration date) please	VISION


#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - 109 - 20907-00-00	
Operator: Lario Oil & Gas Company	Location of Well: County: Logen
Lease: Krebs A	2,070 feet from N / S Line of Section
Well Number: 1-34	2,040 feet from E / W Line of Section
Field: Wildcat	Sec. <u>34</u> Twp. <u>14</u> S. R. <u>32</u> E 🔀 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage: NW	, in containing the property of the containing o
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

# PLAT (Show location of the well and shade attributable acreage for prorated or spaced wells.) (Show footage to the nearest lease or unit boundary line.)





NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show.

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

15-109-20907-00-51

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name: Lario Oil & Gas Company		License Number: 5214		
Operator Address: 301 S. Market Wichita KS 67202				
Contact Person: Jay Schweikert		Phone Number: 316-265-5611		
Lease Name & Well No.: Krebs B 1-28		Pit Location (QQQQ):		
Type of Pit: Pit is:		<u>NE _ SE</u> _		
Emergency Pit Bum Pit Propos	ed Existing	Sec. 28 Twp. 14 R. 32 East West		
	ite constructed:	1,980 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Pit capacity:		Feet from East / West Line of Section		
7,100	(bbis)	Logan County		
Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration:mg/l		
Is the bottom below ground level?  Artificial Liner?		(For Emergency Pits and Settling Pits only)  How is the pit lined if a plastic liner is not used?		
Yes No Yes	X No	Bentonite		
Pit dimensions (all but working pits):100 Leng	th (feet)100	Width (feet) N/A: Steel Pits		
Depth from ground level	to deepest point:	4 (feet) No Pit		
		edures for periodic maintenance and determining including any special monitoring.		
		KANSAS CORPORATION COMMISSIO		
		APR <b>1 6</b> 2010		
		CONSERVATION DIVISION		
Distance to nearest water well within one-mile of pit   Depth to shal  Source of info		owest fresh water12feet. WICHITA, KS		
·		rilling, Workover and Haul-Off Pits ONLY:		
Producing Formation: Type of mate		/pe of material utilized in drilling/workover: Bentonite Mud		
l , , ,		umber of working pits to be utilized:2		
		procedure: Allow for evaporation. Fill in and cover pits.		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must		procedure: Allow for evaporation. Fill in and cover pits.  be closed within 365 days of spud date.  It of my knowledge and belief.  Signature of Applicant or Agent  NLY Steel Pit RFAC RFAS		
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
1. 1.1.				
4-15-10 My Schweller				
Date // Signature of Applicant or Agent				
KCC OFFICE USE ONLY Steel Pit RFAC RFAS				
Date Received: 4/16/10 Permit Number: Permit Date: Lease Inspection: X Yes No				



April 19, 2010

Lario Oil & Gas Company 301 S. Market Wichita, KS 67202

RE: Drilling Pit Application Krebs A Lease Well No. 1-34 NW/4 Sec. 34-14S-32W Logan County, Kansas

#### Dear Sir or Madam:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased. **Keep pits as far away from the river as possible.** 

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 625-0550 when the fluids have been removed. Please file form CDP-5 (August 2004), Exploration and Production Waste Transfer, within 30 days of fluid removal. Conservation division forms are available through our office and on the KCC web site: www.kcc.state.ks.us/conservation/forms.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the undersigned at the above address.

Sincerely,

Kathy Haynes

**Environmental Protection and Remediation Department** 

cc: district