

CONFIDENTIAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION

WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

3/18/08

Operator: License # 3988
 Name: Slawson Exploration Co., Inc.
 Address: 204 N Robinson, Ste 2300
OKC OK 73102
 City/State/Zip:
 Purchaser:
 Operator Contact Person: Steve Slawson
 Phone: (405) 232 0201
 Contractor: Name: H2 Drilling, LLC
 License: 33793
 Wellsite Geologist: Terry McLeod

CONFIDENTIAL
MAR 18 2008
KCC

Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SLOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:
 Operator:
 Well Name:
 Original Comp. Date: Original Total Depth:
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

<u>2/26/08</u>	<u>3/3/08</u>	<u>3/4/08</u>
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date


API No. 15 - 193 20731 0000
 County: Thomas
 W/2 SW - Sec. 33 Twp. 10 S. R. 33 East West
1000 feet from S / N (circle one) Line of Section
380 feet from E / W (circle one) Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 (circle one) NE SE NW SW
 Lease Name: AHRENS M Well #: 1
 Field Name: Wildcat
 Producing Formation:
 Elevation: Ground: 3181.8 Kelly Bushing:
 Total Depth: 4765 Plug Back Total Depth:
 Amount of Surface Pipe Set and Cemented at 364' @ 375' Feet
 Multiple Stage Cementing Collar Used? Yes No
 If yes, show depth set _____ Feet
 If Alternate II completion, cement circulated from _____
 feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan PANJ 6-16-09
 (Data must be collected from the Reserve Pit)
 Chloride content 4000 ppm Fluid volume 6000 bbls
 Dewatering method used evaporation
 Location of fluid disposal if hauled offsite:
 Operator Name:
 Lease Name: License No.:
 Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
 County: _____ Docket No.:

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
 Title: Op Manager Date: 3/18/08
 Subscribed and sworn to before me this 19 day of March
 20 08
 Notary Public: Carla D. Paz
 Date Commission Expires: 12-18-10



KCC Office Use ONLY

Letter of Confidentiality Received
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED
 KANSAS CORPORATION COMMISSION
MAR 21 2008
 CONSERVATION DIVISION
 WICHITA, KS

Operator Name: Slawson Exploration Co., Inc. Lease Name: Ahrens M Well #: 1
Sec. 33 Twp. 10 S. R. 33 County: Thomas

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken (Attach Additional Sheets)
Samples Sent to Geological Survey
Cores Taken
Electric Log Run (Submit Copy)
List All E. Logs Run:
CNL-CDL, DIL-SP-GR
Log Formation (Top), Depth and Datum
Name: Anh 2674 +519 B/Anh 2702 +491
Hbn 4096 -903
Lns 4140 -947 Muncie Creek 4279 -1086
Stk 4367 -1174 BKC 4426 -1233
Marmaton 4454 -1261 Pawnee 4574-1381
Uck 4622 -1429 Ft Scott 4628 -1435
LCK 4657 -1464 Johnson 4700 -1507

CONFIDENTIAL
MAR 18 2008
KCC

CASING RECORD
Table with 8 columns: Purpose of String, Size Hole Drilled, Size Casing Set (in O.D.), Weight Lbs./ Ft., Setting Depth, Type of Cement, # Sacks Used, Type and Percent Additives. Row 1: Surf, 12-1/4, 8-5/8, 23#, 375, Common, 260, 3% CC, 2% gel

ADDITIONAL CEMENTING / SQUEEZE RECORD
Table with 5 columns: Purpose, Depth Top Bottom, Type of Cement, #Sacks Used, Type and Percent Additives. Rows for Perforate, Protect Casing, Plug Back TD, Plug Off Zone

PERFORATION RECORD - Bridge Plugs Set/Type
Table with 4 columns: Shots Per Foot, Specify Footage of Each Interval Perforated, Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used), Depth

TUBING RECORD
Size Set At Packer At Liner Run
Yes No

Date of First, Resumerd Production, SWD or Enhr. Producing Method
Flowing Pumping Gas Lift Other (Explain)

Estimated Production Per 24 Hours
Oil Bbls. Gas Mcf Water Bbls. Gas-Oil Ratio Gravity

Disposition of Gas METHOD OF COMPLETION Production Interval
Vented Sold Used on Lease Open Hole Perf. Dually Comp. Commingled
Other (Specify)

RECEIVED
KANSAS CORPORATION COMMISSION
MAR 21 2008
CONSERVATION DIVISION
WICHITA, KS

ALLIED CEMENTING CO., INC.

32118

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:

Oakley KS

DATE <u>3-4-08</u>	SEC. <u>33</u>	TWP. <u>10^s</u>	RANGE <u>33^w</u>	CALLED OUT	ON LOCATION <u>12:30^{pm}</u>	JOB START <u>3:30^{pm}</u>	JOB FINISH <u>4:30^{pm}</u>
LEASE <u>Ahrens</u>	WELL# <u>M-#1</u>	LOCATION <u>Monmouth 2N-14W</u>			COUNTY <u>Thomas</u>	STATE <u>Kan</u>	
OLD OR NEW (Circle one) <u>NEW</u>				<u>1/4N-E, S1</u>			

CONTRACTOR H 2 Drlys #2

TYPE OF JOB PTA

HOLE SIZE 7 7/8 T.D. 4765'

CASING SIZE _____ DEPTH _____

TUBING SIZE _____ DEPTH _____

DRILL PIPE 4 1/2 x H DEPTH 2700'

TOOL _____ DEPTH _____

PRES. MAX _____ MINIMUM _____

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT _____

OWNER _____

CEMENT

AMOUNT ORDERED 200 SKs 60/40 POC
4% Gel, 1/4" Flo-Seal

COMMON	<u>120 SKs @</u>	<u>14.20</u>	<u>1,704.00</u>
POZMIX	<u>80 SKs @</u>	<u>7.20</u>	<u>576.00</u>
GEL	<u>7 SKs @</u>	<u>18.25</u>	<u>131.25</u>
CHLORIDE	_____ @	_____	_____
ASC	_____ @	_____	_____
	<u>Flo-Seal 50#</u>	<u>@ 2.25</u>	<u>112.50</u>
	_____ @	_____	_____
	_____ @	_____	_____
	_____ @	_____	_____
	_____ @	_____	_____
	_____ @	_____	_____
	_____ @	_____	_____
HANDLING	<u>209-SK @</u>	<u>2.15</u>	<u>449.35</u>
MILEAGE	<u>94 per SK/mile</u>		<u>282.00</u>
TOTAL			<u>3255.00</u>

EQUIPMENT

PUMP TRUCK CEMENTER Walt

422 HELPER Wayne

BULK TRUCK

377 DRIVER Darrin

BULK TRUCK

_____ DRIVER _____

REMARKS:

25 SKs 2700'

100 SKs @ 18.25'

40 SKs @ 4.25'

10 SKs @ 4.0'

15 SKs in R.H.

10 SKs in Mill.

Thank You

SERVICE

DEPTH OF JOB 2700'

PUMP TRUCK CHARGE 1,075.00

EXTRA FOOTAGE _____ @ _____

MILEAGE 11 miles @ 7.00 77.00

MANIFOLD _____ @ _____

_____ @ _____

_____ @ _____

TOTAL 4,152.00

CHARGE TO: Slawson Explorations

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

8 7/8

1-DH Plug @ 40.00

_____ @ _____

_____ @ _____

_____ @ _____

_____ @ _____

TOTAL 40.00

To Allied Cementing Co., Inc.
You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner's contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

RECEIVED
KANSAS CORPORATION COMMISSION
MAR 21 2008
CONSERVATION DIVISION
WICHITA, KS

SIGNATURE [Signature]

TAX _____

TOTAL CHARGE _____

DISCOUNT _____ IF PAID IN 30 DAYS

PRINTED NAME _____

ALLIED CEMENTING CO., INC.

32108

REMIT TO P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT: Oakley, Ks
2-26-08

DATE <u>2-27-08</u>	SEC. <u>33</u>	TWP. <u>10^s</u>	RANGE <u>33^w</u>	CALLED OUT	ON LOCATION <u>6:30^{PM}</u>	JOB START <u>6:00^{AM}</u>	JOB FINISH <u>6:15^{AM}</u>
LEASE <u>Ahrens</u>	WELL # <u>M #1</u>	LOCATION <u>Monument 2N-1/4W-1/4N</u>	COUNTY <u>Thomas</u>	STATE <u>Kan</u>			
OLD OR <u>NEW</u> (Circle one)		EIS					

CONFIDENTIAL

CONTRACTOR H 2 Drlys #1
 TYPE OF JOB Surface
 HOLE SIZE 12 1/4 T.D. 375'
 CASING SIZE 8 7/8 DEPTH 375'
 TUBING SIZE DEPTH
 DRILL PIPE DEPTH
 TOOL DEPTH
 PRES. MAX MINIMUM
 MEAS. LINE SHOE JOINT
 CEMENT LEFT IN CSG. 15'
 PERFS.
 DISPLACEMENT 22 3/4 BBL

OWNER Same
 CEMENT AMOUNT ORDERED 260 SKS KCC
3% CC - 2% CC

MAR 18 2008

COMMON	<u>260 SKS @ 14²⁰</u>	<u>3692⁰⁰</u>
POZMIX	@	
GEL	<u>5 SKS @ 18⁷⁵</u>	<u>93⁷⁵</u>
CHLORIDE	<u>9 SKS @ 52⁴⁵</u>	<u>472⁰⁵</u>
ASC	@	
	@	
	@	
	@	
	@	
	@	
	@	
	@	
HANDLING	<u>274-SKS @ 2¹⁵</u>	<u>581¹⁰</u>
MILEAGE	<u>9¢ per SK/mile</u>	<u>282⁰⁰</u>
TOTAL		<u>5,128⁹⁰</u>

EQUIPMENT

PUMP TRUCK CEMENTER Walt
 # 422 HELPER Larene
 BULK TRUCK
 # 218 DRIVER Jerry
 BULK TRUCK
 # DRIVER

REMARKS:

Cement Did Cure

Thank You

CHARGE TO: Slawson Exploration
 STREET _____
 CITY _____ STATE _____ ZIP _____

SERVICE

DEPTH OF JOB		
PUMP TRUCK CHARGE		<u>917⁰⁰</u>
EXTRA FOOTAGE	@	
MILEAGE <u>11-miles</u>	@ <u>7⁰⁰</u>	<u>77⁰⁰</u>
MANIFOLD	@	
<u>Head rental</u>	@	<u>113⁰⁰</u>
	@	
TOTAL		<u>1,107⁰⁰</u>

PLUG & FLOAT EQUIPMENT

<u>8 5/8</u>		
<u>1-Surface Plug</u>	@	<u>68⁰⁰</u>
	@	
	@	
	@	
	@	
TOTAL		<u>68⁰⁰</u>

To Allied Cementing Co., Inc.
 You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read & understand the "TERMS AND CONDITIONS" listed on the reverse side.

TAX _____
 TOTAL CHARGE _____
 DISCOUNT _____ IF PAID IN 30 DAYS

SIGNATURE Wesley Pfaff

Wesley Pfaff
 PRINTED NAME

RECEIVED
 KANSAS CORPORATION COMMISSION
 MAR 21 2008
 CONSERVATION DIVISION
 WICHITA, KANSAS