

4-031994

10-21 15-065-03151-0000

TO: STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING
200 COLORADO DERBY BUILDING
WICHITA, KANSAS 67202

API number: 15- - N/A

W2 SE NE /4 SEC. 10, 10 S, 25 W
3300 feet from S section line
990 feet from E section line

Operator license# 3553 Lease Elrick well # 13-1

Operator: Citation Oil & Gas Corporation County Graham

Address: 4848 SW 36th Street Well total depth 4241 feet
Oklahoma City, OK 73179 Conductor Pipe: 0 inch @ 0 feet
Surface pipe 8 5/8 Inch @ 197 feet

137.83

Aband. oil well X, Gas well , Input well , SWD , D & A

Plugging contractor: Kelso Casing Pulling, Inc. License# 6050

Address: Chase, Kansas 67524

Company to plug at: Hour: A.M. Day: 21 Month: October Year: 94

Plugging proposal received from: Richard

Company: Kelso Casing Pulling, Inc. Phone:

Were: Order 225 sxs. 60/40 pozmix - 10% gel - 500# hulls.
Allied Cement Company.
Order sand and common cement.

Plugging Proposal Received by: Carl Goodrow

Plugging operations attended by agent? All[X], Part[], None[]

Completed: Hour: 11:30A.M., Day: 21, Month: October, Year: 94

Actual plugging report: 8 5/8" set @ 197' w/125 sxs. cwc. 4 1/2" set @
4224' w/100 sxs. Sand back to 3730' w/4 sxs. common cement on sand with
bailer. Critical area control shots at 2136' - 1249' - 1111'. Recovered
1111' of casing. Mixed and pumped 150 sxs. cement blend with 300# hulls
to 2136'. Max. P.S.I. 600#. Pulled casing to 200' circulated cement
blend slurry with 40 sxs. cement with 100# hulls mixed in. Pulled casing
topped off with 10 sxs. cement blend slurry. Prod. perfs. 3782'-3992'.
Plug complete.

RECEIVED
STATE CORPORATION COMMISSION

NOV 08 1994

CONSERVATION DIVISION
WICHITA, KANSAS

Remarks: Condition of casing(in hole): GOOD X BAD Anyh. plug: YES X NO
Bottom plug(in place): YES X, CALC , NO Dakota plug: YES X, NO
Plugged through TUBING , CASING X. Elevation: GL

I did X did not] observe the plugging. Carl Goodrow

DATE 11-8-94
INV. NO. 41608

(agent)
Form CP-2/3