

124.8

TO: STATE CORPORATION COMMISSION
CONSERVATION DIVISION - PLUGGING
130 SOUTH MARKET, SUITE 2078
WICHITA, KANSAS 67202

API Well Number: 15-051-21291-00-00
Spot: SWSWNW Sec/Twnshp/Rge: 25-13S-20W
2970 feet from S Section Line, 4950 feet from E Section Line
Lease Name: YOUNGER Well #: 4
County: ELLIS Total Vertical Depth: 3840 feet

Operator License No.: 8925
Op Name: LIBERTY OPER & COMPL, INC
Address: 308 W MILL
PLAINVILLE, KS 67663

String	Size	Depth (ft)	Pulled (ft)	Comments
SURF	8.625	211	0	w/unknown sxs cmt
PROD	5.5	3836	0	w/unknown sxs cmt

Well Type: OIL UIC Docket No: _____ Date/Time to Plug: 12/04/2009 10:00 AM
Plug Co. License No.: 32332 Plug Co. Name: FISCHER PIPE TESTING, INC. DBA FISCHER WELL SERVICE
Proposal Rcvd. from: LAURIN HERL Company: LIBERTY OPER & COMPL, INC. Phone: (785) 434-4686

Proposed Plugging Method: Ordered 480 sxs 60/40 pozmix - 4% gel - 500# hulls.
Shot perms at 750' - 1450' - 2000'.

Plugging Proposal Received By: RICHARD WILLIAMS WitnessType: COMPLETE (100%)
Date/Time Plugging Completed: 12/04/2009 3:00 PM KCC Agent: MARVIN MILLS

Actual Plugging Report:
Ran tubing to 3328' - pumped 100 sxs cement with 200# hulls.
Pulled tubing to 2750' - pumped 150 sxs cement with 100# hulls.
Pulled tubing to 1250' - pumped 140 sxs cement - good circulation of cement.
Topped off 5 1/2" with 10 sxs cement - full.
Tied onto the backside - pumped with cement - the company did not dig it all out and the plug leaked cement into bell hole - operator would not call a backhoe to dig out and repair so we could squeeze.
Most likely we are bridged off and cannot squeeze the backside.

Perfs:
INVOICED
DATE 2/25/10
INV. NO. 2010060818

Remarks: QUALITY OIL WELL CEMENTING COMPANY-TICKET #3589.
Plugged through: TBG

RECEIVED
DEC 21 2009
KCC WICHITA

District: 04

Signed *Marvin Mills*
(TECHNICIAN) CM

DEC 14 2009

PRIZES, INC.

#4 YOUNGER

25-13-20W
SW SW NW

KS.

OIL CO. _____ CTY ELLIS _____

WHISLER _____ FIELD IRVIN _____

2/23/77 CARD ISSUED 3/31/77 IP P 60 BOPD, NW
ARB 3772-78

+	+	
.		
+	+	

1,291

DEPTH	DATUM
432	+ 706
897	- 759
920	- 782
924	- 786
960	- 822
984	- 846
001	- 863
130	- 992
380	-1242
402	-1264
422	-1284
576	-1538
714	-1576
766	-1628
771	-1633
840	-1702

8-5/8" 211, 5 1/2" 3836
 DST (1) 3413-40 (LKC)/30-30-30-30, REC
 360' GIP, 120' VHQ&GCM, SIP 292-211#
 FP 40-48# 56-64#
 DST (2) 2597-3620 (BKC)/30-30-30-30,
 REC 45' VSO&GCM, SIP 89-81# FP 45-
 48# 48-52#
 DST (3) 3745-80 (ARB)/30-30-30-30, REC
 140' GIP, 1420' C GSY O, SIP 953-921#
 FP 146-382# 430-511#
 MICT - CO, PF (ARB) 18/3772-78, FU 35
 O, NW, NAT, POP

& GAS SERVICE
ANSAS