

CONFIDENTIAL

KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

ORIGINAL

Form ACO-1
September 1999
Form Must Be Typed

3/25/10

Operator: License # 5254
 Name: MIDCO Exploration, Inc.
 Address: 414 Plaza Drive, Suite 204
 City/State/Zip: Westmont, IL 60559
 Purchaser: N/A
 Operator Contact Person: Earl J. Joyce, Jr.
 Phone: (630) 655-2198
 Contractor: Name: VAL Energy, Inc.
 License: 5822
 Wellsite Geologist: N/A
 Designate Type of Completion:
 New Well Re-Entry Workover
 Oil SWD SIOW Temp. Abd.
 Gas ENHR SIGW
 Dry Other (Core, WSW, Expl., Cathodic, etc)
 If Workover/Re-entry: Old Well Info as follows:
 Operator: _____
 Well Name: _____
 Original Comp. Date: _____ Original Total Depth: _____
 Deepening Re-perf. Conv. to Enhr./SWD
 Plug Back Plug Back Total Depth
 Commingled Docket No. _____
 Dual Completion Docket No. _____
 Other (SWD or Enhr.?) Docket No. _____

12/21/07	1/5/08	1/5/08
Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date

CONFIDENTIAL
MAR 25 2008
KCC


API No. 15 - 025-21434-0000
 County: Clark
 N/2 NW SE Sec. 34 Twp. 33 S. R. 23 East West
2310 feet from (S) N (circle one) Line of Section
1980 feet from (E) W (circle one) Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 (circle one) NE (SE) NW SW
 Lease Name: Rohrer Well #: 1-34
 Field Name: Wildcat
 Producing Formation: _____
 Elevation: Ground: 1965 Kelly Bushing: 1975
 Total Depth: 5750 Plug Back Total Depth: _____
 Amount of Surface Pipe Set and Cemented at 815 Feet
 Multiple Stage Cementing Collar Used? Yes No
 If yes, show depth set _____ Feet
 If Alternate II completion, cement circulated from _____
 feet depth to _____ w/ _____ sx cmt.

Drilling Fluid Management Plan DANTS-2705
 (Data must be collected from the Reserve Pit)
 Chloride content 40,000 ppm Fluid volume 350 bbls
 Dewatering method used Vacuum all available fluids
 Location of fluid disposal if hauled offsite: _____
 Operator Name: _____
 Lease Name: _____ License No.: _____
 Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West
 County: _____ Docket No.: _____

INSTRUCTIONS: An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: [Signature]
 Title: Vice-President Date: 3/25/08
 Subscribed and sworn to before me this 25th day of March
20 08
 Notary Public: Nancy L. Macyunas
 Date Commission Expires: _____



KCC Office Use ONLY

Y Letter of Confidentiality Received
 If Denied, Yes Date: _____
 Wireline Log Received
 Geologist Report Received
 UIC Distribution

RECEIVED
 KANSAS CORPORATION COMMISSION

MAR 27 2008

CONSERVATION DIVISION
WICHITA, KS

Operator Name: MIDCO Exploration, Inc. Lease Name: Rohrer Well #: 1-34 MAR 2 5 2008
Sec. 34 Twp. 33 S. R. 23 [] East [x] West County: Clark

KCC

INSTRUCTIONS: Show important tops and base of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed. Attach copy of all Electric Wireline Logs surveyed. Attach final geological well site report.

Drill Stem Tests Taken [] Yes [x] No (Attach Additional Sheets)

Samples Sent to Geological Survey [x] Yes [] No

Cores Taken [] Yes [x] No

Electric Log Run [x] Yes [] No (Submit Copy)

List All E. Logs Run:

Microresistivity Log; Compensated Sonic; Compensated Porosity; Dual Induction

Table with columns: Log, Formation (Top), Depth and Datum, Sample. Rows include Heebner, Toronto, Douglas, Lansing, B/KC, Marmaton, Cherokee, Mississippi/Chester with corresponding depths and datums.

CASING RECORD table with columns: Purpose of String, Size Hole Drilled, Size Casing Set (In O.D.), Weight Lbs. / Ft., Setting Depth, Type of Cement, # Sacks Used, Type and Percent Additives. Rows for Conductor and Surface.

ADDITIONAL CEMENTING / SQUEEZE RECORD table with columns: Purpose, Depth Top Bottom, Type of Cement, #Sacks Used, Type and Percent Additives.

PERFORATION RECORD - Bridge Plugs Set/Type table with columns: Shots Per Foot, Specify Footage of Each Interval Perforated, Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used), Depth.

TUBING RECORD table with columns: Size, Set At, Packer At, Liner Run [] Yes [] No.

Date of First, Resumerd Production, SWD or Enhr. Producing Method [] Flowing [] Pumping [] Gas Lift [] Other (Explain)

Estimated Production Per 24 Hours table with columns: Oil Bbls., Gas Mcf, Water Bbls., Gas-Oil Ratio, Gravity.

Disposition of Gas METHOD OF COMPLETION Production Interval [] Vented [] Sold [] Used on Lease [] Open Hole [] Perf. [] Dually Comp. [] Commingled [] Other (Specify)

RECEIVED KANSAS CORPORATION COMMISSION

MAR 2 7 2008

CONSERVATION DIVISION WICHITA, KS

ALLIED CEMENTING CO., LLC. 31384

CONFIDENTIAL

MAR 25 2008

ATTN: P.O. BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
Med. Lodge, KS

DATE <u>21 Dec 07</u>	SEC. <u>34</u>	TWP. <u>33s</u>	RANGE <u>23w</u>	CALLER <u>KCC</u>	ON LOCATION <u>12:30pm</u>	JOB START <u>3:00pm</u>	JOB FINISH <u>4:00pm</u>
LEASE <u>Rohere</u>	WELL # <u>1-34</u>	LOCATION <u>Ashland, KS, 4 1/2 s, w/into</u>			COUNTY <u>CLARK</u>	STATE <u>KS.</u>	
OLD OR NEW (Circle one)							

CONTRACTOR Val #2

TYPE OF JOB Surface

HOLE SIZE 12 1/4" T.D. 820

CASING SIZE 8 5/8" DEPTH 815

TUBING SIZE _____ DEPTH _____

DRILL PIPE _____ DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX 900 MINIMUM _____

MEAS. LINE _____ SHOE JOINT 31

CEMENT LEFT IN CSG. 31

PERFS. _____

DISPLACEMENT 50 Bbls Fresh H₂O

OWNER Midco-Expl.

CEMENT

AMOUNT ORDERED 300sx 65=35.6+3%ce+ 1/4# Flosal AND 100sx "A"+3%ce+2%gr

COMMON	<u>100 A</u>	@	<u>11.10</u>	<u>1110.00</u>
POZMIX		@		
GEL	<u>2</u>	@	<u>16.65</u>	<u>33.30</u>
CHLORIDE	<u>13</u>	@	<u>46.60</u>	<u>605.80</u>
ASC		@		
<u>ALW 300</u>		@	<u>10.45</u>	<u>3135.00</u>
<u>Flo Seal 75*</u>		@	<u>2.00</u>	<u>150.00</u>
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>434</u>	@	<u>1.90</u>	<u>824.60</u>
MILEAGE	<u>65 x 434 x .09</u>			<u>2538.90</u>
TOTAL				<u>8397.60</u>

EQUIPMENT

PUMP TRUCK CEMENTER D. Felix

352 HELPER M. Becker

BULK TRUCK DRIVER R. Romans

421

BULK TRUCK DRIVER _____

REMARKS:

Pipe on Btm, Break Circ, Pump Spacer, Mix 300sx lite weight cement, mix 100sx tail cement, stop pump, release plug, start disp, w/ Fresh H₂O, Wash up on plug, see increase in PSI slow rate, bump plug at 50 Bbls total Disp., shutting cement did circ.

SERVICE

DEPTH OF JOB	<u>815</u>		
PUMP TRUCK CHARGE	<u>0-300'</u>		<u>815.00</u>
EXTRA FOOTAGE	<u>515'</u>	@	<u>.65 334.75</u>
MILEAGE	<u>65</u>	@	<u>6.00 390.00</u>
MANIFOLD	<u>headental</u>	@	<u>100.00 100.00</u>
		@	
		@	

CHARGE TO: Midco Exploration

STREET _____

CITY _____ STATE _____ ZIP _____

TOTAL 1639.75

To Allied Cementing Co., LLC.

You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PLUG & FLOAT EQUIPMENT

<u>1 TRP</u>	@	<u>100.00</u>	<u>100.00</u>
<u>2- centralizers</u>	@	<u>55.00</u>	<u>110.00</u>
<u>2- Basket</u>	@	<u>220.00</u>	<u>440.00</u>
<u>1- Baffle Plate</u>	@	<u>135.00</u>	<u>135.00</u>
	@		

SALES TAX RECHARGED

SALES TAX (If Any) _____

TOTAL CHARGES ~~1639.75~~

DISCOUNT ~~1639.75~~ IF PAID IN 30 DAYS

PRINTED NAME Santa Claus

SIGNATURE David A. Mayfield

RECEIVED
KANSAS CORPORATION COMMISSION

MAR 27 2008

CONSERVATION DIVISION
WICHITA, KS

ALLIED CEMENTING CO., LLC. 31356

PO BOX 31
RUSSELL, KANSAS 67665

SERVICE POINT:
MEDICINE LODGES

DATE 1-6-08	SEC. 34	TWP. 33S	RANGE 23W	CALLED OUT 1:30 am	ON LOCATION 4:30 am	JOB START 5:20 am	JOB FINISH 7:15 am
PLEASE WRITE HERE		WELL # 1-34	LOCATION ASHLAND, KS, 4 1/2 SOUTH,			COUNTY CLARK	STATE KS
<input checked="" type="radio"/> OLD OR NEW (Circle one)			WEST INTO				

CONTRACTOR **VAL #2**

TYPE OF JOB **ROTARY PLUG**

HOLE SIZE **7 7/8"** T.D. **3,750'**

CASING SIZE **8 5/8"** DEPTH **815'**

TUBING SIZE _____ DEPTH _____

DRILL PIPE **4 1/2"** DEPTH _____

TOOL _____ DEPTH _____

PRES. MAX **300** MINIMUM **100**

MEAS. LINE _____ SHOE JOINT _____

CEMENT LEFT IN CSG. _____

PERFS. _____

DISPLACEMENT **MUD / FRESH WATER**

OWNER **MIDCO EXPLORATION**

CEMENT

AMOUNT ORDERED **145 SK 60:40:4% GEL**

EQUIPMENT

PUMP TRUCK CEMENTER **BILL M.**

360 HELPER **GREG K.**

BULK TRUCK

389 DRIVER **RAYMOND R.**

BULK TRUCK

_____ DRIVER _____

COMMON	87	A	@	11.10	965.70
POZMIX	58		@	6.20	359.60
GEL	5		@	16.65	83.25
CHLORIDE			@		
ASC			@		
			@		
			@		
			@		
			@		
			@		
			@		
HANDLING	150		@	1.90	285.00
MILEAGE	65 X 150 X .09				877.50
TOTAL					2571.05

REMARKS:

1st PLUG 1,080', LOAD HOLD, PUMP 30 SK 60:40:4% GEL, DISPLACE WITH FRESH WATER / MUD, 2nd PLUG 840', LOAD HOLD, PUMP 30 SK 60:40:4% GEL, DISPLACE WITH FRESH WATER, 3rd PLUG 60', LOAD HOLD, PUMP 20 SK 60:40:4% GEL, CIRCULATE CEMENT TO SURFACE, PLUG RAT 2 HOURS HOLES WITH 25 SK 60:40:4% GEL.

SERVICE

DEPTH OF JOB	1,080'		
PUMP TRUCK CHARGE			815.00
EXTRA FOOTAGE		@	
MILEAGE	65	@	6.00 390.00
MANIFOLD		@	
		@	
		@	
TOTAL			1205.00

CHARGE TO: **MIDCO EXPLORATION**

STREET _____

CITY _____ STATE _____ ZIP _____

PLUG & FLOAT EQUIPMENT

_____	@	_____
_____	@	_____
_____	@	_____
_____	@	_____
ANY APPLICABLE TAX WILL BE CHARGED UPON INVOICING		
TOTAL		_____

To Allied Cementing Co., LLC.

You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME **DAVID MAYFIELD**

SIGNATURE *David Mayfield*

SALES TAX (If Any) _____

TOTAL CHARGES ~~3977.05~~

DISCOUNT ~~3977.05~~

IF PAID IN 30 DAYS
RECEIVED
KANSAS CORPORATION COMMISSION
MAR 27 2008
CONSERVATION DIVISION