For KCC Use:	5-1-2010
Effective Date: _	3 1 2010
District #	
CCA2 No	, i√l _{No}

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
October 2007
Form must be Typed
Form must be Signed
All blanks must be Filled

	TENT TO DRILL All blanks must be Filled
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	(5) days prior to commencing well
Expected Spud Date: May 3, 2010	Spot Description:
month day year	<u>SW</u> - <u>NW</u> - <u>SW</u> - <u>SE</u> Sec. <u>7</u> Twp. <u>30</u> S. R. <u>22</u> ⊠E W
OPERATOR: 150-0-4 34328	(Q/Q/Q/Q) 735 feet from N / X S Line of Section
OPERATOR: License#	2,425 feet from X E / W Line of Section
Address 1: P.O. Box 21	Is SECTION: Regular Irregular?
Address 2:	
City: Girard State: KS Zip: 66743 +	(Note: Locate well on the Section Plat on reverse side) County: Crawford
Contact Person: Tony Anderson	Lease Name: Beachner Well #: 7-10
Phone: 620-724-2860	Field Name: McCune
CONTRACTOR: License# 9684 /	
Name: MS Drilling	Is this a Prorated / Spaced Field? Target Formation(s): Cattlemen
Name	Nearest Lease or unit boundary line (in footage): 215
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation: 897 494 932 feet MSL
◯ Oil ← ☐ Enh Rec ☑ Infield ← ☐ Mud Rotary	
Gas Storage Pool Ext. Air Rotary	
Disposal Wildcat Cable	
Seismic ; # of Holes Other	Depth to bottom of fresh water: 1000
Other:	Depth to bottom of usable water: 1000
If OWWO: old well information as follows:	Surface Pipe by Alternate:
	Length of Surface Pipe Planned to be set: 20'
Operator:	Length of Conductor Pipe (if any): None
Well Name:	Projected Total Depth: 300 Cattlemen
Original Completion Date: Original Total Depth:	Formation at Total Depth: Cattlemen
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes X No If Yes, true vertical depth:	Well Farm Pond Other: Air
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	ii les, proposed zone.
AEC	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual plug	
	ging of this well will comply with record to be obtained.
It is agreed that the following minimum requirements will be met:	
1. Notify the appropriate district office prior to spudding of well;	dellina da
 Notify the appropriate district office prior to spudding of well; A copy of the approved notice of intent to drill shall be posted on each of 	drilling rig;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of a copy of the approved notice of intent to drill <i>shall be</i> posted on each of the shall be shall be set by the shall be shall be set by the shall be set by the shall be set by the shall be shal	y circulating cement to the top; in all cases surface pipe shall be set
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the 	y circulating cement to the top; in all cases surface pipe shall be set underlying formation.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging ; d or production casing is cemented in;
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented 	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging ; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date.
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall unconsolidated materials plus a minimum of 20 feet into the shall unconsolidated materials plus a minimum of 20 feet into the shall be comented. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided in the shall	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.
 Notify the appropriate district office <i>prior</i> to spudding of welt; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 1st of my knowledge and belief
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cerrented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be placed by the shall be appendix that the statements made herein are true and correct to the beautiful and the shall be appendix and the statements made herein are true and correct to the beautiful and the shall be appendix and the statements made herein are true and correct to the beautiful and the shall be appendix and the statements made herein are true and correct to the beautiful and the shall be appendix and the shal	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. In the state of my knowledge and belief Managing Member
 Notify the appropriate district office <i>prior</i> to spudding of well; A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall be provided in the shall be set by through all unconsolidated materials plus a minimum of 20 feet into the If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be provided to the shall be provided in t	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 1st of my knowledge and belief
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the s	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. In the managing Member Title: Managing Member
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge for an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be plate: April 21, 2010 Signature of Operator or Agent:	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 17 Ittle: Managing Member Managing Memb
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the s	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 11 st of my knowledge and belief Title: Managing Member File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of soud date:
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the s	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. 15 In all cases, NOTIFY district office prior to any cementing. 16 In all cases in the prior to any cementing. 17 In the completion Form ACO-1 with Intent to Drill; 18 File Completion Form ACO-1 within 120 days of spud date; 19 File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the state of the well is dry hole, an agreement between the operator and the distriction of the appropriate district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the appropriate distriction, production pipe shall be cerrented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and correct to the best of the statements of the spud date or the well shall be statement. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 037 - 22 106 - 000000000000000000000000000000000	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; dor production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing blugged. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. Title: Managing Member Title: Remember to: File Drill Pit Application (form CDP-1) with Intent to Drill; File completion Form ACO-1 within 120 days of spud date; Notify appropriate district office 48 hours prior to workover or re-entry; Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge for an ALTERNATE II COMPLETION, production pipe shall be cerrented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be inhereby certify that the statements made herein are true and correct to the best of the shall be inhereby certify that the statements made herein are true and correct to the best of the shall be inhereby certify that the statements made herein are true and correct to the best of the shall be inhereby certify that the statements made herein are true and correct to the best of the shall be inhereby certify that the statements made herein are true and correct to the best of the shall be inhereby certify that the statements made herein are true and correct to the best of the shall be inhereby certified. Signature of Operator or Agent: For KCC Use ONLY API # 15 - 037 - 22 106 - 000000000000000000000000000000000	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief Title: Managing Member Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the s	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. Title: Managing Member Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the state of the well is dry hole, an agreement between the operator and the district. 4. If the well is dry hole, an agreement between the operator and the district of fice will be notified before well is either plugge. 5. The appropriate district office will be notified before well is either plugge. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be increased that the statements made herein are true and correct to the best of the statements of Operator or Agent: April 21, 2010	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief Title: Managing Member Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge for a pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be generated between the operator and the district office will be notified before well is either plugge of the shall be completed or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be gotten be completed within 30 days of the spud date or the well shall be gotten. I hereby certify that the statements made herein are true and correct to the begon to the shall be gotten. April 21, 2010 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 037 - 22 106 - 00 - 00 - 00 - 00 - 00 - 00 - 00	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. In all cases, NOTIFY district office prior to any cementing. Set of my knowledge and belief Title: Managing Member Title: File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the state of the st	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is of my knowledge and belief File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the approved notice of intent to drill <i>shall be</i> posted on each of the shall be posted on each of the shall unconsolidated materials plus a minimum of 20 feet into the district office will be notified before well is either plugge of the appropriate district office will be notified before well is either plugge of the shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be a likely certify that the statements made herein are true and correct to the best of the shall be appropriate. April 21, 2010	y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 13,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. It is of my knowledge and belief File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

Operator: V	NHL Energy Midco	2106-00-1			Well: Count	y: Crawford		
Lease: Beachner					feet from			
Well Number: 7-10			2,425 feet from X E / W Line of Section					
Field: McC	June			Sec. <u>7</u>	Twp. 3	0 S. R.	22 X E	_] w
	Acres attributable QTR/QTR of acre	to well:N	W _ SW _ SE	Is Section:	Regula	aror 🔲 Ime	gular	
				If Section is Section con		locate well fro	m nearest corner bou	ndary.
			of the well and shade a				s.)	
			И					
							RECEIVE KANSAS CORPORATION	D COMMISSION
	:						APR 26	2010
							CONSERVATION WIGHTA	
					آ سبر ا	EXAMPLE	: :	٦
ω			-7 - :					
		. · ·		· · · · · · · · · · · · · · · · · · ·			1980	
		· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·		į	3390,	
			2	425	ا ا		· ·	
			3		[SEWARD CO.	<u> </u>	

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: WHL Energy Midcon LLC			License Number: 34328			
Operator Address: P.O. Box 21, Girard, KS 66743						
Contact Person: Tony Anderson			Phone Number: 620-724-2860			
Lease Name & Well No.: Beachner: 7-10			Pit Location (QQQQ):			
Type of Pit:	Pit is:		<u>NW . SW . SE</u>			
Emergency Pit Burn Pit	Proposed Existing		Sec. 7 Twp. 30 S _{R.} 22 East West			
Settling Pit ☑ Drilling Pit Workover Pit ☐ Haul-Off Pit	If Existing, date constructed:		Feet from North / South Line of Section			
(If WP Supply API No. or Year Drilled)	Pit capacity:		Crawford East / West Line of Section County			
Is the pit located in a Sensitive Ground Water	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? Yes No	Artificial Liner? Yes No		How is the pit lined if a plastic liner is not used? Native Clay			
Pit dimensions (all but working pits):	25 Length (fe	eet) 5	Width (feet) N/A: Steel Pits			
Depth fi	rom ground level to de	eepest point:	6 (feet) No Pit			
I was have more done a succession of the contract of the contr			edures for periodic maintenance and determining ncluding any special monitoring.			
NA		NA	12			
			west fresh waterfeet. rmation: uredwell owner electric logKDWR sover and Haul-Off Pits ONLY: al utilized in drilling/workover: Air rking pits to be utilized:1			
			owest fresh waterfeet.			
NA feet Depth of water well feet		meas	ured well owner electric log KDWR			
			Norkover and Haul-Off Pits ONLY:			
· · · · · · · · · · · · · · · · · · ·			al utilized in drilling/workover: Air rking pits to be utilized: 1 RECEVE			
			procedure: Back fill when dry KANSAS CORPORAGE			
Does the slope from the tank battery allow all spilled fluids to			be closed within 365 days of spud date.			
I hereby certify that the above statements are true and correct to the best of my knowledge and belief. CONSERVATION OF VIBITA, IS TO BE						
April 21, 2010						
Date Signature of Applicant or Agent						
KCC OFFICE USE ONLY Steel Pit RFAC RFAS						
Date Received: 4-26-10 Permit Number: Permit Date: 4-26-10 Lease Inspection: Yes KNo						