For KC. Use: 5-31-2010 Effective Date: District # Yes X No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 October 2007 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five	(b) days prior to common and them	
Expected Spud Date: July 12, 2010	Spot Description:	
month day year	NE - NE - NW Sec. 7 Twp. 31 S. R. 22	
34328	(a/a/a/a) 5,033 feet from N / X S Line of S	
OPERATOR: License#Name:WHL Energy Midcon LLC	2,826 feet from \times E / \times W Line of S	ection
Address 1: P.O. Box 21	Is SECTION: Regular Irregular?	
Address 2:		
City: Girard State: KS Zip: 66743 +	(Note: Locate well on the Section Plat on reverse side) County: Crawford	
Contact Person: Tony Anderson	Lease Name: Samp Well #: SAM-54	
Phone: 620-724-2860	Field Name: McCune	
CONTRACTOR: License# 9684 V	Is this a Prorated / Spaced Field?	71 _{No.}
Name: MS Drilling	Target Formation(s): Cattlemen Sand	<u>V</u> IIIO
	Nearest Lease or unit boundary line (in footage): 186'	
Well Drilled For: Well Class: Type Equipment:	005	MSL
⊠Oil Enh Rec ⊠Infield	Water well within one-quarter mile:	
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:	
Disposal Wildcat Cable	Depth to bottom of fresh water: 100'	<u></u>
Seismic ;# of Holes Other Other:	Depth to bottom of usable water: 1000'	
Other.	Surface Pine by Alternate:	
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:	
	Length of Conductor Pipe (if any): None	**********
Operator:	Projected Total Depth: 300'	
Well Name: Original Total Depth:	Formation at Total Depth: Cattlemen Sand	
Original Completion Date.	Water Source for Drilling Operations:	
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other: Air	
If Yes, true vertical depth:	DWR Permit #:	
Bottom Hole Location:		
	(Note: Apply for Permit with DWR)	
KCC DKT #:	(Note: Apply for Permit with DWR) Will Cores be taken?	No
	Will Cores be taken?	_
	Will Cores be taken?	_
KCC DKT #:	Will Cores be taken? Yes If Yes, proposed zone: REC KANSAS CORPOR/	— EIVED TION COMMISSION
KCC DKT #:	Will Cores be taken? Yes If Yes, proposed zone: REC KANSAS CORPOR/	— EIVED TION COMMISSION
KCC DKT #:	Will Cores be taken? If Yes, proposed zone: KANSAS CORPOR/ FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. MAY 2	EIVED TION COMMISSION 6 2010
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: KANSAS CORPOR/ FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. MAY 2	EIVED TION COMMISSION 6 2010
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORA IDAVIT gging of this well will comply with K.S.A. 55 et. seq. MAY 2 CONSERVATI	EIVED TION COMMISSION 6 2010
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met:	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORA FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. MAY 2 CONSERVATI WICHING	EIVED TION COMMISSION 6 2010
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORA IDAVIT gging of this well will comply with K.S.A. 55 et. seq. CONSERVATI WICHIT by circulating cement to the top; in all cases surface pipe shall be set and enderlying formation.	EIVED TION COMMISSION 6 2010
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districtions.	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORI FEC KANSAS CORPORI FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. MAY 2 CONSERVATI WICHI by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. rict office on plug length and placement is necessary prior to plugging;	EIVED TION COMMISSION 6 2010
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugger.	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORITEDAVIT gging of this well will comply with K.S.A. 55 et. seq. CONSERVATI WICHIT Or circulating cement to the top; in all cases surface pipe shall be set anderlying formation. This control is necessary prior to plugging; ed or production casing is cemented in;	EIVED TION COMMISSION 6 2010
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORITEDAVIT gging of this well will comply with K.S.A. 55 et. seq. CONSERVATI WICHIT Or circulating cement to the top; in all cases surface pipe shall be set anderlying formation. This control is necessary prior to plugging; ed or production casing is cemented in;	EIVED TION COMMISSION 6 2010
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORA FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. MAY 2 CONSERVATI drilling rig; by circulating cement to the top; in all cases surface pipe shall be set a underlying formation. rict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing	EIVED TION COMMISSION 6 2010
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORI FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. MAY 2 CONSERVATI WICHI by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; a from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	EIVED TION COMMISSION 6 2010
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the per-	Will Cores be taken? If Yes, proposed zone: KANSAS CORPOR/ FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. MAY 2 CONSERVAT WICHI by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief.	EIVED TION COMMISSION 6 2010
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORI FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. MAY 2 CONSERVATI WICHI by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; a from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.	EIVED TION COMMISSION 6 2010
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the per-	Will Cores be taken? If Yes, proposed zone: KANSAS CORPOR KANSAS CORPOR KANSAS CORPOR KANSAS CORPOR KANSAS CORPOR KANSAS CORPOR MAY 2 CONSERVAT WICHI Or circulating cement to the top; in all cases surface pipe shall be set or underlying formation. Tict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; form below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Managing Member	EIVED TION COMMISSION 6 2010
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the completed within 30 days of Operator or Agent: May 24, 2010 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORI FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. MAY 2 CONSERVATI WICHI by circulating cement to the top; in all cases surface pipe shall be set anderlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. est of my knowledge and belief. Managing Member	EIVED TION COMMISSION 6 2010 ON DIVISION TA, KS
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district of the appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the between the completed within 30 days of Operator or Agent: May 24, 2010 Signature of Operator or Agent:	Will Cores be taken? If Yes, proposed zone: KANSAS CORPOR FIDAVIT gging of this well will comply with K.S.A. 55 et. seq. CONSERVAT WICHT Or circulating cement to the top; in all cases surface pipe shall be set anderlying formation. Tict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Managing Member Title: Managing Member	EIVED TION COMMISSION 6 2010 ON DIVISION FA, KS
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the performance of the complete of the performance of th	Will Cores be taken? If Yes, proposed zone: KANSAS CORPOR WASAS CORPOR WAY 2 CONSERVAT drilling rig; by circulating cement to the top; in all cases surface pipe shall be set of underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; of from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Managing Member Title: Managing Member Title: File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;	EIVED TION COMMISSION 6 2010 ON DIVISION TA, KS
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be commented or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the better than the statements made herein are true and correct to the performance of the statements of the spud date or the well shall be completed. Signature of Operator or Agent: May 24, 2010	Will Cores be taken? If Yes, proposed zone: KANSAS CORPOR/ KANSAS CORPOR/ WILLIAM Griging of this well will comply with K.S.A. 55 et. seq. CONSERVAT WICHI Or circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In the circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In the circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In the circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In the circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In the circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In the circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In the circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In the circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In the circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In the circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In the circulating cement to the top; in all cases surface pipe shall be set a underlying formation. In the circulation of the cases and cases a underlying formation. In the circulation cement in the constant of the cases and cases a underlying formation. In the circulation of the cases and cases a underlying formation. In the circulation of the cases and cases a underlying formation. In the circulation of the cases and cases a underlying formation. In the circulation of the cases and	EIVED TION COMMISSION 6 2010 ON DIVISION TA, KS
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the perfect that the statements made herein are true and correct to the perfect that the statements of Operator or Agent: May 24, 2010	Will Cores be taken? If Yes, proposed zone: KANSAS CORPOR/ KANSAS CORPOR/ WILLIAM Griging of this well will comply with K.S.A. 55 et. seq. CONSERVAT WICHI Or circulating cement to the top; in all cases surface pipe shall be set a underlying formation. The inderlying formation in the set of production casing is cemented in; or from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Managing Member Title: Managing Member File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days)	EIVED TION COMMISSION 6 2010 ON DIVISION TA, KS
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be commented or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the permanent. May 24, 2010 Signature of Operator or Agent: May 24, 2010 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 037 - 22111 - 00 - 00 feet per ALT. II III Approved by: 244 5-26-2010	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATION Graph of this well will comply with K.S.A. 55 et. seq. CONSERVATION WICHIT OF CONSERVATION Or circulating cement to the top; in all cases surface pipe shall be set to underlying formation. The inderlying formation in the set of production casing is cemented in; the from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Title: Managing Member Title: Managing Member File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days).	EIVED TION COMMISSION 6 2010 ON DIVISION TA, KS
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugged. 6. If an ALTERNATE II COMPLETION, production pipe shall be commented or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the permanent. May 24, 2010 Signature of Operator or Agent: May 24, 2010 Signature of Operator or Agent: For KCC Use ONLY API # 15 - 037 - 22111 - 00 - 00 feet per ALT. II III Approved by: 244 5-26-2010	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATE Granging of this well will comply with K.S.A. 55 et. seq. MAY 2 CONSERVATE WICHIT Or circulating cement to the top; in all cases surface pipe shall be set to underlying formation. First office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; to from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Managing Member Title: Managing Member File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry: Submit plugging report (CP-4) after plugging is completed (within 60 days). Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	EIVED TION COMMISSION 6 2010 ON DIVISION TA, KS
AFF The undersigned hereby affirms that the drilling, completion and eventual plug It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the set of the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the perfect that the statements made herein are true and correct to the perfect that the statements of Operator or Agent: May 24, 2010	Will Cores be taken? If Yes, proposed zone: KANSAS CORPOR/ KANSAS CORPOR/ KANSAS CORPOR/ WICHIT Grigging of this well will comply with K.S.A. 55 et. seq. MAY 2 CONSERVATI WICHIT On y circulating cement to the top; in all cases surface pipe shall be set a underlying formation. Interception of the complete of the complete of the production casing is cemented in; and placement is necessary prior to plugging; and or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. If from below any usable water to surface within 120 DAYS of spud date. If the prior to any cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Managing Member Title: Managing Member Title: Managing Member Submit plugging report (CP-4) after plugging is completed (within 60 days). Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please check the box below and return to the address below.	EIVED TION COMMISSION 6 2010 ON DIVISION TA, KS
AFF The undersigned hereby affirms that the drilling, completion and eventual plus It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set to through all unconsolidated materials plus a minimum of 20 feet into the described like of the well is dry hole, an agreement between the operator and the distress. The appropriate district office will be notified before well is either plugged. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #15 must be completed within 30 days of the spud date or the well shall be I hereby certify that the statements made herein are true and correct to the better that the statements made herein are true and correct to the better that the statements made herein are true and correct to the better that the statements of Operator or Agent: For KCC Use ONLY API #15	Will Cores be taken? If Yes, proposed zone: KANSAS CORPORATE Granging of this well will comply with K.S.A. 55 et. seq. MAY 2 CONSERVATE WICHIT Or circulating cement to the top; in all cases surface pipe shall be set to underlying formation. First office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; to from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Best of my knowledge and belief. Managing Member Title: Managing Member File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry: Submit plugging report (CP-4) after plugging is completed (within 60 days). Obtain written approval before disposing or injecting salt water. If this permit has expired (See: authorized expiration date) please	EIVED TION COMMISSION 6 2010 ON DIVISION TA, KS

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the proposed acreage attribution unit for oil wells.

API No. 15 - D3 7-22111-0000	
Operator: WHL Energy Midcon LLC	Location of Well: County: Crawford
Lease: Samp	5,033 feet from N / N S Line of Section
Well Number: SAM-54	2,826 feet from X E / W Line of Section
Field: McCune	Sec. 7 Twp. 31 S. R. 22 X E W
Number of Acres attributable to well:	Is Section: Regular or Irregular
QTR/QTR/QTR of acreage: NE - NE - NE - NW	io contoni. My regular or Minogalar
	if Section is irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show location of the well and shade attributable acreage for prorated or spaced wells.)
(Show location of the well and shade attributable acreage for prorated or spaced wells.)

RECEIVED

KMNSAS CORPORATION COMMISSIVIA

MAY 2 6 2010

CONSERVATION DIVISION
WICHITA, KS

EXAMPLE

1980

3390

SEWARD CO.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 April 2004 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name: WHL Energy Midcon LLC		License Number: 34328		
Operator Address: P.O. Box 191, Girard, Kansas 66743				
Contact Person: Tony Anderson		Phone Number: 620-724-2860		
Lease Name & Well No.: Samp: SAM 54		Pit Location (QQQQ):		
Type of Pit: Pit is:		NE NE NW		
Emergency Pit Burn Pit Proposed	Existing	Sec. 7 Twp. 315R. 22 East West		
Settling Pit Drilling Pit If Existing, date of	onstructed:	5,033 Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Pit capacity:		2,826 Feet from East / West Line of Section		
100	(bbls)	Crawford County	<u> </u>	
Is the pit located in a Sensitive Ground Water Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Artificial Liner? Yes Yes Yes	No	How is the pit lined if a plastic liner is not used? Native Clay		
Pit dimensions (all but working pits): 25 Length (fe	eet)5	Width (feet) N/A: Steel Pits		
Depth from ground level to de	eepest point:	6 (feet) No Pit		
If the pit is lined give a brief description of the liner material, thickness and installation procedure.	Describe proce liner integrity, i	edures for periodic maintenance and determining RECEIVE CORPORATION	D COMMISSIC	
NA	NA	MAY 26 2	l	
		CONSERVATION	Draeio.	
Distance to nearest water well within one-mile of pit	Depth to shallo	WCHITA, powest fresh waterfeet.	s	
Source of info		mation:		
leet Depth of water went leet	Drilling Work	uredwell owner electric log KDWR over and Haul-Off Pits ONLY:	<u>-</u>	
		al utilized in drilling/workover: Air	9	
		king pits to be utilized: 1	37	
		procedure: Back Fill When Dry	2	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must l		be closed within 365 days of spud date.	2111	
I hereby certify that the above statements are true and correct to the best of my knowledge and belief.				
	\int		11-00-00	
May 24, 2010	/ /en	ignature of Applicant or Agent		
KCC OFFICE USE ONLY Steel Pit RFAC RFAS				
Date Received: 5 - 26 - 10 Permit Number: Permit Date: 5 - 26 - 10 Lease Inspection: Yes ANO				