

**CONFIDENTIAL**

*11/17/08*

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

**ORIGINAL**

Form ACO-1  
September 1999  
Form Must Be Typed

**WELL COMPLETION FORM**

**WELL HISTORY - DESCRIPTION OF WELL & LEASE**

*11/06/09*

Operator: License # 30931  
Name: Daystar Petroleum, Inc.  
Address: PO Box 360  
City/State/Zip: Valley Center/KS/67147  
Purchaser: none  
Operator Contact Person: Matt Osborn  
Phone: (316) 755-3492  
Contractor: Name: Landmark Drilling, LLC  
License: 33549  
Wellsite Geologist: James C. Musgrove

Designate Type of Completion:  
 New Well     Re-Entry     Workover  
 Oil     SWD     SIOW     Temp. Abd.  
 Gas     ENHR     SIGW  
 Dry     Other (Core, WSW, Expl., Cathodic, etc)

If Workover/Re-entry: Old Well Info as follows:  
Operator: \_\_\_\_\_  
Well Name: \_\_\_\_\_  
Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_  
 Deepening     Re-perf.     Conv. to Enhr./SWD  
 Plug Back     Plug Back Total Depth  
 Commingled    Docket No. \_\_\_\_\_  
 Dual Completion    Docket No. WELL  
 Other (SWD or Enhr.?)    Docket No. PLUGGED ON  
09/22/2008    09/29/2008    09/30/2008  
Spud Date or    Date Reached TD    Completion Date or  
Recompletion Date       Recompletion Date

API No. 15 - 009-25216-00-00  
County: Barton  
\_\_\_\_ NE \_\_\_\_ SW \_\_\_\_ NW Sec. 28 Twp. 16 S. R. 13  East  West  
1650 feet from S /  (circle one) Line of Section  
990 feet from E /  (circle one) Line of Section

Footages Calculated from Nearest Outside Section Corner:  
(circle one) NE SE  NW SW  
Lease Name: Wilborn Well #: 1-28  
Field Name: Trapp  
Producing Formation: none  
Elevation: Ground: 1951 Kelly Bushing: 1958  
Total Depth: 3490 Plug Back Total Depth: 09/30/2008  
Amount of Surface Pipe Set and Cemented at 893' @ 898' Feet  
Multiple Stage Cementing Collar Used?  Yes  No  
If yes, show depth set \_\_\_\_\_ Feet  
If Alternate II completion, cement circulated from \_\_\_\_\_  
feet depth to \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan PANH 12-23-08  
(Data must be collected from the Reserve Pit)  
Chloride content 3000 ppm Fluid volume 900 bbls  
Dewatering method used Air Dry and Backfill  
Location of fluid disposal if hauled offsite: \_\_\_\_\_  
Operator Name: \_\_\_\_\_  
Lease Name: \_\_\_\_\_ License No.: \_\_\_\_\_  
Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
County: \_\_\_\_\_ Docket No.: \_\_\_\_\_

**INSTRUCTIONS:** An original and two copies of this form shall be filed with the Kansas Corporation Commission, 130 S. Market - Room 2078, Wichita, Kansas 67202, within 120 days of the spud date, recompletion, workover or conversion of a well. Rule 82-3-130, 82-3-106 and 82-3-107 apply. Information of side two of this form will be held confidential for a period of 12 months if requested in writing and submitted with the form (see rule 82-3-107 for confidentiality in excess of 12 months). One copy of all wireline logs and geologist well report shall be attached with this form. ALL CEMENTING TICKETS MUST BE ATTACHED. Submit CP-4 form with all plugged wells. Submit CP-111 form with all temporarily abandoned wells.

All requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Signature: Matthew S. [Signature]  
Title: Operations Manager Date: 11/12/2008  
Subscribed and sworn to before me this 12th day of November  
2008  
Notary Public: Marsha Breitenstein  
Date Commission Expires: Sept 15, 2011

**KCC Office Use ONLY**  
 Letter of Confidentiality Received  
 If Denied, Yes  Date: \_\_\_\_\_  
 Wireline Log Received  
 Geologist Report Received  
 UIC Distribution  
**RECEIVED**  
KANSAS CORPORATION COMMISSION  
**NOV 13 2008**

Notary Public - State of Kansas  
**MARSHA BREITENSTEIN**  
My Appointment Expires 9-15-11

CONSERVATION DIVISION  
WICHITA, KS



# ALLIED CEMENTING CO., LLC. 042849

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

**KCC**

SERVICE POINT:  
Russell KS

DATE <u>9-24-08</u>	SEC. <u>28</u>	TWP. <u>16</u>	RANGE <u>13</u>	CALLED OUT <u>NOV 06 2008</u>	ON LOCATION <u>CONFIDENTIAL</u>	JOB START <u>2:00 am</u>	JOB FINISH <u>2:45 am</u>
LEASE <u>Wilborn</u>	WELL # <u>1-28</u>		LOCATION <u>Susank KS Stop sign 50 yards</u>		COUNTY <u>Barton</u>	STATE <u>KS</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)			<u>East 200 yards south into</u>				

CONTRACTOR Landmark Drilling Rig #4

TYPE OF JOB Surface

HOLE SIZE <u>12 1/4</u>	T.D. <u>908'</u>
CASING SIZE <u>8 7/8</u>	DEPTH <u>902.26'</u>
TUBING SIZE	DEPTH
DRILL PIPE	DEPTH
TOOL	DEPTH
PRES. MAX	MINIMUM
MEAS. LINE	SHOE JOINT <u>38.76</u>
CEMENT LEFT IN CSG.	<u>38.76</u>
PERFS.	
DISPLACEMENT	<u>55 Bbl</u>

OWNER \_\_\_\_\_

CEMENT AMOUNT ORDERED 400 ~~200~~ sk common 3% CC  
2% Gel

COMMON <u>400</u>	@ <u>13.50</u>	<u>5400.00</u>
POZMIX	@	
GEL <u>8</u>	@ <u>20.25</u>	<u>162.00</u>
CHLORIDE <u>44</u>	@ <u>51.50</u>	<u>2266.00</u>
ASC	@	
	@	
	@	
	@	
	@	
	@	
	@	
	@	
HANDLING <u>422</u>	@ <u>2.25</u>	<u>949.50</u>
MILEAGE <u>SK/mi/10</u>		<u>970.00</u>
TOTAL		<u>8203.10</u>

**EQUIPMENT**

PUMP TRUCK # <u>409</u>	CEMENTER <u>John Roberts</u>
	HELPER <u>Travis</u>
BULK TRUCK # <u>396</u>	DRIVER <u>Neal</u>
BULK TRUCK # _____	DRIVER _____

**REMARKS:**

Ran 23 jt. casing 893.26 + 9' = 902.26' set @ ~~901.26~~ <sup>898.26</sup>  
Est circulation and circulate 15 min. Mixed  
400sk cement 95.46 Bbls Slurry-  
Displace plug w/ 55 Bbl H2O.  
Landed plug at 450 psi. Cement  
did circulate. Circulated 70 sk  
cement back into pit.

*Thanks!*

CHARGE TO: Daystar Petroleum Inc.

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

**SERVICE**

DEPTH OF JOB _____		
PUMP TRUCK CHARGE _____		<u>1159.00</u>
EXTRA FOOTAGE _____	@	
MILEAGE <u>23</u>	@ <u>7.50</u>	<u>172.50</u>
MANIFOLD _____	@	
	@	
	@	
TOTAL		<u>1331.50</u>

**PLUG & FLOAT EQUIPMENT**

<u>8 5/8 Rubber Plug</u>	@	<u>110</u>
<u>8 5/8 Baffle Plate</u>	@	<u>148.00</u>
	@	
	@	
	@	
TOTAL		<u>258-</u>

To Allied Cementing Co., LLC.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

SALES TAX (If Any) \_\_\_\_\_

TOTAL CHARGES \_\_\_\_\_

DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

PRINTED NAME \_\_\_\_\_

SIGNATURE [Signature]

RECEIVED  
KANSAS CORPORATION COMMISSION  
NOV 13 2008  
CONSERVATION DIVISION  
WICHITA, KS

# ALLIED CEMENTING CO., LLC.

32214

REMIT TO P.O. BOX 31  
RUSSELL, KANSAS 67665

KCC

SERVICE POINT:

NOV 06 2008

Russell  
m. p. night

DATE <u>9-29-08</u>	SEC. <u>28</u>	TWP. <u>16</u>	RANGE <u>13</u>	CALLED <u>CONFIDENTIAL</u>	LOCATION	JOB START <u>11:00 PM</u>	JOB FINISH <u>12:00 PM</u>
LEASE <u>WILBORN</u>	WELL # <u>1-28</u>	LOCATION <u>SUSANK Y8E 1/4 S T1N10</u>			COUNTY <u>Barton</u>	STATE <u>KANSAS</u>	
OLD OR <input checked="" type="radio"/> NEW (Circle one)							

CONTRACTOR LANDMARK DRILG. Rig #4  
 TYPE OF JOB Rotary Plug  
 HOLE SIZE 7 7/8 T.D. 3495  
 CASING SIZE 8 5/8 SURFACE DEPTH 908  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE 4 1/2 X-H DEPTH 3405  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. \_\_\_\_\_  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT \_\_\_\_\_

OWNER \_\_\_\_\_

CEMENT  
 AMOUNT ORDERED 185 SK 60% 4% GEL  
1/4# FLO-SEAL PER SK

COMMON	<u>111</u>	@	<u>13.50</u>	<u>1498.50</u>
POZMIX	<u>74</u>	@	<u>7.55</u>	<u>558.70</u>
GEL	<u>6</u>	@	<u>20.25</u>	<u>121.50</u>
CHLORIDE		@		
ASC		@		
	<u>Flo Seal 46</u>	@	<u>2.45</u>	<u>112.70</u>
		@		
		@		
		@		
		@		
		@		
		@		
HANDLING	<u>191</u>	@	<u>2.25</u>	<u>429.75</u>
MILEAGE	<u>110/sk/mile</u>			<u>286.50</u>
				TOTAL <u>3,007.65</u>

EQUIPMENT

PUMP TRUCK CEMENTER 2/244  
 # 398 HELPER AK  
 BULK TRUCK  
 # 378 DRIVER Doug  
 BULK TRUCK  
 # \_\_\_\_\_ DRIVER \_\_\_\_\_

REMARKS:

25 SK @ 3405  
40 SK @ 950  
80 SK @ 480  
10 SK @ 40' & wiper plug  
30 SK @ Rathole  
XX SK @

THANK'S

CHARGE TO: Daystar Petroleum  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

SERVICE

DEPTH OF JOB				
PUMP TRUCK CHARGE				<u>990.00</u>
EXTRA FOOTAGE		@		
MILEAGE	<u>15</u>	@	<u>7.50</u>	<u>112.50</u>
MANIFOLD		@		
		@		
		@		
				TOTAL <u>1,102.50</u>

PLUG & FLOAT EQUIPMENT

		@		
		@		
	<u>Dry Hole Plug</u>	@		<u>39.00</u>
		@		
		@		
				TOTAL <u>39.00</u>

SALES TAX (If Any) \_\_\_\_\_  
 TOTAL CHARGES \_\_\_\_\_  
 DISCOUNT \_\_\_\_\_ IF PAID IN 30 DAYS

PRINTED NAME Brett A. Denning  
 SIGNATURE Brett A. Denning

RECEIVED  
 KANSAS CORPORATION COMMISSION

NOV 13 2008

CONSERVATION DIVISION  
 WICHITA, KS

To Allied Cementing Co., LLC.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.